



All node Green:



Proper CSV File:



Root 6 results:

KNIME Analytics Platform

Home Webtool +

Save Execute Cancel Reset

Local - Webtool

Upload

Scorer

Compares two columns by their attribute value and shows the confusion matrix, i.e. how many of which attribute and their classification match. Additionally, it is possible to highlight cells to determine the underlying rows. The dialog allows you to select two columns for comparison; the first selected column are represented in the confusion matrix's rows and the values from the second column by the confusion matrix's column. The output of the node is the confusion matrix, the number of matches in each cell. Additionally, second output reports a number of accuracy statistics such as True-Positives, False-Positive True-Negatives, False-Negatives, Recall, Precision, Sensitivity, Specificity, F-measure, as well as the overall accuracy and Cohen's kappa.

External resources

No links have been added yet

Ports Options View

Input ports

Type: Table
Name: Input table
Table containing the columns to compare.

Output ports

Type: Table
Name: Confusion matrix
The confusion matrix.

Type: Table
Name: Accuracy statistics
The accuracy statistics table.

Extension

Confusion matrix (Table)

Rows: 2 | Columns: 2 | Sorting Filter

#	RowID	Not At Risk	At Risk
1	Not A...	3	0
2	At Risk	0	3

Scorer

First column: Prediction (risk_status)

Second column: risk_status

Sorting strategy: Insertion order

Reverse order: ☐

Use name prefix: ☐

Missing values: Ignore Fail

Discard Apply Apply and Execute

Root 10 Results:

KNIME Analytics Platform

Home Webtool +

Save Execute Cancel Reset

Local - Webtool

Upload

Scorer

Compares two columns by their attribute value and shows the confusion matrix, i.e. how many of which attribute and their classification match. Additionally, it is possible to highlight cells to determine the underlying rows. The dialog allows you to select two columns for comparison; the first selected column are represented in the confusion matrix's rows and the values from the second column by the confusion matrix's column. The output of the node is the confusion matrix, the number of matches in each cell. Additionally, second output reports a number of accuracy statistics such as True-Positives, False-Positive True-Negatives, False-Negatives, Recall, Precision, Sensitivity, Specificity, F-measure, as well as the overall accuracy and Cohen's kappa.

External resources

No links have been added yet

Ports Options View

Input ports

Type: Table
Name: Input table
Table containing the columns to compare.

Output ports

Type: Table
Name: Confusion matrix
The confusion matrix.

Type: Table
Name: Accuracy statistics
The accuracy statistics table.

Extension

Confusion matrix (Table)

Rows: 2 | Columns: 2 | Sorting Filter

#	RowID	Not At Risk	At Risk
1	Not A...	3	2
2	At Risk	0	1

Scorer

First column: Prediction (risk_status)

Second column: risk_status

Sorting strategy: Insertion order

Reverse order: ☐

Use name prefix: ☐

Missing values: Ignore Fail

Discard Apply Apply and Execute

Root 13 results:

