

# Network Science

---

## Lecture 06: Structural Balance

Prof. Dr. Michael Granitzer

Dr. Kanishka Ghosh Dastidar

Dr. Jelena Mitrovic

# From Unsigned to Signed Graphs

So far, an edge meant "connected." Starting now, every edge also carries a **sign**: positive (+) for alliance, friendship, or trust; negative (−) for rivalry, hostility, or distrust.


This one addition — a single bit per edge — turns out to constrain global structure powerfully.

# A Motivating Scenario

## Cold War alliances as a signed graph

green solid = alliance (+) · red dashed = rivalry (−)

### Pre-1960 — two balanced blocs



Western Bloc


Eastern Bloc

All 10 triangles are balanced

→ Balance Theorem: exactly 2 camps

✓ strong structural balance

### Post-1969 — Sino-Soviet split



△ USA–USSR–China: all negative (---)

→ violates strong balance


→ but satisfies weak balance ( $\geq 3$  camps)

camps: {USA, UK, FR} · {USSR} · {China}


Five nations during the Cold War. **Left:** pre-1960, all alliances and rivalries form two clean blocs — every triangle is balanced. **Right:** after the 1969 Sino-Soviet split, USSR–China flips to –, creating all-negative triangles. The two-bloc structure breaks.

# Four Questions from One Picture

1. **Local stability.** Which signed triangles feel psychologically "stable" — and which feel like they should change?
  2. **Global structure.** If every triangle is stable, what does that force the *whole* graph to look like?
  3. **Relaxation.** When a three-way rivalry (all  $-$ ) appears, does the two-bloc theorem still hold — or do we need more camps?
  4. **Measurement.** In a real signed network with millions of edges, how close to balanced is it — and how would we know?
- Every concept in today's lecture answers one of these.



# Argument Map



# A New Kind of Gap

L03–L04 had a **computational** gap: MaxSTC and modularity maximization are NP-hard. L05 had a **causal** gap: cross-sectional data cannot identify selection vs. socialization.

L06 has a **structural** gap: the Balance Theorem requires a *complete* signed graph, but real networks are *sparse*. Most pairs have no observed edge, so the theorem's premise is never met exactly.

| Lecture | Gap type      | Ideal                    | Reality                | Strategy                     |
|---------|---------------|--------------------------|------------------------|------------------------------|
| L03–L04 | Computational | Exact optimization       | NP-hard                | Polynomial heuristics        |
| L05     | Causal        | Mechanism identification | Snapshots insufficient | Longitudinal data            |
| L06     | Structural    | Complete signed graph    | Sparse, noisy data     | Approximate balance measures |

# Takeaway

Adding a sign to each edge creates a surprisingly powerful local constraint. The structural balance theorem turns triangle-level psychology into a global two-bloc prediction — but applying it to real data requires dealing with incompleteness and approximation.



# Signed Graphs and Structural Balance

**Guiding Question:** If every triangle in a signed graph is "psychologically stable," what does that force the global structure to be?

# Heider's Insight (1946)

**Fritz Heider (1946)**, *Attitudes and Cognitive Organization*, [Journal of Psychology 21, 107–112](#).

Heider proposed that people experience psychological tension ("cognitive dissonance") when their relationships form certain patterns — for example, two friends who both dislike the same person feel stable, but two friends who disagree about a third person feel pressure to change.

# Heider's Insight (1946)

Fritz Heider (1946), *Attitudes and Cognitive Organization*, [Journal of Psychology 21, 107–112](#).

Heider proposed that people experience psychological tension ("cognitive dissonance") when their relationships form certain patterns — for example, two friends who both dislike the same person feel stable, but two friends who disagree about a third person feel pressure to change.

The network-science formalization: encode the tension as a constraint on **signed triangles**.

# Signed Graphs — Formal Definition

A **signed graph** is a pair  $(G, \sigma)$  where  $G = (V, E)$  is a graph and  $\sigma : E \rightarrow +, -$  assigns a sign to every edge.


- $\sigma(e) = +$ : alliance, friendship, trust
- $\sigma(e) = -$ : rivalry, hostility, distrust

A **complete signed graph** has an edge (with some sign) between every pair of nodes.

# The Four Signed Triangles

## The four signed triangles

green = positive (+) · red dashed = negative (-) · balanced triangles have an even number of - edges




A triangle is **balanced** if and only if it has an **even** number of negative edges (0 or 2). The (+ + -) triangle is unstable: two friends share an enemy, creating pressure for one friendship to break. The (- - -) triangle is the ambiguous case — stable under weak balance but not strong.

# The Structural Balance Theorem

**Structural Balance Theorem (Cartwright & Harary, 1956).** A complete signed graph  $(G, \sigma)$  is balanced — i.e., every triangle has an even number of negative edges — if and only if the nodes can be partitioned into **at most two** groups such that:


- every edge *within* a group is positive
- every edge *between* groups is negative

In other words: **balance implies two camps.**



# Proof Sketch


## 1. Camps $\rightarrow$ balanced triangles



inside one camp  
0 negative edges

split 2 + 1  
2 negative edges

## 2. Balanced triangles $\rightarrow$ camps



Triangles with v force all remaining signs:  
within each side: +  
across the two sides: -


**Camps  $\rightarrow$  balance:**  
within-camp edges are positive and cross-camp edges are negative, so every triangle has either 0 or 2 negative edges.

**Balance  $\rightarrow$  camps:**  
pick one node  $v$ . Its friends must form one positive camp, its enemies must form another positive camp, and all edges across the two camps are forced to be negative.

# Back to the Cold War

In the pre-1960 panel: **all 10 triangles** in  $K_5$  are balanced.

| Triangle         | Signs | Count of – | Balanced? |
|------------------|-------|------------|-----------|
| USA–UK–France    | + + + | 0          | ✓         |
| USA–UK–USSR      | + – – | 2          | ✓         |
| USA–UK–China     | + – – | 2          | ✓         |
| USA–France–USSR  | + – – | 2          | ✓         |
| USA–France–China | + – – | 2          | ✓         |
| USA–USSR–China   | – – + | 2          | ✓         |
| UK–France–USSR   | + – – | 2          | ✓         |
| UK–France–China  | + – – | 2          | ✓         |





| Triangle          | Signs | Count of – | Balanced? |
|-------------------|-------|------------|-----------|
| UK–USSR–China     | – – + | 2          | ✓         |
| France–USSR–China | – – + | 2          | ✓         |

The theorem correctly predicts two camps: {USA, UK, France} and {USSR, China}.


# Takeaway

The Structural Balance Theorem is a rare example of a local constraint (triangle psychology) producing a clean global prediction (two camps). A single triangle rule, applied consistently across a complete signed graph, locks the entire network into a rigid two-bloc structure.

# Quick Check

Consider four nations with the signed graph shown on the right.


1. List all four triangles and classify each as balanced or unbalanced.
2. Is the graph balanced? If so, what are the two camps?
3. If we flip the C–D edge from  $-$  to  $+$ , which triangle(s) become unbalanced?




# Quick Check

Consider four nations with the signed graph shown on the right.

1. List all four triangles and classify each as balanced or unbalanced.
2. Is the graph balanced? If so, what are the two camps?
3. If we flip the C–D edge from  $-$  to  $+$ , which triangle(s) become unbalanced?



## Quick Check — Solution



1. **Before the flip:** all four triangles are balanced.
  - A-B-C has 0 negative edges.
  - A-B-D, A-C-D, and B-C-D each have 2 negative edges.
2. All balanced  $\rightarrow$  **yes**. Camps:  $A, B, C$  vs  $D$ .
3. Flipping C–D to  $+$  makes:
  - A-C-D  $\rightarrow$  one negative edge  $\times$
  - B-C-D  $\rightarrow$  one negative edge  $\times$


# Weak Structural Balance

**Guiding Question:** What happens to the two-camps theorem when three-way rivalries are allowed?

# The Problem with All-Negative Triangles

In the post-1969 Cold War panel, the triangle USA–USSR–China has three negative edges. Under strong balance, this is **unbalanced** — the theorem says the graph cannot split into two camps. But historically, the world *did* function with three separate power blocs: {USA, UK, France}, {USSR}, {China}.

Post-1969: all-negative triangle




Strong balance: forbidden

Weak balance: allowed as three separate camps

# The Problem with All-Negative Triangles

In the post-1969 Cold War panel, the triangle USA–USSR–China has three negative edges. Under strong balance, this is **unbalanced** — the theorem says the graph cannot split into two camps. But historically, the world *did* function with three separate power blocs: {USA, UK, France}, {USSR}, {China}. The issue is psychological: a three-way rivalry may be *unstable* (each party would benefit from allying with someone), but it is not *contradictory* in the way that  $(+ + -)$  is. Two friends disagreeing about a third face direct tension; three mutual enemies merely face *opportunity*.

Post-1969: all-negative triangle



Strong balance: forbidden

Weak balance: allowed as three separate camps

# Weak Balance — Definition

**Weak Structural Balance (Davis, 1967).** A complete signed graph is **weakly balanced** if it contains no triangle with exactly **one** negative edge (+ + −). All-negative triangles (− − −) are permitted.

A **complete signed graph** assigns a + or − label to every edge between every pair of nodes — every pair is connected by exactly one signed edge.



# Weak Balance — Definition


**Weak Structural Balance (Davis, 1967).** A complete signed graph is **weakly balanced** if it contains no triangle with exactly **one** negative edge (+ + −). All-negative triangles (− − −) are permitted.

A **complete signed graph** assigns a + or − label to every edge between every pair of nodes — every pair is connected by exactly one signed edge.

**Weak Balance Theorem.** A complete signed graph is weakly balanced if and only if the nodes can be partitioned into  $k \geq 1$  groups such that:

- every edge *within* a group is positive
- every edge *between* groups is negative


(Strong balance is the special case  $k \leq 2$ .)



# Back to the Cold War — Post-1969

After the Sino-Soviet split, the five-nation graph has:

- (+ + +) triangles: USA–UK–France ✓
- (+ – –) triangles: all Western-pair + one Eastern node (6 triangles) ✓
- (– – –) triangles: USA–USSR–China, UK–USSR–China, France–USSR–China ✓ under weak balance




# Back to the Cold War — Post-1969

After the Sino-Soviet split, the five-nation graph has:

- (+ + +) triangles: USA–UK–France ✓
- (+ − −) triangles: all Western-pair + one Eastern node (6 triangles) ✓
- (− − −) triangles: USA–USSR–China, UK–USSR–China, France–USSR–China ✓ under weak balance

No (+ + −) triangles exist → **weakly balanced**.

Partition into 3 camps: USA, UK, France, USSR, China.



# Takeaway

Weak balance replaces the two-bloc theorem with a  $k$ -coalition theorem. Permitting all-negative triangles allows multiple hostile camps — a better model for real-world multipolar structures like the post-1969 Cold War.

# Empirical Test: Signed Networks in Social Media

**Guiding Question:** In real signed networks with millions of edges, does balance actually hold?

# The Study

Leskovec, Huttenlocher & Kleinberg (2010), *Predicting Positive and Negative Links in Online Social Networks*, [Proc. 19th International Conference on World Wide Web \(WWW\), 641–650](#).

They analyzed three large signed networks:

| Dataset   | What is a node?                   | What is a directed signed edge?                                                             | Size                                  |
|-----------|-----------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------|
| Epinions  | users of a product-review site    | user $u$ marks user $v$ as <b>trusted</b> (+) or <b>distrusted</b> (–)                      | 119 217 users; 841 200 edges; 85.0% + |
| Slashdot  | users of the technology-news site | user $u$ tags user $v$ as <b>friend</b> (+) or <b>foe</b> (–) in Slashdot Zoo               | 82 144 users; 549 202 edges; 77.4% +  |
| Wikipedia | users involved in admin elections | voter $u$ casts <b>support</b> (+) or <b>oppose</b> (–) vote on candidate $v$ for adminship | 7 118 users; 103 747 votes; 78.7% +   |

Wikipedia here is an **election/voting network**, not an article-editing or friendship network: edges run from voters to admin candidates across 2 794 administrator elections.

# What They Found

Triangle-level balance is remarkably strong:

| Triangle type | Expected (random signs) | Observed (Epinions) |
|---------------|-------------------------|---------------------|
| + + +         | ~12.5%                  | ~47%                |
| + + -         | ~37.5%                  | ~8%                 |
| + - -         | ~37.5%                  | ~37%                |
| - - -         | ~12.5%                  | ~8%                 |

# What They Found

Triangle-level balance is remarkably strong:

| Triangle type | Expected (random signs) | Observed (Epinions) |
|---------------|-------------------------|---------------------|
| + + +         | ~12.5%                  | ~47%                |
| + + -         | ~37.5%                  | ~8%                 |
| + - -         | ~37.5%                  | ~37%                |
| - - -         | ~12.5%                  | ~8%                 |

The (+ + -) type — the one both strong and weak balance forbid — is **massively underrepresented** (~8% vs. 37.5% expected). The balanced types (+ + +) and (+ - -) are overrepresented. Balance is not perfect, but the skew is dramatic.



# What the Study Could Not See

- 1. Sparse, not complete.** The Balance Theorem assumes a complete signed graph. These networks are extremely sparse — most pairs have no edge. The theorem's prediction (two or  $k$  camps) does not directly apply; the study tests triangle statistics, not the global partition.
- 2. Directed signs.** On Epinions, trust and distrust are *directed* — A can trust B without B trusting A. The balance framework assumes undirected signs. Directed balance theory exists (Leskovec et al. explore it) but is less clean.
- 3. Missing negative edges.** People are less likely to *create* a negative edge than to simply *not interact*. The observed negative edges are a biased sample: they represent actively expressed hostility, not indifference. The "true" signed graph — if every pair had a relationship — might look different.

# Takeaway

Leskovec et al. (2010) showed that balance holds at the triangle level in large online signed networks: the forbidden  $(+ + -)$  type is massively underrepresented. But real networks are sparse and directed, so the clean two-camp prediction of the Balance Theorem must be tested through approximate measures, not exact partition.

# Incomplete and Approximate Balance

**Guiding Question:** How can we assess balance when the graph is incomplete or only approximately balanced?

# From Triangles to Cycles


Balance was defined on triangles — but sparse graphs may have **no triangles at all**, making that definition vacuous.

**Complete graph:** Every pair of nodes is connected, so every path passes through a triangle. Triangles cover the entire structure — no further check is needed.

**Sparse graph:** Many pairs have no edge. There may be *no triangles at all*, so the triangle criterion is trivially satisfied — nothing to check. Yet longer cycles can still be unbalanced.

**Cycle criterion** (Harary 1953). A signed graph  $(G, \sigma)$  is balanced if and only if every cycle in  $G$  has an **even** number of negative edges. On a complete graph this reduces to checking triangles. On a sparse graph it is strictly stronger.

Sparse graph: no triangles, but still unbalanced



**Triangle test:**  
no triangles exist

**Cycle test:**  
one negative edge  
odd  $\rightarrow$  unbalanced

**Counterexample.** 4-cycle  $A-B(+)-C(+)-D(+)-A(-)$ : no triangles  $\rightarrow$  triangle criterion passes trivially. One negative edge  $\rightarrow$  cycle is **unbalanced**.

# The Frustration Index

In real data, perfect balance is rare. The natural question becomes: **how far** is the graph from balanced?

**Frustration index**  $F(G, \sigma)$ : the minimum number of edges whose sign must be flipped to make the graph balanced.

$$F(G, \sigma) = \min_{\sigma'} |e \in E : \sigma(e) \neq \sigma'(e)|$$

subject to  $(G, \sigma')$  being balanced.

# The Frustration Index

In real data, perfect balance is rare. The natural question becomes: **how far** is the graph from balanced?

**Frustration index**  $F(G, \sigma)$ : the minimum number of edges whose sign must be flipped to make the graph balanced.

$$F(G, \sigma) = \min_{\sigma'} |e \in E : \sigma(e) \neq \sigma'(e)|$$

subject to  $(G, \sigma')$  being balanced.

**Normalized frustration:**  $f = F/|E|$ . If  $f \approx 0$ , the graph is near-balanced; if  $f \approx 0.5$ , it is no more balanced than a randomly signed graph.

# Computing Approximate Balance

**Exact computation.** Finding  $F$  exactly is NP-hard (equivalent to a minimum-weight graph cut on a related unsigned graph). On small graphs, integer programming or brute force works; on large graphs, we need heuristics.

**Spectral approach.** The **signed Laplacian**  $L_\sigma = D - A_\sigma$  (where  $A_\sigma$  has entries  $+1$  or  $-1$ ) has the property that  $(G, \sigma)$  is balanced iff the smallest eigenvalue  $\lambda_1(L_\sigma) = 0$ . The magnitude of  $\lambda_1$  quantifies how far the graph is from balanced.

**Practical rule of thumb.** For large networks, count the fraction of balanced triangles ( $T_{\text{bal}}/T_{\text{total}}$ ) as a fast proxy. Leskovec et al.'s Epinions data had  $T_{\text{bal}}/T_{\text{total}} \approx 0.92$ .

**What is the Laplacian?** For an unsigned graph, the Laplacian  $L = D - A$  encodes structure:  $D$  is the diagonal degree matrix and  $A$  is the adjacency matrix. Its eigenvalues measure connectivity —  $\lambda_1 = 0$  iff the graph is connected. The **signed Laplacian** replaces  $A$  with  $A_\sigma$  (entries  $+1$  for positive edges,  $-1$  for negative edges). Now  $\lambda_1 = 0$  iff the graph is balanced — balance plays the same role that connectivity plays in the unsigned case.

# Quick Check

A signed graph on 5 nodes has 7 edges. You compute that 8 out of 10 triangles are balanced and 2 are unbalanced (both of type  $+$   $+$   $-$ ).

1. Is the graph balanced? Why or why not?
2. Can you conclude that the frustration index is exactly 2?
3. What additional information would you need to determine the exact frustration index?








# Quick Check

A signed graph on 5 nodes has 7 edges. You compute that 8 out of 10 triangles are balanced and 2 are unbalanced (both of type  $++-$ ).

1. Is the graph balanced? Why or why not?
2. Can you conclude that the frustration index is exactly 2?
3. What additional information would you need to determine the exact frustration index?


## Quick Check — Solution

Before: two bad triangles



A-C-B and A-D-B are both  $++-$

Flip one shared edge



One flip fixes both triangles: F can be 1

- 1. Not balanced.** Two unbalanced triangles violate the "every triangle must be balanced" condition.
- 2. No.** Frustration index counts *edge flips*, not unbalanced triangles. The two bad triangles might share an edge — flipping that one shared edge could fix

both. So  $F \leq 2$ , but  $F$  could be as low as 1.

**3. You need the full graph** — which nodes and edges form the unbalanced triangles, and whether they share edges.

Determining  $F$  exactly requires solving a minimum-cut problem on the graph (NP-hard in general, but tractable on small instances).

# Takeaway

Real signed networks are sparse and imperfect. The frustration index and the balanced-triangle fraction are the practical tools for measuring how close a network is to the balanced ideal — replacing the all-or-nothing theorem with a quantitative diagnostic.

# Wrap-Up — Lecture 06

L06 added **signs** to edges. Once ties can be positive or negative, local triangle patterns constrain the possible global structure.

| Question                                | L06 answer                                                                                         |
|-----------------------------------------|----------------------------------------------------------------------------------------------------|
| Which signed triangles are stable?      | Strong balance allows $+++$ and $+--$ ; weak balance also allows $---$ .                           |
| What does local balance imply globally? | Strong balance forces at most two camps; weak balance allows $k$ hostile camps.                    |
| Do real online networks show balance?   | Signed social-media data strongly suppresses the forbidden $++-$ triangle.                         |
| Why is the theorem not enough?          | Real signed networks are sparse, directed, and noisy; exact complete-graph balance rarely applies. |
| How do we measure approximate balance?  | Use cycle parity, frustration index, signed Laplacian ideas, and balanced-triangle fractions.      |



The central lesson: signed networks turn "who is connected?" into "what kind of relation is this?"  
The sign pattern itself becomes structure.

## Reading

Chapter 5 of Easley & Kleinberg (2010) covers structural balance theory, weak balance, and applications. Heider (1946) and Cartwright & Harary (1956) are the original sources. Leskovec, Huttenlocher & Kleinberg (2010) is the empirical study on signed social networks.