

lessons.html

ERRORS	SOLUTIONS
<p>1. Error: Stray end tag <code>div</code>.</p> <p>From line 32, column 17; to line 32, column 22</p> <pre></div></pre>	<p>I had created a <code><div></code> element and then decided to use an <code><a></code> tag but forgot to delete both ends of the <code><div></code> and left a <code></div></code> tag. I deleted this.</p>
<p>2. Error: End tag <code>section</code> seen, but there were open elements.</p> <p>From line 65, column 5; to line 65, column 14</p> <pre>/div> </section> <</pre>	<p>An open <code><div></code> tag needed to be closed which I did with a <code></div></code> tag.</p>
<p>3. Error: Unclosed element <code>div</code>.</p> <p>From line 60, column 9; to line 60, column 28</p> <pre>> <div class="darken"></pre>	<p>A closing <code></div></code> tag was entered by mistake. This was deleted.</p>
<p>4. Error: Bad value <code>button</code> for attribute <code>type</code> on element <code>a</code>: Subtype missing.</p> <p>From line 68, column 13; to line 68, column 92</p> <pre>Click</pre>	<p>Solved by removing the <code>'btn-da'</code> which was not required. The <code>'type="button"'</code> was also removed as wasn't required when using <code>'btn'</code> or <code>'btn-primary'</code> from Bootstrap</p>

<p>5. Error: Element <code>h2</code> not allowed as child of element <code>strong</code> in this context. (Suppressing further errors from this subtree.)</p> <p>From line 78, column 25; to line 78, column 52</p> <pre><h2 class="subheading-text">Our Ch</pre> <p>Content model for element <code>strong</code>: Phrasing content.</p>	<p>Moved the h2 element and made this the parent instead which fixed the issue. However, instead I decided to remove the strong element completely and use css styling for the h2 elements</p>
<p>6. Error: Attribute <code>max-width</code> not allowed on element <code>iframe</code> at this point.</p> <p>From line 113, column 21; to line 116, column 40</p> <pre><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/ObnC2oWQg8I" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre> <p>Attributes for element <code>iframe</code>:</p> <p>Global attributes</p> <p>src — Address of the resource</p> <p>srcdoc — A document to render in the <code>iframe</code></p> <p>name — Name of nested browsing context</p> <p>sandbox — Security rules for nested content</p> <p>allow — Permissions policy to be applied to the <code>iframe</code>'s contents</p> <p>allowfullscreen — Whether to allow the <code>iframe</code>'s contents to use requestFullscreen()</p>	<p>The videos from YouTube came with an embedded code but I had issues displaying the videos on all devices. I wanted the videos to be responsive to the device size so tried 'max-width="100%"' to stop the video player from appearing too big.</p> <p>I used google to try to fix the error and found some helpful information which is credited in the css.</p> <p>However, due to the error message received, I changed this to a set figure as follows: -</p> <pre><iframe width="560" height="340" src="https://www.youtube.com/embed/ObnC2oWQg8I" title="YouTube video player" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe></pre> <p>I used the following css: -</p> <pre>.video { /* Credit - https://stackoverflow.com/a/54924505 */</pre>

<p><u>width</u> — Horizontal dimension</p> <p><u>height</u> — Vertical dimension</p> <p><u>referrerpolicy</u> — Referrer policy for fetches initiated by the element</p> <p><u>loading</u> — Used when determining loading deferral</p>	<pre>position: relative; padding-bottom: 56.25%; height: 0; } .video iframe { position: absolute; top: 0; left: 0; width: 100%; height: 100%; }</pre>
<p>7. Error: Bad value auto for attribute height on element iframe: Expected a digit but saw a instead.</p> <p>From line 113, column 21; to line 116, column 40</p> <pre><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/ObnC2oWQg8I" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre>	<p>The videos from YouTube came with an embedded code but I had issues displaying the videos on all devices. I wanted the videos to be responsive to the device size so tried 'height="auto"' to stop the video player from appearing too big.</p> <p>I used google to try to fix the error and found some helpful information which is credited in the css.</p> <p>However, due to the error message received, I changed this to a set figure as follows: -</p> <pre><iframe width="560" height="340" src="https://www.youtube.com/embed/ObnC2oWQg8I" title="YouTube video player" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe></pre> <p>I used the following css: -</p> <pre>.video { /* Credit - https://stackoverflow.com/a/54924505 */</pre>

	<pre> position: relative; padding-bottom: 56.25%; height: 0; } .video iframe { position: absolute; top: 0; left: 0; width: 100%; height: 100%; } </pre>
<p>8. Error: The <code>frameborder</code> attribute on the <code>iframe</code> element is obsolete. Use CSS instead.</p> <p>From line 113, column 21; to line 116, column 40</p> <pre> <iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/ObnC2oWQg8I" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra </pre>	<p>I had used the embedded code from YouTube for all my videos to display on the website. These codes came with the ‘frameborder=“0”’ section which I deleted when the error code appeared.</p> <p>This then fixed the error.</p>
<p>9. Error: Duplicate ID <code>subheading-text</code>.</p> <p>From line 128, column 17; to line 128, column 41</p> <pre> <h2 id="subheading-text">Childr </pre>	<p>I had used an id=“subheading-text” but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>
<p>10. Warning: The first occurrence of ID <code>subheading-text</code> was here.</p>	<p>I had used an id=“subheading-text” but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>

<p>From line 83, column 17; to line 83, column 41 <code><h1 id="subheading-text">Childr</code></p>	
<p>11. Error: No <code><p></code> element in scope but a <code></p></code> end tag seen.</p> <p>From line 147, column 17; to line 147, column 20 <code></P></code></p>	<p>I had changed a <code><p></code> paragraph to a header but forgot to delete the end <code></p></code> end tag.</p>
<p>12. Error: Attribute <code>max-width</code> not allowed on element <code>iframe</code> at this point.</p> <p>From line 157, column 21; to line 160, column 40 <code><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/3nII4DDw4q4" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</code></p> <p>Attributes for element <code>iframe</code>:</p> <p>Global attributes</p> <p><code>src</code> — Address of the resource</p> <p><code>srcdoc</code> — A document to render in the <code>iframe</code></p> <p><code>name</code> — Name of nested browsing context</p> <p><code>sandbox</code> — Security rules for nested content</p> <p><code>allow</code> — Permissions policy to be applied to the <code>iframe</code>'s contents</p> <p><code>allowfullscreen</code> — Whether to allow the <code>iframe</code>'s contents to use <code>requestFullscreen()</code></p> <p><code>width</code> — Horizontal dimension</p>	<p>See error 6.</p>

<p>height — Vertical dimension</p> <p>referrerpolicy — Referrer policy for fetches initiated by the element</p> <p>loading — Used when determining loading deferral</p>	
<p>13. Error: Bad value <code>auto</code> for attribute <code>height</code> on element <code>iframe</code>: Expected a digit but saw <code>a</code> instead.</p> <p>From line 157, column 21; to line 160, column 40</p> <pre><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/3nII4DDw4q4" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre>	<p>See error 7.</p>
<p>14. Error: The <code>frameborder</code> attribute on the <code>iframe</code> element is obsolete. Use CSS instead.</p> <p>From line 157, column 21; to line 160, column 40</p> <pre><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/3nII4DDw4q4" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre>	<p>See error 8.</p>

<p>15. Error: Element <code>h2</code> not allowed as child of element <code>strong</code> in this context. (Suppressing further errors from this subtree.)</p>	<p>Moved the h2 element and made this the parent instead which fixed the issue. However, instead I decided to remove the strong element completely and use css styling for the h2 elements</p>
<p>From line 175, column 25; to line 175, column 52 <code><h2 class="subheading-text">Our Ad</code> Content model for element <code>strong</code>: Phrasing content.</p>	
<p>16. Error: Duplicate ID <code>subheading-text</code>.</p>	<p>I had used an id="subheading-text" but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>
<p>From line 180, column 17; to line 180, column 41 <code><h2 id="subheading-text">Young</code></p>	
<p>17. Warning: The first occurrence of ID <code>subheading-text</code> was here.</p>	<p>I had used an id="subheading-text" but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>
<p>From line 83, column 17; to line 83, column 41 <code><h1 id="subheading-text">Childr</code></p>	
<p>18. Error: No <code>p</code> element in scope but a <code>p</code> end tag seen.</p>	<p>I had changed a <code><p></code> paragraph to a header but forgot to delete the end <code></p></code> end tag. Deleting the <code></p></code> tag solved this issue</p>
<p>From line 202, column 17; to line 202, column 20 <code></P></code></p>	
<p>19. Error: Attribute <code>max-width</code> not allowed on element <code>iframe</code> at this point.</p>	<p>See error 6.</p>
<p>From line 212, column 21; to line 215, column 40</p>	

```
<iframe max-width="100%" height="auto"
src="https://www.youtube.com/embed/q_kUJbh4rFw"
title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></iframe>
```

Attributes for element [iframe](#):

[Global attributes](#)

[src](#) — Address of the resource

[srcdoc](#) — A document to render in the [iframe](#)

[name](#) — Name of [nested browsing context](#)

[sandbox](#) — Security rules for nested content

[allow](#) — [Permissions policy](#) to be applied to the [iframe](#)'s contents

[allowfullscreen](#) — Whether to allow the [iframe](#)'s contents to use [requestFullscreen\(\)](#)

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[loading](#) — Used when determining loading deferral

20. Error: Bad value `auto` for attribute `height` on element `iframe`: Expected a digit but saw `a` instead.

[From line 212, column 21; to line 215, column 40](#)

```
<iframe max-width="100%" height="auto"
src="https://www.youtube.com/embed/q_kUJbh4rFw"
title="YouTube video player" frameborder="0"
```

See error 7.

<pre>allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre>	
<p>21. Error: The <code>frameborder</code> attribute on the <code>iframe</code> element is obsolete. Use CSS instead.</p> <p>From line 212, column 21; to line 215, column 40</p> <pre><iframe max-width="100%" height="auto" src="https://www.youtube.com/embed/q_kUJbh4rFw" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></ifra</pre>	<p>See error 8.</p>
<p>22. Error: Duplicate ID <code>subheading-text</code>.</p> <p>From line 227, column 17; to line 227, column 41</p> <pre><h2 id="subheading-text">Adult</pre>	<p>I had used an id="subheading-text" but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>
<p>23. Warning: The first occurrence of ID <code>subheading-text</code> was here.</p> <p>From line 83, column 17; to line 83, column 41</p> <pre><h1 id="subheading-text">Childr</pre>	<p>I had used an id="subheading-text" but then reused this in the code on the same page. Changing this to a class allowed me to reuse this CSS multiple times on all pages.</p>
<p>24. Error: No <code>p</code> element in scope but a <code>p</code> end tag seen.</p>	<p>I had changed a <p> paragraph to a header but forgot to delete the end </p> end tag. Deleting the </p> tag solved this issue</p>

[From line 248, column 17; to line 248, column 20](#)

```
</P>
```

25. Error: Attribute `max-width` not allowed on element `iframe` at this point.

[From line 258, column 21; to line 261, column 40](#)

```
<iframe max-width="100%" height="auto"
src="https://youtube.com/embed/mZU6gCbp9Ls?t=104"
title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></ifra
```

Attributes for element `iframe`:

[Global attributes](#)

[src](#) — Address of the resource

[srcdoc](#) — A document to render in the `iframe`

[name](#) — Name of [nested browsing context](#)

[sandbox](#) — Security rules for nested content

[allow](#) — [Permissions policy](#) to be applied to the `iframe`'s contents

[allowfullscreen](#) — Whether to allow the `iframe`'s contents to use [requestFullscreen\(\)](#)

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[loading](#) — Used when determining loading deferral

See error 6.

26. Error: Bad value `auto` for attribute `height` on element `iframe`: Expected a digit but saw `a` instead.

[From line 258, column 21; to line 261, column 40](#)

```
<iframe max-width="100%" height="auto"
src="https://youtube.com/embed/mZU6gCbp9Ls?t=104"
title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></ifra
```

See error 7.

27. Error: The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead](#).

[From line 258, column 21; to line 261, column 40](#)

```
<iframe max-width="100%" height="auto"
src="https://youtube.com/embed/mZU6gCbp9Ls?t=104"
title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write;
encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></ifra
```

See error 8.