

| free-content.html (previously download.html) Errors and Solutions | |
|---|--|
| ERRORS | SOLUTIONS |
| <p>1. Error: Named character reference was not terminated by a semicolon. (Or <code>&</code> should have been escaped as <code>&amp;</code>.)</p> <p>At line 75, column 98 sion from &copy;Cath Smith at L</p> | <p>A space was created between the copyright symbol and Cath Smith</p> |
| <p>2. Error: Bad value <code>target</code> for attribute <code>target</code> on element <code>a</code>: Reserved keyword <code>target</code> used.</p> <p>From line 78, column 21; to line 78, column 95 <pre>Visit</pre></p> | <p>An incorrect target was written in the code. I changed the “_target” to “_blank” to direct the website to open on a new tab.</p> |
| <p>3. Error: Attribute <code>alt</code> not allowed on element <code>a</code> at this point.</p> <p>From line 83, column 17; to line 83, column 108 <pre></pre> <p>Attributes for element <code>a</code>: Global attributes href — Address of the hyperlink target — Browsing context for hyperlink navigation</p> </p> | <p>Alt not required on an <code><a></code> element so was removed as was holding a download rather than an image. An additional element <code></code> was created to hold the image and alt elements.</p> |

| | |
|--|--|
| <p> download — Whether to download the resource instead of navigating to it, and its filename if so ping — URLs to ping rel — Relationship between the location in the document containing the hyperlink and the destination resource hreflang — Language of the linked resource type — Hint for the type of the referenced resource referrerpolicy — Referrer policy for fetches initiated by the element </p> | |
| <p> 4. Error: Attribute <code>alt</code> not allowed on element <code>a</code> at this point. </p> <p> From line 90, column 17; to line 90, column 110 <pre></pre> </p> <p>Attributes for element <code>a</code>:</p> <p>Global attributes</p> <p>href — Address of the hyperlink</p> <p>target — Browsing context for hyperlink navigation</p> <p>download — Whether to download the resource instead of navigating to it, and its filename if so</p> <p>ping — URLs to ping</p> <p>rel — Relationship between the location in the document containing the hyperlink and the destination resource</p> <p>hreflang — Language of the linked resource</p> <p>type — Hint for the type of the referenced resource</p> <p>referrerpolicy — Referrer policy for fetches initiated by the element</p> | <p>Alt not required on an <a> element so was removed as was holding a download rather than an image. An additional element was created to hold the image and alt elements.</p> |

| | |
|--|---|
| <p>5. Error: End tag <code>section</code> seen, but there were open elements.</p> <p>From line 96, column 5; to line 96, column 14</p> <pre><code>/div> </section> <</code></pre> | <p>I had a <code><div></code> element within the code which needed closing. Closing this solved this issue.</p> |
| <p>6. Error: Unclosed element <code>div</code>.</p> <p>From line 72, column 9; to line 72, column 25</p> <pre><code>> <div class="row"></code></pre> | <p>An open <code><div></code> element was missing it's closing tag – see error 5.</p> |