

Ability.ai

200 Broadway 3rd Floor Fulton Center
New York, NY 10038, United States

**Dear Ability.ai,**

This document serves as a formal letter of attestation for **Trinity** recent penetration test. UnderDefense has performed a security assessment of the **Trinity web application** under the auspices of two certified and licensed penetration testers.

As a consequence of successful **web application penetration testing** conducted between February 23, 2026 and March 20, 2026, a range of issues was detected:

- 6 high severity issues
- 6 medium severity issues
- 5 low severity issues
- 2 informational severity issues

Remediation web application penetration testing conducted between April 16, 2026 and April 23, 2026, demonstrated that all issues found during penetration testing **were properly fixed** (except 3 Low and 1 Informational issues, including 2 High and 1 Medium issues - Partially Fixed and downgraded to Low severity issues which do not affect the overall security level).

The security posture for the **Trinity** web application penetration testing is highlighted in the table below. It should be noted that an organization's overall security posture is dependent upon many factors, and security is only as strong as the weakest link. The following table is meant strictly as a benchmark for **Trinity** to compare its current security posture against industry best practices.

Scope of assessment	Security Level	Grade
Web Application Penetration Testing	Excellent	A

UnderDefense Grading Criteria

Grade	Security	Criteria Description
A	Excellent	The security exceeds "Industry Best Practice" standards. The overall posture was found to be excellent with only a few low-risk findings identified.
B	Good	The security meets accepted standards for "Industry Best Practice." The overall posture was found to be strong with only a handful of medium- and low-risk shortcomings identified.
C	Fair	Current solutions protect some areas of the enterprise from security issues. Moderate changes are required to elevate the discussed areas to "Industry Best Practice" standards
D	Poor	Significant security deficiencies exist. Immediate attention should be given to the discussed issues to address exposures identified. Major changes are required to elevate to "Industry Best Practice" standards.
F	Unacceptable	Serious security deficiencies exist. Shortcomings were identified throughout most or even all of the security controls examined. Improving security will require a major allocation of resources.

UnderDefense would like to express gratitude to **Ability.ai** for this opportunity to assist the organization in evaluating its current security posture.

Check this Letter of Attestation

UnderDefense LLC

1712 Pioneer Ave. Suite 101,

Cheyenne, Wyoming 82001

