Spring 2012: Algebra Graduate Exam

Peter Kagey

June 14, 2019

Problem 1. Let I be an ideal of $R = \mathbb{C}[x_1, \ldots, x_n]$. Show that $\dim_{\mathbb{C}}(R/I)$ is finite if and only if I is contained in only finitely many maximal ideals of R.

Proof. $\square$

Problem 2. If G is a group with $|G| = 7^2 \cdot 11^2 \cdot 19$, show that G must be abelian and describe the possible structures of G.

Proof. $\square$

Problem 3. Let F be a finite field and G a finite group with $\gcd\{\operatorname{char} F, |G|\} = 1$. The group algebra $F[G]$ is an algebra over F with G as an F-basis, elements $\alpha = \sum_G a_g g$ for $g \in F$, and multiplication that extends $ag \cdot bh = ab \cdot gh$. Show that any $x \in F[G]$ that is not a zero left divisor must be invertible in $F[G]$.

Note: Since x is not a zero left divisor, if $xy = 0$ for $y \in F[G]$ then $y = 0$.

Proof. $\square$

Problem 4. If $p(x) = x^8 + 2x^6 + 3x^4 + 2x^2 + 1 \in \mathbb{Q}[x]$ and if $\mathbb{Q} \subseteq M \subseteq \mathbb{C}$ is a splitting field for $p(x)$ over $\mathbb{Q}$, argue that $\mathrm{Gal}(M/\mathbb{Q})$ is solvable.

Proof. $\square$

Problem 5. Let R be a commutative ring with 1 and let $x_1, \ldots, x_n \in R$ so that $x_1 y_1 + \ldots + x_n y_n = 1$ for some $y_j \in R$. Let $A = \{(r_1, r_2, \ldots, r_n) \in R^n \mid x_1 r_1 + \ldots + x_n r_n = 0\}$. Show that

(i) $R^n \cong_R A \oplus R$,

(ii) A has n generators, and

(iii) when $R = F[x]$ for F a field, then A_R is free of rank $n - 1$.

Proof. $\square$

Problem 6. For p a prime, let F_p be the field of p elements and K and extension field of F_p of dimension 72.

(i) Describe the possible structures of $\mathrm{Gal}(K/F_p)$.

(ii) If $g(x) \in F_p[x]$ is irreducible of degree 72, argue that K is a splitting field of $g(x)$ over F_p

(iii) Which integers $d > 0$ have irreducibles in $F_p[x]$ of degree d that split in K?

Proof. □