# SC2632 | Presenter field guide

October 26, 2026 | 4:30-5:30 PM | Milind Gunjan and Vivek Mayuranathan

## OPENING SCRIPT | Milind | Slides 1-6

**We use a fictional payment API because it makes the availability tradeoff concrete: three copies, at least two healthy. This is generic Kubernetes security, not payment-compliance guidance. Support, operations and monitoring agents share the cluster; a separate copilot proposes guardrails. No incident is assigned until each table chooses one of four cases. Record a decision before each evidence reveal. Your output is a defensible action order and a recovery test, not a claim that the cluster is contained.**

## Audience translation

| Term | Say it this way |
|---|---|
| Cluster / namespace | Shared platform / resource group |
| Pod / replica | Running workload unit / healthy copy |
| ServiceAccount / RBAC | Workload API identity / its allowed API actions |
| Kyverno / admission | Checks a proposed resource change; does not stop a running Pod or Secret read |
| Falco and Kubernetes audit | Detection evidence. The alerts are supplied; live detection is not part of this demo. |

## Opening handoffs | Establish the system before asking for a decision

| Elapsed | Slides | Lead | Room cue |
|---|---|---|---|
| 00:00-03:30 | 1-6 | Milind | Set the premise, common facts and unknowns, agenda, platform map and four security boundaries. |
| 03:30-05:30 | 7-8 | Vivek | Separate the bounded Python harness from model choice; show task inputs and trust boundary. |
| 05:30-07:15 | 9-10 | Milind | Trace one supplied intent clause to one tested control; point to unmet requirements. |
| 07:15-08:15 | 11 | Vivek | Q0-Q3 is a human-declared posture; each layer needs positive and negative verification. |
| 08:15-12:00 | 12-14 | Both | Orient the record, assign a case and table roles, set the constraint and service floor. |

## Setup language | Slides 12-14

No Kubernetes experience, laptop or YAML is required. Tables choose one case on slide 13; the payment platform is the common setting, not the assigned incident. Keep participant pages 8-9 and CONTROL-REVIEW page 2 sealed until called.

Participant roles: incident lead calls the decision; recorder maintains pages 6-7; evidence analyst checks claims; independent reviewer challenges one assumption. Combine roles at smaller tables. Presenters both circulate and run the exercise; there is no separate floor facilitator.

# 60-minute run of show

Use elapsed time. Lock each decision before revealing new evidence. Hear at most two 20-second reports per round.

| Elapsed | Slides | Lead | Participant action / reveal cue |
|---|---|---|---|
| 12-16 | 15 | Milind | Page 6: write behavior + identity + preserved dependency + service floor. Vivek takes two short readouts. |
| 16-20 | 16 | Vivek | Page 6: approve / modify / reject / escalate; name one control change and one missing test. |
| 20-23 | 17 | Milind | Exception inject: verify the approver; state exact scope, owner, expiry and revocation check. |
| 23-27 | 18 | Vivek | Page 6: assign Audit / Warn / Deny per control and a promotion test. Expiry requires working cleanup authority. |
| 28-35 | 19 | Vivek + Milind | Open sealed page 8. Page 7: order evidence capture, level/scope, service floor and tests. |
| 35-39 | 20 | Milind | Open sealed page 9. Revise the plan or defend the hold; mark the new fact that matters. |
| 39-45 | 21-25 | Milind 22-23; Vivek 24-25 | Predict, then reveal four recorded k3s observations. Slide 23: PDB blocks a second voluntary eviction while Q3 blocks replacement; this is a capacity stall, not deadlock. |
| 45-46 | 26; backup 35 | Vivek | Case D: compare the locked copied-token prediction with the separately recorded synthetic lab result. |
| 46-49 | 27 | Vivek + Milind | Give CONTROL-REVIEW page 1; keep page 2 sealed. Team names the test scope and missing owners. |
| 49-51 | 28-29 | Milind | Reveal page 2. One rule passed 6/6 tests; three intent clauses remain unresolved. Cost is usage estimate; reviewer time unmeasured. |
| 51-55 | 30 | Milind + Vivek | Page 7: write exit evidence, who may lift Q3->Q0, and the rollback condition. |
| 55-60 | 31-32 | Both | Use the illustrative worked record, score documented evidence, capture one action + owner + verification, then Q&A.; |

## Demo and recovery | Keep this separate from live enforcement

| Before doors | During the demo |
|---|---|
| Open the deck, rendered PDF, participant pack and pre-recorded fallback locally. Check projector text size and presenter notes. Run demo.py --check; require ready: true and Kyverno 1.19.1. | Run only the local reference path against supplied source/fixtures. It does not call a model, create a PR or change a cluster. Do not expose env files or credentials on screen. |
| If preflight or the command fails, stop troubleshooting. Keep the audience in the exercise. | Show hidden slides 33-34 and say: 'This is a dated recorded fixture result, not a fresh cluster run.' Do not call offline checks live enforcement. |

Protect participant writing and the four-minute recovery round. If behind, compress lab commentary; do not add a provider call or a fifth demo. Full 60-minute rehearsal and venue-display check remain to be recorded.