Final test solutions (all blocks)

AI Training for Beginners

Self-study training: use AI/LLMs safely in everyday life

Version 1.0 • As of: October 2026

File: `final_test_solutions.md`

https://github.com/mgunthner/AI-Training

License: CC BY-NC-SA 4.0

Contents

Final test solutions (all blocks) **1**
Block A – Foundation 1
Block B – Good results 1
Block C – Risks 2
Block D – Technology & Costs 2
Block E – Agentic Systems 2
Block F – Final 3
Adding up your points 3
Review if you made mistakes (by blocks) 4

Final test solutions (all blocks)

Pass mark 75 %: 35 of 46 points Only look here once you have finished the test. You assess practical tasks and safety checks with the self-assessment rubric (`self_assessment`).

Block A – Foundation

Question 1 – B (1 P): LLMs predict text; knowledge has a knowledge cutoff, answers can be wrong. A confuses training with use, C and D contradict the topic of hallucinations (topics 01, 08).

Question 2 – B (1 P): Summarizing and a new chat keeps the context small. A reinforces the problem, C and D change nothing.

Question 3 – B (1 P): Tricky/important → larger model (topic 03). A saves at the wrong end, C and D deny the model's influence.

Question 4 – Model answer (2 P): 0.5 P per correct detail with reason: (a) password, (c) API key – access keys, never in the chat; (d) a colleague's health data – especially sensitive and personal; (f) customer data list – personal data of third parties (topics 04, 22). (b) and (e) are harmless because they are made-up or trivial.

Block B – Good results

Question 5 – Model answer (2 P):

```
Role/goal: You help me write a short announcement.
Context: Company party (fictional Company X) on 12 June, 6 pm, on the
 ↪  company premises,
for all employees and their partners.
Task: Write an announcement.
Format: Continuous text, maximum 6 sentences, plus one line with
 ↪  date/time/place.
Constraints: relaxed tone, friendly "you" address, no mention of a
 ↪  costume requirement.
Target audience: employees from different departments.
Ask me follow-up questions if details are missing.
```

1 P for goal/context/task, 1 P for format + constraint + target audience (all three must be recognizable).

Question 6 – A, B, D, E (2 P): Format specification (A), few-shot (B), iteration with feedback (D) and positive instructions (E) are reliable levers. Flattery roles (C) do not make answers reliably correct (topic 06).

Question 7 – True (1 P): The source restriction clearly limits made-up content, but it does not guarantee correctness – you check the answer against the text (topics 07, 08).

Question 8 – 1 L, 2 H, 3 T (thinking mode), 4 L (2 P): Data transfer and factual summarizing → lower/standard; collecting names → higher/variable; logic with several conditions → thinking mode (topics 09, 10). 4 correct = 2 P, 3 correct = 1 P.

Block C – Risks

Question 9 – B (1 P): Indirect injection is hidden in third-party content (topic 12). A is direct, C is hallucinations, D is context.

Question 10 – B (1 P): Don't confirm, check, stop, revoke if necessary, report (topics 12, 21). A gives up control, C spreads it, D is pointless.

Question 11 – Model answer (2 P): (a) 1 P, e.g.: "Don't invent any details. If something is missing, ask or mark it with [OPEN: …]." (b) 1 P, e.g.: "Don't give any legal or health advice. Instead, point to professionals." Worded positively and concretely, not just as a prohibition.

Block D – Technology & Costs

Question 12 – B (1 P): The key is the access key to the API and is directly linked to billing (topic 14).

Question 13 – True (1 P): Whoever has the key can use it at your expense – revoking comes before anything else (topics 14, 15).

Question 14 – Model answer (2 P): e.g.: (1) Long chat histories → fresh chat or summarizing instead of dragging everything along; (2) thinking mode for routine → standard mode for simple tasks; (3) long answers → limit the answer length. Other valid ones: large files with a tiny question → shorten the context; agent loops → set limits. 1 P for three cost drivers, 1 P for matching saving measures (topic 15).

Block E – Agentic Systems

Question 15 – A (1 P): Agent = goal, plan, tools, check (topic 16). B, C and D are wrong or dangerous.

Question 16 – B (1 P): MCP is the uniform connection standard ("USB-C for AI", topic 17).

Question 17 – False (1 P): Popularity does not protect against hidden instructions; read foreign skills completely and test them with made-up data (topics 18, 12).

Question 18 – Model answer (2 P): (a) 1 P: e.g. cleaner context per subtask, parallelization, specialization. (b) 1 P: e.g. don't split up when subtasks depend on each other, the task is small, or the coordination effort exceeds the benefit (topic 19).

Question 19 – B (1 P): The advisor only advises, it executes nothing (topic 20). A describes the worker, C and D are made up.

Question 20 – Model answer (2 P): 1 P per three corrected points, e.g.: minimal rights (only one specific folder, read before write, no deleting without permission); limits (e.g. max. 20 steps, 10 minutes); permissions (changes only after confirmation); backup (copies before the first run, versioning); emergency stop (revoke accesses, stop the agent) (topic 21).

Question 21 – True (1 P): Human-in-the-loop: actions with consequences always need human confirmation (topic 21).

Block F – Final

Question 22 – B (1 P): Name + date of birth + address identify a person (topic 22).

Question 23 – B (1 P): Check the organization's rules, if in doubt label it (topic 22). A and C conceal it, D is excessive.

Question 24 – Model answer (2 P):

```
Title: Meeting summary
Purpose: Pull the decisions and action items out of long meeting
↪ minutes.
Prompt: Summarize the following minutes. Target audience: team lead.
Format: Table with the columns Decision, Owner, Deadline.
Constraints: Only what is in the minutes; mark anything missing with
↪ [OPEN].
Sample result: Table with three rows from a made-up protocol.
```

1 P for purpose + title, 1 P for prompt with target audience/format and an anonymized sample (topic 23).

Question 25 – Model answer (2 P): (a) 1 P: "A hallucination is an invented but convincing-sounding AI answer – for example made-up sources or numbers." (b) 1 P: "Human-in-the-loop means: the human confirms actions with consequences before they are executed."

Question 26 – A, B, C, D (2 P): Benefit, risk, costs, data privacy – plus undo as a fifth check. Hype (E) is not a criterion (topic 24).

Adding up your points

Block	Questions	Possible points	My points
A – Foundation	1–4	5	
B – Good results	5–8	7	
C – Risks	9–11	4	
D – Technology & Costs	12–14	4	
E – Agentic Systems	15–21	9	
F – Final	22–26	7	
Total		**46**	

Passed: 35 points or more.

Review if you made mistakes (by blocks)

- **Mistakes in questions 1–4:** Block A – cheatsheets 01–04
- **Mistakes in questions 5–8:** Block B – cheatsheets 05–11
- **Mistakes in questions 9–11:** Block C – cheatsheets 12–13
- **Mistakes in questions 12–14:** Block D – cheatsheets 14–15
- **Mistakes in questions 15–21:** Block E – cheatsheets 16–21
- **Mistakes in questions 22–26:** Block F – cheatsheets 22–24

Not passed? Review the blocks with the most mistakes (including the related block tests) and take the final test again afterwards.