# Example portfolio: Person A

> **Fictional sample.** “Person A” is invented; the role (administrative assistant at “Sample Ltd.”) and all content are made up. The portfolio shows what a capstone project can look like – deliberately **not perfect**: Some criteria are only partly met, and one hard safety criterion even drops to 0. That is exactly why there is a sample grading below.

**Mini exercise:** Grade it yourself first! Go through the portfolio with the checklist (`06_capstone/checklist`) and note your ratings. Then compare with the sample grading in section 7.

---

## 1. Frame

| Field | Person A |
|---|---|
| Role | Administrative assistant, Sample Ltd. (fictional) |
| AI service | usual chatbot on a free plan, no thinking mode |
| Path | Standard (capstone: chosen optionally) |
| Workspace | one note file `capstone.md` |

---

## 2. Phase 1: Needs analysis

Shortlist of the top 3:

1. **Weekly report** – weekly, about 45 min. → target: 20 min. (main topic: biggest time saving, clear format)
2. **Summarize and answer emails** – daily, about 30 min./day → target: 15 min.
3. **Minutes from meeting notes** – about 2×/month, about 30 min. → target: 15 min.

---

## 3. Phase 2: Prompt library (excerpt)

Person A’s full library contains **8 entries** (see sample grading – that was the first problem). Three entries in full format:

### Weekly report

```
- Purpose: My Friday notes become the status report for management
  (Sample Ltd., every Friday)
- Technique: role, context (fixed structure), constraints, format
- Before: "Turn my notes into a report."
- After: "You write short status reports for the management of an
  administrative department. From my notes you create a report with
   ↪ the
  sections Projects, Special items, Outlook. Max. 1 page, factual
   ↪ tone,
```

```
  no adding numbers – only numbers that appear in the notes.
  Format: one paragraph per section, no single text block."
- Test note: The baseline invented an agenda item and used the wrong
  project abbreviation; the after version stayed with the noted items
  (3 test cases with invented notes). Time saved in the test:
  about 25 min./report.
```

**Mail triple answer**

```
- Purpose: Respond to incoming emails quickly and in a structured way
- Technique: constraints, format
- Before: "Reply to the email."
- After: "Summarize the following email in 2 sentences and propose 3
 ↪  answer
  variants: short and crisp, friendly-neutral, formal. Do not make any
  commitments or promises – I check that myself. Email: [TEXT]"
- Test note: Tested with 2 invented requests; "no commitments"
 ↪  prevented
  the AI from promising deadlines on behalf of Sample Ltd.
```

**Minutes from meeting notes**

```
- Purpose: Turn meeting notes into finished minutes
- Technique: role, context (fixed structure), constraints
- Before: "Turn these notes into minutes."
- After: "You write minutes for department meetings. From the notes
 ↪  you
  create minutes with the sections Attendees, Decisions, Tasks (with
  owners), open items. Add nothing that is not in the notes.
  Format: max. 1 page."
- Test note: (missing – not re-tested afterwards)
```

5 more entries (short form, all with before/after and technique):

| Title | Technique | Test note |
|---|---|---|
| Study plan 20 min./day | context, format | present |
| Summary for laypeople | role, format | present |
| Text revision | constraints, format | present |
| Research questions | context | – |
| Stair-cleaning rota (private) | format | – |

---

## 4. Phase 3a: Safety concept

**Data flow:** Notes and email texts → chat → answer → stored in the note file.

**Data classes and rules:**

| Class | Examples (invented) | Rule |
|---|---|---|
| Open | wording questions, practice tasks, standard vocabulary | may go into the chat |
| Internal | report content, email content | anonymized only (“Employee B”, “Project Y”) |
| Confidential | HR/customer data | stay out – never pasted into prompts |

**Risks and counter-measures:**

| Risk | Counter-measure |
|---|---|
| Hallucination (made-up facts, numbers) | number check against the notes; “no adding numbers” in the prompt |
| Data leak | anonymization before pasting; internal data only as “Person B / Project Y” |
| Prompt injection | *(missing in Person A’s concept – see sample grading)* |

**Boundaries of the setup:** No access to accounting systems or HR records; no external communication; final approvals (send, publish) are always made by Person A herself.

**Correction note:** If the result is wrong: re-ask with a more precise prompt. *(It only gets safer with a second check – see sample grading.)*

---

## 5. Phase 3b: Agent-lite concept

```
### Report assistant (agent-lite)
- Goal: Prepare a draft report automatically on Friday afternoon
- Trigger: Friday, 3:00 p.m. (reminder)
- Steps: 1. collect notes → 2. library prompt "weekly report"
  → 3. mini quality check → 4. store the draft in the note file
- Connections: read access to my notes file (enough for the draft)
- Boundaries: no sending, no adding numbers, no external communication
- Safety rules: approval before every step with consequences; read
 ↪  access
  only (minimal rights)
```

---

## 6. Reflection note (Person A)

Harder than expected: The prioritization in phase 1 – I wanted to start with the most difficult task because it was more interesting. But the report task gave me far more.

Biggest jump: The weekly report. The constraint “no adding numbers” moved the result from “sounds good” to “usable” – that was the moment I understood why writing down before/after matters.

Next step towards automation: The report assistant would go first, because it has the clearest trigger (Friday, 3:00 p.m.). Before I implement anything, I would have to add the missing injection check to my safety concept.

---

## 7. Sample grading

Values from the checklist (criterion by criterion, stricter rather than lenient when in doubt):

**Prompt library**

| No. | Criterion | Check | Rating |
|---|---|---|---|
| a | 10+ prompts with purpose/situation | only 8 present | 1 |
| b | Before/after with technique named | all 8 entries complete | 3 |
| c | At least 4 techniques | role, context, constraints, format | 2 |
| d | Test notes present | only for 5 of 8 entries | 0.5 |
| e | No sensitive data (hard) | everything invented/anonymized | 2 |
| | | **Subtotal** | **8.5** |

**Agent-lite concept**

| No. | Criterion | Check | Rating |
|---|---|---|---|
| a | Goal + trigger clear | Friday 3:00 p.m. | 1 |
| b | Breakdown + reuse | step 2 uses the library | 2 |
| c | Connections vendor-neutral | read access to a file | 1 |
| d | Boundaries named | no sending etc. | 1 |
| e | Approval + minimal rights + checkpoint (hard) | approval and rights ok, **checkpoint missing** | 0 |
| | | **Subtotal** | **5** |

**Safety concept**

| No. | Criterion | Check | Rating |
|---|---|---|---|
| a | Data flow described | yes | 1 |
| b | 3 data classes with rule | confidential without concrete storage rule | 1.5 |

| No. | Criterion | Check | Rating |
|---|---|---|---|
| c | Risks: hallucination, injection, data leak | injection risk missing | 1 |
| d | Boundaries honestly named | yes | 1 |
| e | Correction note | only “ask again”, no second check | 0.5 |
| | | **Subtotal** | **5** |

**Result: 18.5 out of 24 points → passed** (pass mark 17).

**What the sample shows:** - Person A passed, but two gaps are instructive: the **hard criterion** in the agent concept (checkpoint missing → 0 instead of 1) and the **complete risk table** (injection risk not considered). Both could be fixed in 30 minutes – reaching 21–22 points. - The reflection note names the gaps itself. That is exactly the point of the reflection: it is the acceptance quality on top of the points.

---

*As of: October 2026*