
Example title

Example subtitle

Example author, Another author

01/01/2000

Table of all the content

1	Acknowledgements	1
1.1	Thanks	1
2	Introduction	1
2.1	History	1

List of Figures

List of Tables

1 Acknowledgements

1.1 Thanks

Thanks to blabla bla¹

2 Introduction

2.1 History

This is normal text. Also normal text

Paragraphs are created by separating with one line. You can create *italic* and **bold**. You can also do some ~~strikethrough~~.


Listing 1: Listing caption

```
1 def main():
2     for i in range(4):
3         print(i)
```

```
1 all:
2     gcc test.c -o test
```

```
1 def main():
2     for i in range(4):
3         print(i)
```

¹Footnote from acknowledgements



Bla bla²

Citation : (Stiévenart, De Roover, and Ghafari 2021)

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

H₂O is a liquid. 2¹⁰ is 1024.
Some math $x + 1 = -\alpha^\beta$ inline
Some big math :

$$\sum_{i=1}^{+\infty} \frac{1}{i^2} = \frac{\pi^2}{6}$$

²Footnote from introduction

A link : <https://google.com>

THis is also a link³

Internal [link to introduction](#)

Here is an inline note.⁴

Test **highlight**

ℒ_AT_EX

Bla bla bla

Stiévenart, Quentin, Coen De Roover, and Mohammad Ghafari. 2021. “The Security Risk of Lacking Compiler Protection in WebAssembly.” arXiv. <http://arxiv.org/abs/2111.01421>.

³<https://google.com>

⁴Inline notes are easier to write, since you don't have to pick an identifier and move down to type the note.