

SAFETY DATA SHEET

Creation Date 06-October-2009

Revision Date 24-December-2021

Revision Number 5

1. Identification

Product Name Perchloric acid

Cat No. : A228-61LB, A228-7LB, A228-S7LB

CAS-No 7601-90-3

Synonyms Dioxonium perchlorate; Hydronium perchlorate; Perchloric acid solution

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Manufacturer

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300
CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

| | |
|---|--------------|
| Oxidizing liquids | Category 1 |
| Corrosive to metals | Category 1 |
| Acute oral toxicity | Category 4 |
| Skin Corrosion/Irritation | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Thyroid. | |
| Physical Hazards Not Otherwise Classified | Category 1 |
| Risk of explosion if heated under confinement | |

Label Elements

Signal Word

Danger

Hazard Statements

May cause fire or explosion; strong oxidizer
May be corrosive to metals
Harmful if swallowed
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure
Risk of explosion if heated under confinement

**Precautionary Statements****Prevention**

Wear protective gloves/protective clothing/eye protection/face protection
Wear fire/flammable resistant/retardant clothing
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep cool. Protect from sunlight
Keep/Store away from clothing/combustible materials
Take any precaution to avoid mixing with combustibles
Keep only in original container
Do not breathe dust/fumes/gas/mist/vapours/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area

Response

Explosion risk in case of fire
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes
Immediately call a POISON CENTER/doctor
Rinse mouth
Do NOT induce vomiting
Rinse skin with water/shower
Wash contaminated clothing before reuse
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion
Absorb spillage to prevent material damage

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store in corrosive resistant polypropylene container with a resistant inliner
Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|-----------------|-----------|----------|
| Perchloric acid | 7601-90-3 | 60-70 |

| | | |
|-------|-----------|-------|
| Water | 7732-18-5 | 30-40 |
|-------|-----------|-------|

4. First-aid measures

| | |
|--|--|
| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Inhalation | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. |
| Most important symptoms/effects | Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | CO ₂ , dry chemical, dry sand, alcohol-resistant foam. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | 113 °C / 235.4 °F |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Oxidizing Properties | Oxidizer |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
3Flammability
0Instability
3Physical hazards
OX

6. Accidental release measures

| | |
|---|---|
| Personal Precautions | Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Environmental Precautions | Should not be released into the environment. |
| Methods for Containment and Clean Up | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal. |

7. Handling and storage

| | |
|-----------------|--|
| Handling | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials. |
| Storage. | Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area. Incompatible Materials. Strong oxidizing agents. Finely powdered metals. Organic materials. Amines. Alcohols. Strong reducing agents. Combustible material. |

8. Exposure controls / personal protection

| | |
|----------------------------|--|
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limit established by the region specific regulatory bodies. |
|----------------------------|--|

OSHA - Occupational Safety and Health Administration

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection
Hand Protection

Goggles
Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|----------------|-----------------------------------|-----------------|------------------------|
| Butyl rubber | See manufacturers recommendations | - | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter Type E Yellow conforming to EN14387

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

| | |
|---|------------------------------|
| Physical State | Liquid |
| Appearance | Colorless |
| Odor | Strong |
| Odor Threshold | No information available |
| pH | 0.1 @ 20°C |
| Melting Point/Range | -18 °C / -0.4 °F |
| Boiling Point/Range | 203 °C / 397.4 °F @ 760 mmHg |
| Flash Point | 113 °C / 235.4 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | 6.8 mmHg @ 25 °C |
| Vapor Density | 3.46 |
| Specific Gravity | 1.66 |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | 3.5 mPa.s @ 20 °C |
| Molecular Formula | H Cl O ₄ |
| Molecular Weight | 100.46 |

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | Yes |
| Stability | Oxidizer: Contact with combustible/organic material may cause fire. |
| Conditions to Avoid | Incompatible products. Excess heat. Combustible material. |
| Incompatible Materials | Strong oxidizing agents, Finely powdered metals, Organic materials, Amines, Alcohols, Strong reducing agents, Combustible material |
| Hazardous Decomposition Products | Hydrogen chloride gas |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity**Product Information**

| | |
|--------------------|---|
| Oral LD50 | Category 4. ATE = 300 - 2000 mg/kg. |
| Dermal LD50 | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. |
| Vapor LC50 | Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. |

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|-----------|-------------|-----------------|
|-----------|-----------|-------------|-----------------|

| | | | |
|-------|---|---|---|
| Water | - | - | - |
|-------|---|---|---|

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------------|-----------|------------|------------|------------|------------|------------|
| Perchloric acid | 7601-90-3 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system
STOT - repeated exposure Thyroid

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1873
Proper Shipping Name PERCHLORIC ACID
Hazard Class 5.1
Subsidiary Hazard Class 8
Packing Group I

TDG

UN-No UN1873

Proper Shipping Name PERCHLORIC ACID
Hazard Class 5.1
Subsidiary Hazard Class 8
Packing Group I

IATA

UN-No UN1873
Proper Shipping Name PERCHLORIC ACID
Hazard Class 5.1
Subsidiary Hazard Class 8
Packing Group I

IMDG/IMO

UN-No UN1873
Proper Shipping Name PERCHLORIC ACID
Hazard Class 5.1
Subsidiary Hazard Class 8
Packing Group I

15. Regulatory information

International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS | ELINCS | NLP |
|-----------------|-----------|-----|------|------|---|-----------|--------|-----|
| Perchloric acid | 7601-90-3 | X | - | X | ACTIVE | 231-512-4 | - | - |
| Water | 7732-18-5 | X | - | X | ACTIVE | 231-791-2 | - | - |

| Component | CAS-No | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|-----------------|-----------|-------|----------|------|------|------|------|-------|-------|
| Perchloric acid | 7601-90-3 | X | KE-28137 | X | X | X | X | X | X |
| Water | 7732-18-5 | X | KE-35400 | X | - | X | X | X | X |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations**Authorisation/Restrictions according to EU REACH**

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------|---|---|---|
| Perchloric acid | - | Use restricted. See item 75. (see link for restriction details) | - |

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS-No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------------|-----------|----------|------------------------------|---------------------------|--|
| Perchloric acid | 7601-90-3 | Listed | Not applicable | Not applicable | Not applicable |
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------------|-----------|---|--|----------------------------|------------------------------------|
| Perchloric acid | 7601-90-3 | Not applicable | Not applicable | Not applicable | Not applicable |
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date

06-October-2009

Revision Date

24-December-2021

Print Date

24-December-2021

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS