

TECHNICAL SPECIFICATION



Installation scene

meet the various needs of kitchens, living rooms, bedrooms, balconies, workplaces, entertainment venues, public places, outdoor applications, soffits and other hard-to-reach spaces

Product Features



- Reduced Glare
- Enhanced Visual Comfort
- Energy Efficient
- Long Lifespan
- Flexible Design
- Durability
- Reduced Light Pollution

ESHBELIA

SARABI

ANTI-GLARE RECESSED SPOTLIGHT

ESH-DL-0002

TECHNICAL SPECIFICATION

Product ID: ESH-DL-0002

Model: DL05

Watt:10W

Beam Angle:24°

Colour Temp: 6000K/4000K/3000K

CRI:80

Lumens Output:1000Lm


Cut Size:75mm

Item Size:85mm

IP Grade: IP20

Housing Colour: BK/WH/WH&BK

Material:Alumunian+PC



Highlight LED, Big tiles,
lamp beads

TECHNICAL SPECIFICATION

相关色温:CCT=4374K 主波长: $\lambda_d=580.2\text{nm}$ 质心波长: $\lambda_b=563\text{nm}$ 峰值波长: $\lambda_p=447.5\text{nm}$
半宽度: $\Delta\lambda=25.17\text{nm}$ 色纯度: $P_e=17.46\%$ 红色比: $R=0.173$ 绿色比: $G=0.793$ 蓝色比: $B=0.034$
显色指数: $R_a=81.55$
R 1=81 R 2=86 R 3=89 R 4=82 R 5=81 R 6=80 R 7=86
R 8=67 R 9=9 R10=65 R11=81 R12=61 R13=82 R14=94
R15=76

Photometric parameters

Luminous flux :1000 lm Luminous efficiency: 9.87lm/W

Electrical parameters

Voltage $U=221.7\text{V}$ Current $I=92\text{mA}$ Power $P=10.92\text{W}$ Power Factor $\text{PF}=0.534$

