## ıaraveı

## **AUTHORIZATION** Bearer Token

Token <token>

## auth

#### **AUTHORIZATION** Bearer Token

This folder is using Bearer Token from collection laravel

# **POST** register email

http://localhost:8000/api/auth/register/with\_email

#### **HEADERS**

Accept

application/json

Body raw (json)

```
json

{
    "first_name": "mohamed",
    "last_name": "adel",
    "email": "muhammed.adel.elshall@gmail.com",
    "password": "!Password123"
}
```

# **POST** register phone



http://localhost:8000/api/auth/register/with\_phone

\_ \_ \_ \_ \_ \_ \_

This request is using Bearer Token from collection laravel

This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

Accept

application/json

Body raw (json)

```
json

{
    "first_name": "mohamed",
    "last_name": "adel",
    "phone_number": "01110894640",
    "password": "!Password123"
}
```

# **POST** login

 $\Box$ 

http://localhost:8000/api/auth/login/

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

Body raw (json)

```
json
{
    "email": "muhammed.adel.elshall@gmail.com",
    "password": "Wawawawa"
}
```

# **POST** logout

↩

http://localhost:8000/api/auth/logout

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

# profile 凸 **GET** http://localhost:8000/api/auth/profile **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel **HEADERS** application/json Accept ⊕ **POST** active http://localhost:8000/api/auth/active **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel **HEADERS** application/json Accept Body raw (json) json {

3

"code": "7492"

"email": "muhammed.adel.elshall@gmail.com",

This request is using Bearer Token from collection laravel

## **HEADERS**

Accept application/json

Body raw (json)

```
json
{
    "first_name": "Muhmmmmmmmed"
}
```

# **PUT** update password



http://localhost:8000/api/user/profile/password

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

## **HEADERS**

Accept

application/json

Body raw (json)

**AUTHORIZATION** Bearer Token

This documentation is not pu	ıblished yet, this is only a preview. Changes to the publishi	ing settings will reload this
This request is using Bearer Toker HEADERS	n from collection <mark>laravel</mark>	
Accept	application/json	
GET get user products		<del>6</del>
http://localhost:8000/api/user/p	roducts	
AUTHORIZATION Bearer Tol	ken	
This request is using Bearer Toker	n from collection <mark>laravel</mark>	
HEADERS		
Accept	application/json	
GET user by id		<del>C</del>
http://localhost:8000/api/users/	1	
AUTHORIZATION Bearer Tol	ken	
This request is using Bearer Toker	n from collection laravel	
HEADERS		
Accept	application/json	
POST forget password		<del>C</del>
http://localhost:8000/api/user/fo	orget_password	

Accept application/json

Body raw (json)

```
json
{
    "email": "muhammed.adel.elshall@gmail.com"
}
```

## **POST** reset password



http://localhost:8000/api/user/reset\_password/38d761fa3e750b7300993a1a8bb0eb7a

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

## **HEADERS**

Accept application/json

Body raw (json)

```
json
{
    "password": "Wawawawa"
}
```

## admin

## **AUTHORIZATION** Bearer Token

This folder is using Bearer Token from collection laravel

# products

image

This folder is using Bearer Token from collection laravel 凸 **GET** get all http://localhost:8000/api/products?page=1 **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel **HEADERS** application/json Accept **PARAMS** 1 page ⊕ **POST** create http://localhost:8000/api/products **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel **HEADERS** Accept application/json Content-Type multipart/form-data **Body** formdata Iphone 14 pro max name

This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

description

pe and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of

This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

Lorem lps 凸 POST update http://localhost:8000/api/products/1/edit **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel **HEADERS** Accept application/json **Body** formdata name Iphone 14 pro pro pro max image description lorem ⊕ **DELETE** delete http://localhost:8000/api/products/12 **AUTHORIZATION** Bearer Token Token <token> **HEADERS** Accept application/json

**HEADERS** 

Accept

Body raw (json)

This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ... Token <token> **HEADERS** Accept application/json Body raw (json) json { "product\_id": "1", "user\_id": "2" 3 user **AUTHORIZATION** Bearer Token This folder is using Bearer Token from collection laravel ⊕ **PUT** update user http://localhost:8000/api/dashboard/users/1 **AUTHORIZATION** Bearer Token This request is using Bearer Token from collection laravel

application/json

json	
	d yet, this is only a preview. Changes to the publishing settings will reload this
}	
<b>DELETE</b> delete user	<u>⊕</u>
http://localhost:8000/api/dashboard/u	isers/4
AUTHORIZATION Bearer Token	
This request is using Bearer Token from	collection laravel
HEADERS	
Accept	application/json
GET list all users	<b>⊕</b>
http://localhost:8000/api/dashboard/u	isers
AUTHORIZATION Bearer Token	
This request is using Bearer Token from	collection laravel
HEADERS	
Accept	application/json
GET get user's products	<u>A</u>
OLI get user's products	
http://localhost:8000/api/dashboard/u	isers/1/products
AUTHORIZATION Bearer Token	
This request is using Bearer Token from	collection laravel
HEADERS	



http://localhost:8000/api/dashboard/users

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

#### **HEADERS**

Accept

application/json

Body raw (json)

```
ifirst_name": "mohamed",
    "last_name": "adel",
    "email": "muhammed.elshall@gmail.com",
    // "phone_number": "01110894644",
    "password": "!Password123"
}
```

## **PUT** update password



http://localhost:8000/api/dashboard/users/4/password

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection laravel

#### **HEADERS**

Accept

application/json

Body raw (json)

п	c	$\cap$	n	
	J	v		

3