KILN

Brand guidelines

Version 1 · 2026. Every rule in this document is derived from a number: the arch is a true semicircle, the tracking is 0.06 em, the clear space is 0.16 of the block. Nothing here is a preference.



One arch. Nothing else.



The mark is a section through a kiln wall. A 1000-unit block with a 300-unit opening cut through it. The head is a true semicircle: radius equals half the opening, so it springs 120 units above the block centre. The legs run past the foot of the block, because a kiln mouth is a passage, not a window.

It is the same arch the studio renders and the same arch the studio sells. That is the whole idea, and it is why there is no second mark.



NEVER
outline it, glow it, bevel it, or place it on a gradient.

INK FIELD
paper door. That is the mark. Paper inverts it exactly.

EMBER
is a signal, never a field.

CLEAR SPACE
0.16 × the block on all sides, with no type or rule inside it.

It has to survive 16 px.



128 px

AVATAR



64 px

FAVICON



32 px

FAVICON 32



16 px

BROWSER TAB

Below 32 px the door is widened to 62% of the block and the block is dropped, because at 16 px a 30% opening fills in and the mark becomes a white square. This is the only permitted deviation from the construction.

At favicon size the field is ink and the door is paper, so the hole rather than a tile. The favicon in this repo is drawn at scaled down, never the reverse.



favicon · 32 px actual size, shown 4×

Set on the baseline, never floated.

The mark sits at cap height with its foot on the wordmark baseline. Clear space between block and wordmark is 0.55 cap. An ember hairline — 0.035 cap wide, 1.34 cap tall — separates the descriptor, which is optically centred on the cap height rather than mathematically centred on the bounding box.

PRIMARY · INK





REVERSE · PAPER



WORDMARK · +0.06 EM

The wordmark is the mark's companion, not a substitute: where the lockup will not fit, the wordmark stands alone, and the mark is never stacked above it.

A serif with a temper, a grotesque with none.

Aa Aa Aa

INSTRUMENT SERIF

Display only. Headlines, the wordmark, prices. High-contrast didone skeleton with a sharp foot serif: holds at 104 px, stays out of the way at 28. Never below 28 px, never all caps, never tracked except +0.06 em in the wordmark and −0.01 em in headlines.

INTER TIGHT

Body, UI, captions. 400 for reading, 500 for interface labels. Measure 62–68 characters. Leading 1.45 for body, 1.3 for UI. The only face permitted below 18 px.

JETBRAINS MONO

Labels, data, provenance notes. 10–11 px at 0.16–0.22 em tracking, always uppercase. It exists to sound like a specification, not like a brand.

Scale: h1 clamp(46px, 7.2vw, 104px) / 0.94 · h2 clamp(34px, 4.6vw, 64px) / 1.02 · lede clamp(16px, 1.35vw, 19px) / 1.55 · label 10.5px / 0.22 em.

Warm ink, cold nothing.

There is no blue in this palette. Everything sits between 20° and 40° hue: the black is warm, the white is cream, and the one saturated colour is the temperature of a firing.

Ink
#0B0C0E
Field. Every surface starts here.

Paper
#F2EDE4
Type on ink, and the door of the mark.

Ember
#D8542A
One per screen. Links, active states.

Ember lit
#EE7541
Hover; emphasis inside a headline.

Kiln
#8A8578
Secondary type, rules, metadata.

Smoke
#55544F
Disabled, captions on paper.

SURFACE STUDY · PLASTER, TERRACOTTA, DAYLIGHT · CYCLES, 512 SAMPLES



Photographs of buildings that do not exist.

Every image in this system comes out of Cycles at 512 samples with no post beyond a crop. One key at 35° elevation, one cool fill, one ember rim. Surfaces carry a noise bump at 0.003–0.008 so plaster breaks up under raking light. No gradients, no glows, no composited light leaks: those are the tell of a synthetic image.

One set, many pictures: the site, the film and the ads all come from the same scene, so the brand stays consistent by construction rather than by supervision.

CASE PLATES · 1400 × 1750 · 56 SAMPLES








Slow enough to be architecture.

One easing curve, everywhere: cubic-bezier(0.16, 1, 0.3, 1). Entrances 700–900 ms, exits 320 ms. Nothing bounces, nothing overshoots, nothing spins. Camera moves are dolly and crane only. Reveals are masked from the bottom: the subject is uncovered, never pushed in.

Under prefers-reduced-motion every transform becomes a 200 ms opacity fade and the camera holds still. This is not optional and it is the first thing to check in review.

DRAW	0–1.0 s	the ember hairline draws to the lockup
OPEN	1.0–2.6 s	the door opens onto the rendered room
HOLD	2.6–3.8 s	a slow push inside the arch
CLOSE	3.8–5.1 s	the arch contracts back to the mark
SETTLE	5.1–6.0 s	the door comes to rest on the baseline



IDENTITY STING · 6 S · 24 FPS · THE ARCH OPENS FROM THE MARK

Specify. Do not enthuse.

Write like the person who built it. Numbers, materials, constraints. If a sentence could appear on any studio site in the world, it is not a sentence for this one.

Write	Not
Under two megabytes, sixty frames on a phone.	Immersive experiences that push boundaries.
Three to five weeks, fixed price, camera path agreed first.	A bespoke journey tailored to your brand.
Turn it. Place it. Buy it.	Seamless, delightful, frictionless commerce.
Every KILN build begins as a room in Blender.	Where creativity meets technology.

Tiers are the process in order: a spar is the small fire you start with, the kiln is where the work is fired, firing is the ongoing cycle. Spar $4,800 · Kiln $12,500 · Firing $3,900 per month.

Everything is generated.

There is no stock imagery, no hand-drawn mark and no mock-up in this identity. Each file below is produced by a script in scripts/, and each script is listed with what it writes.

`wordmark.js`	mark, wordmark, lockups, favicons, this page's construction sheet
`kiln_render.py`	hero, key art, square, detail — Cycles, bpy
`kiln_work.py`	three case plates, 1400 × 1750
`kiln_posters.py`	posters, social set, key-art card, avatars
`kiln_motion.py`	the 6 s sting: mp4, webm, gif, poster
`portfolio.js`	portfolio PDF, 9 pages
`deck.js`	pitch deck PDF, 12 slides
`onepager.js`	one-pager PDF

studio@kiln.studio · kiln.studio · +44 20 7946 0812