

Problem 17.1.11

Sketch or graph the given region and its image under the given mapping.

$$|z| \leq \frac{1}{2}, \quad -\frac{\pi}{8} < \operatorname{Arg} z < \frac{\pi}{8}, \quad w = z^2$$

Solution



$$z = re^{i\theta}$$

$$w = Re^{i\phi}$$

$$z^2 = r^2 e^{2i\theta}$$

$$R = r^2 = \frac{1}{4}$$

$$\phi = 2\theta \implies -\frac{\pi}{4} < \operatorname{Arg} w < \frac{\pi}{4}$$



Problem 17.1.13

Sketch or graph the given region and its image under the given mapping.



$$2 \leq \operatorname{Im} z \leq 5, \quad w = iz$$

Solution

The region is an infinite strip bounded by $z_1 = 2i$ and $z_2 = 5i$, mapping to $w = iz$ gives another infinite strip bounded by

$$w_1 = iz_1 = -2$$

$$w_2 = iz_2 = -5$$



Problem 17.1.15

Sketch or graph the given region and its image under the given mapping.

$$\left| z - \frac{1}{2} \right| \leq \frac{1}{2}, \quad w = \frac{1}{z}$$

Solution



The boundary of the region $z = x + iy$ has the equation

$$\begin{aligned} \left(x - \frac{1}{2} \right)^2 + y^2 &= \left(\frac{1}{2} \right)^2 \\ x^2 - x + \frac{1}{4} + y^2 &= \frac{1}{4} \\ x^2 - x + y^2 &= 0 \\ x^2 + y^2 = x &\implies |z|^2 = \operatorname{Re} z \end{aligned}$$

Applying this relation to $w = u + iv = \frac{1}{z}$ we can find the boundary of the mapping.

$$\begin{aligned} \left| \frac{1}{w} \right|^2 &= \operatorname{Re} \frac{1}{w} \\ \frac{1}{|w|^2} &= \operatorname{Re} \frac{1}{u + iv} \\ \frac{1}{|w|^2} &= \operatorname{Re} \frac{u - iv}{u^2 + v^2} \\ \frac{1}{|w|^2} &= \frac{u}{|w|^2} \\ u &= 1 \end{aligned}$$

This is a vertical line. Since $z_c = \frac{1}{2}$ is within the original region, then $w_c = \frac{1}{z_c} = 2$ which is on the right side of the boundary and therefore the mapped region is the half plane on the positive side of $u = 1$



Problem 17.1.17

Sketch or graph the given region and its image under the given mapping.

$$\operatorname{Ln} 2 \leq x \leq \operatorname{Ln} 4, \quad w = e^z$$



Solution

The region is an infinite vertical strip bounded by $z_1 = \operatorname{Ln} 2$ and $z_2 = \operatorname{Ln} 4$,

$$|w_1| = |e^{z_1}| = |e^{\operatorname{Ln} 2}| = 2$$

$$|w_2| = |e^{z_2}| = |e^{\operatorname{Ln} 4}| = 4$$

The new boundary is two concentric circles.



Problem 17.1.19

Sketch or graph the given region and its image under the given mapping.

$$1 < |z| < 4, \quad \frac{\pi}{4} < \theta \leq \frac{3\pi}{4}, \quad w = \operatorname{Ln} z$$

Solution


The region is bounded by 4 borders that can be described in the form $z = re^{i\theta}$.

Mapping to

$$\begin{aligned} w &= \operatorname{Ln} z \\ &= \ln |z| + i \operatorname{Arg} z \\ &= \ln r + i\theta \\ &= u + iv \end{aligned}$$

$$u = r \implies \ln 1 < u < \ln 4$$

$$v = \theta \implies \frac{\pi}{4} < v \leq \frac{3\pi}{4}$$



Problem 17.2.7

Find the inverse $z = z(w)$ Check by solving $z(w)$ for w .

$$w = \frac{i}{2z - 1}$$

Solution

$$w = \frac{i}{2z - 1}$$

$$2z - 1 = \frac{i}{w}$$

$$z = \frac{i}{2w} + \frac{1}{2}$$

$$\boxed{z(w) = \frac{i}{2w} + \frac{1}{2}}$$

Problem 17.2.13

Find the fixed points.

$$w = 16z^5$$

Solution

$$f(z) = z$$

$$w = 16z^5 = z$$

$$16z^5 - z = 0$$

$$z(16z^4 - 1) = 0 \implies \boxed{z = 0, \pm \frac{1}{2}, \pm \frac{1}{2}i}$$

Problem 17.2.15

Find the fixed points.

$$w = \frac{iz + 4}{2z - 5i}$$

Solution

$$\begin{aligned} f(z) &= z \\ w &= \frac{iz + 4}{2z - 5i} = z \\ iz + 4 &= 2z^2 - 5iz \\ 0 &= 2z^2 - 6iz - 4 \\ 0 &= z^2 - 3iz - 2 \quad \implies \quad z = \frac{3i \pm i}{2} = i, 2i \end{aligned}$$

Problem 17.2.19

Find all Linear Fractional Transformations (LFTs) with fixed point(s).

$$z = \pm i$$

Solution

$$w = \frac{az + b}{cz + d}$$

$$w = z \implies cz^2 - (a - d)z - b = 0$$

$$z = i: \quad ci^2 - (a - d)i - b = -(c + b) - (a - d)i = 0$$

$$z = -i: \quad c(-i)^2 - (a - d)(-i) - b = -(c + b) + (a - d)i = 0$$

From the real parts: $c = -b$

From the imaginary parts: $a = d$

$$w = \frac{az + b}{a - bz}, \quad \forall a, b \in \mathbb{C}$$

Problem 17.3.9

Find the LFTs that maps the given three points onto the three given points in the respective order.

$$1, i, -1 \text{ onto } i, -1, -i$$

Solution

Problem 17.3.11

Find the LFT that maps the given three points onto the three given points in the respective order.

$$-1, 0, 1 \text{ onto } -i, -1, i$$

Solution

Problem 17.4.1

Find the image of $x = c = \text{const}$, $-\pi < y \leq \pi$, under $w = e^z$.

Solution

Problem 17.4.3

Find and sketch the image of the given region under $w = e^z$.

$$-\frac{1}{2} \leq x \leq \frac{1}{2}, \quad -\pi \leq y \leq \pi$$

Solution

Problem 17.4.5

Find and sketch the image of the given region under $w = e^z$.

$$-\infty \leq x \leq \infty, \quad 0 \leq y \leq 2\pi$$

Solution

Problem 17.4.7

Find and sketch the image of the given region under $w = e^z$.

$$0 < x < 1, \quad 0 < y < \pi$$

Solution

Problem 17.4.11

Find and sketch or graph the image of the given region under $w = \sin z$.

$$0 < x < \frac{\pi}{2}, \quad 0 < y < 2$$

Solution

Problem 17.4.13

Find and sketch or graph the image of the given region under $w = \sin z$.

$$0 < x < 2\pi, \quad 1 < y < 3$$

Solution

Problem 17.4.19

Find the images of the lines mapping $x = c = \text{const}$ under the mapping $w = \cos z$.

Solution

Problem 17.4.21

Find and sketch or graph the image of the given region under the mapping $w = \cos z$ directly from **Problem 17.4.11**.

$$0 < x < \frac{\pi}{2}, \quad 0 < y < 2$$

Solution