

Home x Untitled1 x + Ask Gemini -

localhost:8888/notebooks/Untitled1.ipynb ☆

jupyter Untitled1 Last Checkpoint: 4 minutes ago Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[2]: #single inheritance
class father:
    def buissness(self):
        print('front runner of a family')
class son(father):
    def studies(self):
        '''doing his studies'''
s=son()
s.buissness()

front runner of a family

[3]: #multi inheritance

class redbus:
    def bookings(self):
        print('travels by a bus')
class sallon:
    def customer(self):
        print('hair cut')
class gpay(redbus,sallon):
    def payment(self):
        '''payment is done'''
g=gpay()
```

31° ENG IN 22:23 24-06-2026

Home x Untitled1 x + Ask Gemini

localhost8888/notebooks/Untitled1.ipynb

jupyter Untitled1 Last Checkpoint: 5 minutes ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
'''payment is done'''
g=gpay()
g.customer()

hair cut

[4]: #multiple inheritance
class father:
    def documents(self):
        print('goes to his child')
class son(father):
    def own(self):
        print('gets by own')
class daughter(son):
    def dep(self):
        print('gets from son and father')
class brother(daughter):
    def depend(self):
        print('gets from all of them')
b=brother()
b.dep()
b.own()
b.documents()

gets from son and father
gets by own
goes to his child
```

31° ENG IN 22:23 24-06-2026

Home x Untitled1 x + Ask Gemini

localhost8888/notebooks/Untitled1.ipynb

Jupyter Untitled1 Last Checkpoint: 5 minutes ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[5]: #hierarchical inheritance
class genai:
    def couse(self):
        print('used for generating images')
class llm(genai):
    def gen(self):
        print('used to learn')
class ml(genai):
    def learn(self):
        print('learns from machine')
m=ml()
m.couse()
l=llm()
l.gen()

used for generating images
used to learn
```

[]:

31° 22:23 24-06-2026