

Google Ads API — Application Design Document

Submitted in support of a Basic Access application
Manager account (MCC): Drak Marketing — 676-139-6070
Date: June 2026 • Version 1.0

1. Application Overview

Drak Marketing is a paid-media agency that manages Google Ads accounts on behalf of its clients. Drak operates an internal toolset that connects to the Google Ads API to (a) generate reporting and campaign-management workflows across the client accounts it manages, and (b) upload offline conversion values derived from each client's CRM to support Value-Based Bidding. The application is used solely by Drak Marketing staff to manage client accounts that are linked under the Drak Marketing manager account (676-139-6070). It is not a public product and is not resold to third parties; every account it touches is one Drak has been authorized to manage by the client.

2. Tool Type & Users

Tool type	Internal agency tool (used by Drak Marketing to manage client accounts under its MCC)
Primary users	Drak Marketing account managers and analysts
Accounts accessed	Client Google Ads accounts linked under Drak Marketing MCC 676-139-6070, each managed under written client authorization
Distribution	Not distributed. Runs in Drak Marketing's controlled environment only.
Monetization	The tool itself is not sold or licensed. Drak charges clients for management services, not for API access.

3. What the Application Does

The application has two functional components:

3.1 Reporting & Campaign Management

An operator-driven interface (a Model Context Protocol server invoked by an internal assistant) that issues Google Ads Query Language (GAQL) read queries and a controlled set of mutate operations. Typical operations: pulling campaign / ad group / keyword / search-term performance, reviewing Quality Score and ad strength, and applying routine optimizations (pausing keywords, adding negative keywords, updating budgets and bidding, creating responsive search ads). All mutating actions are initiated and reviewed by a human operator.

3.2 Offline Conversion Upload (Value-Based Bidding)

For clients that opt in, a scheduled pipeline reads lead and opportunity outcomes from the client's CRM (e.g. HubSpot, Salesforce), assigns each a conversion value based on firmographic and funnel attributes, and

uploads those values against existing conversion actions via click-based offline conversion imports. This lets Google's Smart Bidding optimize toward high-value leads rather than raw form fills. Uploads are matched on Google Click Identifier (GCLID); no personally identifiable information is sent to Google.

4. Google Ads API Usage

GoogleAdsService (Search / SearchStream, GAQL)	Read	Performance reporting across campaigns, ad groups, keywords, search terms, conversions
ConversionUploadService (ClickConversions)	Write	Upload offline conversion values for Value-Based Bidding
ConversionActionService	Read	Resolve conversion actions used by the upload pipeline
CampaignService / CampaignBudgetService / CampaignBidding	Write	Routine, human-approved budget and bidding adjustments
AdGroupCriterionService / SharedSet (negatives, keywords)	Write	Keyword pauses and negative-keyword management
AdGroupAdService (RSAs)	Write	Create / update responsive search ads

Estimated daily volume: on the order of a few thousand API operations per day across all managed client accounts (reporting queries plus scheduled offline-conversion upload batches). Well within Basic Access limits.

5. System Architecture & Data Flow

Reporting path:

- Operator issues a request → internal assistant translates it to a GAQL query or a specific mutate operation.
- Request is sent to the Google Ads API authenticated via OAuth 2.0 with login-customer-id = 676-139-6070.
- Results are returned to the operator. Mutations require explicit human initiation.

Offline-conversion path:

- Scheduled job reads closed/qualified records from the client's CRM (client-controlled systems).
- Each record is scored to a conversion value using firmographic + funnel attributes (no PII in scoring output).
- Records carrying a valid GCLID are uploaded as ClickConversions against existing conversion actions.
- A daily summary is logged for audit; failures alert Drak Marketing operations.

6. Authentication & Credentials

Developer token	Generated from the Drak Marketing MCC (676-139-6070) API Center
OAuth 2.0 client (client ID / secret)	Drak Marketing-controlled Google Cloud project

Refresh token	Minted by a Drak Marketing-authorized user with access to the managed accounts
login-customer-id	676-139-6070 (Drak Marketing MCC)

7. Data Handling & Compliance

- **No PII sent to Google.** Offline conversion uploads are matched on GCLID and carry only a conversion action, timestamp, and value. Email/phone are never transmitted.
- **Client data stays in client systems.** CRM records reside in the client's HubSpot / Salesforce; the pipeline reads outcomes and writes only aggregate conversion values to Google Ads.
- **Authorized account access only.** Drak manages each account under written client authorization; accounts are linked under the Drak MCC and access is removed when an engagement ends.
- **Least-privilege credentials.** OAuth scopes are limited to the Google Ads API; the developer token and OAuth client are owned by Drak Marketing.
- **Human-in-the-loop mutations.** All campaign-changing operations are operator-initiated and reviewed.
- **Adherence to Google Ads API policies** and the Required Minimum Functionality, including accurate reporting and respect for account access scope.

This document describes an internal agency tool used by Drak Marketing to manage client Google Ads accounts under MCC 676-139-6070. Contact: Drak Marketing — mark@drakmarketing.com.