


Project 1: Active Directory User & Access Management Lab

This project contains multiple Jira tickets such as:

- AD-001: Create New User/ Add User to Security Group
- AD-002: Password Reset/Unlock User Account
- AD-003: Remove User from Security Group
- AD-004: Disable Former Employee
- AD-005: Bulk User Creation via CSV

Create New User

First thing I do is check my Jira queue for the ticket I see one requesting to create a new domain user account for the new hire Jon Doe.



The screenshot displays the Jira Service Management interface. On the left, a sidebar shows the navigation menu with categories like Spaces, Recent, and IT team. The 'All open' filter is selected under the IT team space. The main content area shows the 'All open' queue for the IT team. A search bar and filter buttons (Request type, Status, Assignee, More filters) are visible. Below the filters, a table lists the work items. One item is visible: a request to create a new domain user account for Jon Doe, assigned to 'Unassigned' with a status of 'WAITING FOR SUPPORT' and created on 20/Jun/26.

Request Type	Key	Summary	Reporter	Assignee	Status	Created
Request a new account	IT-3	New domain user account for Jon Doe	hr@atlassian-demo.com	Unassigned	WAITING FOR SUPPORT	20/Jun/26

Here is further description.

Jira Service Management

Search

+ Create Upgrade

Spaces

Recent

IT team

Get started

Summary

Queues

All open 1

Assigned to me

Open tasks

Multi-space work

Service requests

Incidents

Reports

Operations

Knowledge Base

Customers

Channels

Email logs

Back IT-3

New domain user account for Jon Doe

Create subtask Link work item Create ...

hr@atlassian-demo.com raised this request via Portal

View request in portal

Components Active Directory

Description

He is a new hire and needs an account

Similar requests

Activity

All Comments History Work log Approvals

Waiting for support

SLAs

Jun 23 01:00 PM Time to first response within 12h

Jun 29 05:00 PM Time to resolution within 48h

Update SLAs Refresh to recalculate values.

Details

Reporter hr@atlassian-demo.com

Knowledge base View related arti...

Priority Medium

Request Type Request a new account

I assign the ticket to myself.

Spaces / IT team / Queues

All open

... List +

Search work Request type Status Assignee More filters

1 work item

1 selected Find similar requests Link work item Comment Assign Transition Approve Delete

Request a new account	IT-3	New domain user account for Jon Doe	Assignee	SUPPORT	20/Jun/26
-----------------------	------	-------------------------------------	----------	---------	-----------

Assign to me

Cancel Assign

Ticket was successfully assigned.



Success!



Mo H was assigned to 1 ticket.

Next thing I would do is switch the status to in progress and begin working on the ticket.

Spaces / IT team / Queues

All open

☆ 🔗

☰ List +

Request type ▾ Status ▾ Assignee ▾ More filters ▾ 

1 work item

☐	Request Type	Key	Summary	Reporter	Assignee	Status	Created
☐	Request a new account	IT-3	New domain user account for Jon Doe	hr@atlassian-demo.com	MH Mo H	WAITING FOR SUPPORT ▾	20/Jun/26

Respond to customer → WAITING FOR CUSTOMER

In progress → IN PROGRESS

Escalate → ESCALATED

Pending → PENDING

Cancel request → CANCELED

Resolve this issue → RESOLVED

View workflow

Update the customer who submitted the request, in this case it would be the HR of the organization, and let them know that I am working on it.

In progress

Assignee



Mo H



Comment

Reply to customer

Add internal comment

Your comment will be visible to customers. Embed attachments to make them visible to customers.

Style ▾

B

I

U

A ▾

^²A ▾



Thank you for the request the account will be created shortly.

[preview](#) · [syntax help](#)

In progress

[Cancel](#)

Doing this allowed me to fulfill the service level requirement of responding within 12 hours but now it's time to meet the next part of SLA which would be to resolve the ticket within 48 hours.

In Progress ▾



▾ SLAs

Jun 29 05:00 PM 

Time to resolution
within 48h

Today 07:59 PM 

Time to first response
within 12h

Update SLAs

Refresh to recalculate values.

 Refresh

▾ Details

Reporter



hr@atlassian-demo.com

Knowledge base



View related arti...



Priority



Medium

Request
Type



Request a new account


Assignee




Mo H

Manual Method

First step I go to **Users and Computers** in the server manager.



Next I will add the user by right clicking Lab-Objects, which is the organizational unit I will be creating Jon Doe in. Then I will select **New**, and then select **User**.



I will be given the user interface for the new object user wizard and I will fill out the information with his first and last name and the user name he would use to login then I will click **Next**.

New Object - User



Create in: mydclab.local/Lab-Objects

First name: Initials:

Last name:

Full name:

User logon name:

User logon name (pre-Windows 2000):

< Back

Next >

Cancel

The next section in the wizard will tell me to set his password which I will do and hit **Next** and see his logon name, I hit **Next** again and then finally I hit finish and you will see that Jon Doe has been added.



Server Manager ▸ Dashboard

Dashboard

Local Servers

All Servers

AD DS

DNS

File and Storage

New Object - User



Create in: mydclab.local/Lab-Objects

Password:

••••••••

Confirm

••••••••

☐ User must change password at next logon

☐ User cannot change password

☐ Password never expires

☐ Account is disabled

< Back

Next >

Cancel

Server Manager ▸ Dashboard

Dashboard

Local Ser

All Server

AD DS

DNS

File and S

New Object - User



Create in: mydclab.local/Lab-Objects

When you click Finish, the following object will be created:

Full name: Jon Doe

User logon name: jdoe@mydclab.local

< Back

Finish

Cancel

Sto

bilit

Services


Performance

Services


Performance

Services

Performance



Next step is to add Jon to the security group known as IT-Staff, to do that I will right click on Jon's name and select **Properties**.



Then I will select the **Member of** option > click **add** > search IT-Staff in object name box > hit **OK** > hit **OK** again.

← → ▾

Server Manager ▸ Dashboard

Dashboard

Local Server

All Servers

AD DS

DNS

File and Storage Services

Active Directory Users and Computers

File Action View Help

Active Directory Users and Computers

Saved Queries

mydclab.local

Builtin

Computers

Domain Controllers

ForeignSecurityPrincipals

Lab-Objects

Managed Service Accounts

Users

Jon Doe Properties

Member Of: Remote control, Remote Desktop Services Profile, Sessions, COM+

General Address Account Profile Telephones Organization

 Jon Doe

First name: Initials:

Last name:

Display name:

Description:

Office:

Telephone number: Other...

E-mail:


Web page: Other...


OK Cancel Apply Help

Services


Services

Services






Once done, click **OK** and quit the properties wizard, below is the proof that will be used to show that Jon is now part of the security group.



PowerShell Method


First I open powershell to run a command to add a domain user account for Jon Doe to the organizational unit Lab-Objects, a prompt to create a password for jon doe will show up which will allow me to set his password.

New-AdUser -Name "Jon Doe" -SamAccountName "jdoe" -Path "OU=Lab-Objects,DC=mydclab,DC=local" -AccountPassword (Read-Host -AsSecureString "Enter a password for jdoe") -Enabled \$true




This next command is to show proof that jon has been added.

Command: **Get-AdUser -Identity jdoe | Select-Object Name, DistinguishedName**



Now I will add Jon Doe to the security group known as IT-Staff group.

Command:**Add-ADGroupMember -Identity "IT-Staff" -Members "jdoe"**



To prove that Jon Doe has been added to the IT-Staff group I run the following command.

Get-AdGroupMember -Identity "IT-Staff"

```
PS C:\Users\Administrator> Get-AdGroupMember -Identity "IT-Staff"

distinguishedName : CN=Jon Doe,OU=Lab-Objects,DC=mydc1ab,DC=local
name              : Jon Doe
objectClass       : user
objectGUID        : ef844d48-a981-46b4-883e-2242447c839c
SamAccountName    : jdoe
SID               : S-1-5-21-3933399671-40190471-2704603052-1106

PS C:\Users\Administrator>
```

Now that the user Jon has been created and added to the security group I can now update the status of the ticket, so I will go to the ticket queue in jira and reply to both the team and the

customer that the ticket has been resolved with screenshot evidence of the user Jon Doe created.

Back

IT-3

Activity

All

Comments

History

Work log

Approvals

MH


Add internal note

Reply to customer

Pro tip: press **M** to comment

MH

Mo H 4 seconds ago



The user Jon Doe has been created

Edit · Delete

MH

Mo H 22 seconds ago Edited Internal note

In Progress

SLAs

Jun 29 05:00 PM

Time to resolution within 48h

Yesterday 07:59 PM

Time to first response within 12h

Update SLAs

Refresh to recalculate values.

Refresh

Details

Reporter

hr@atlassian-demo.com

Knowledge base

View related arti...

Priority

Medium


Request Type

Request a new account

Assignee

MH Mo H

Here is the evidence I shared with the team and the customer.



Click on the ticket and change the status to “done”.

Resolve this issue

Resolution

Done

?

Linked Issues

blocks

Issue

+

Begin typing to search for issues to link. If you leave it blank, no link will be made.

Comment

Reply to customer

Add internal comment

🔒

Your comments will not be visible to customers on the portal.

Style

B

I

U

A

🔗

📌

📋


👤

+

Resolve this issue

Cancel

As you can see the ticket has been resolved and the SLA of resolving the ticket in 48 hours has been met as well.



Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Ticket Resolution Summary (GUI Method)

- **Issue Description:** User account creation and group membership assignment requested for new hire Jon Doe.
- **Actions Taken (GUI):**
 1. Opened **Active Directory Users and Computers** (ADUC) and navigated to the Lab-Objects Organizational Unit.

2. Created a new user object for **Jon Doe** (jdoe) and configured account parameters including password options.
 3. Accessed **Jon Doe Properties**, navigated to the **Member Of** tab, and searched for the **IT-Staff** security group.
 4. Added Jon Doe to **IT-Staff** (mydc1ab.local/Lab-Objects) and confirmed group membership alongside Domain Users.
- **Resolution:** Jon Doe's Active Directory account has been successfully provisioned via the GUI and added to the required security group. Ticket closed.
-

Ticket Resolution Summary (PowerShell Method)

- **Issue Description:** Provision user account and assign security group membership for Jon Doe via command line.
- **Actions Taken (PowerShell):**
 1. Executed New-ADUser to create user **Jon Doe** (jdoe) in OU=Lab-Objects, DC=mydc1ab, DC=local with a secure password prompt.
 2. Verified user account creation using Get-ADUser -Identity jdoe | Select-Object Name, DistinguishedName.
 3. Added the account to the target security group using Add-ADGroupMember -Identity "IT-Staff" -Members "jdoe".
 4. Verified membership assignment using Get-ADGroupMember -Identity "IT-Staff".
- **Resolution:** Account provisioned and group assignment verified successfully via PowerShell. Ticket closed.

Password Reset/Unlock User Account

A scenario occurs where the domain user Jon Doe calls and says that they have forgotten their password and need a password reset, so I create a ticket on his behalf for a password reset. I start by clicking **Create A Request**.

Spaces / IT team / Queues

All open

[List](#) +


Q Search wo...

Request type ▾

Status ▾

Assignee ▾

More filters ▾




All of your requests will show up here

Talk with customers, notify your teammates and track work all in one place. Create a request of your own to see it in action.

Create a request

I set the **work type**, **request type**, who the ticket is on behalf of , in this case Jon Doe.

Create Get IT help



Space *



IT team (IT)



Work type *



[System] Service request



[Learn about work types](#)

Request type *

What's this?



Get IT help

Get assistance for general IT problems and questions.



Use request type fields

Raise this request on behalf of *

jondoe@mydclab.com

Summary *



Create another

Cancel

Create

Add a small summary about the ticket and then create.

Create Get IT help



Summary *

User Jon Doe is requesting a password reset

Description

Tt ∨ | **B** *I* U ∨ | A ∨ | :: ∨ | @ 😊 + ∨ |

Type /ai for Atlassian Intelligence, / to add elements, or @ to mention someone.

Attachment

Drop files to attach or [Browse](#)

Organizations

Select organization ∨

☐ Create another

Cancel

Create



I assign the ticket to myself.

All open



List +

Search wo... Request type Status Assignee More filters

1 work item

1 selected Find similar requests Link work item Comment Assign Transitions

☒ Get IT help IT-4 User Jon Doe is requesting password reset

Assignee

Assign to me

Cancel Assign

I then respond to Jon and let him know that I have begun working on the ticket and change the ticket status to in progress.

ps
aces
it
T team
Get started
Summary
Queues
All open 1
Assigned to me
Open tasks
Multi-space work
Service requests
Incidents
Reports
Operations
Knowledge Base
Customers
Channels
Email logs

< Back IT-4

password reset

Waiting for support

Respond to customer → WAITING FOR CUSTOMER
In progress → IN PROGRESS
Escalate → ESCALATED
Pending → PENDING
Cancel request → CANCELED
Resolve this issue → RESOLVED
View workflow

Similar requests

Add internal note Reply to customer

Tt B A

Your password reset is in progress

Details
Reporter
jondoe@mydclab.com
Knowledge base
View related articles

In progress

Assignee

 Mo H 

Comment

Reply to customer

Add internal comment

 Your comments will not be visible to customers on the portal.

Style  **B** *I* U **A**        

User Jon Doe has been locked out of their account and has requested a password reset. I have begun working on the ticket


[preview](#) · [syntax help](#)

In progress


Cancel

Manual Method


The first steps are to go to server manager and then **Tools > Active Directory Users and Computers >** and then right click Jon's name within the OU and click **Properties**.





In the properties window hit the **Account** tab and then click the checkbox next to where it says **Unlock account** and then i hit **Apply** then **OK**.




Now I will right click Jon's name again and select **Reset Password**, I will then type in a new temporary password like Welcome2026! and then I will check the options for **User must change password at next logon**, I will click **OK** to commit the changes.







When he logs in with the temporary password he should get a message like the following.




PowerShell Method

First step is to identify if the account is actually locked out so I do this via this powershell command in the Domain Controller instance.

Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

And it can be seen that he is indeed locked out.



```
44.220.140.60 - Remote Desktop Connection

Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.


Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
-----
Jon Doe    True

PS C:\Users\Administrator> _
```

Now to unlock the account I use the following command: **Unlock-ADAccount -Identity jdoe**



```
44.220.140.60 - Remote Desktop Connection

Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
-----
Jon Doe    True

PS C:\Users\Administrator> Unlock-ADAccount -Identity jdoe_
```

Now I verify that his account has been unlocked by rerunning **Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut**

As seen below, the account has been successfully unlocked.



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    True

PS C:\Users\Administrator> Unlock-ADAccount -Identity jdoe
PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    False


PS C:\Users\Administrator> _
```

Now I will reset his password to a temporary password that he can use to create a new password that he will hopefully remember this time.

Commands: **\$Secret = ConvertTo-SecureString "Welcome2026!" -AsPlainText -Force**

Set-ADAccountPassword -Identity jdoe -NewPassword \$Secret -Reset

Set-ADUser -Identity jdoe -ChangePasswordAtLogon \$true



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    True

PS C:\Users\Administrator> Unlock-ADAccount -Identity jdoe
PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    False

PS C:\Users\Administrator> $Secret = ConvertTo-SecureString "Welcome2026!" -AsPlainText -Force _
```



44.220.140.60 - Remote Desktop Connection

EC2 Feedback

Administrator: Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    True

PS C:\Users\Administrator> Unlock-ADAccount -Identity jdoe
PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    False

PS C:\Users\Administrator> $Secret = ConvertTo-SecureString "Welcome2026!" -AsPlainText -Force
PS C:\Users\Administrator> Set-ADAccountPassword -Identity jdoe -NewPassword $Secret -Reset
```



44.220.140.60 - Remote Desktop Connection

EC2 Feedback

Administrator: Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    True


PS C:\Users\Administrator> Unlock-ADAccount -Identity jdoe
PS C:\Users\Administrator> Get-ADUser -Identity jdoe -Properties LockedOut | Select-Object Name, LockedOut

Name      LockedOut
----      -
Jon Doe    False

PS C:\Users\Administrator> $Secret = ConvertTo-SecureString "Welcome2026!" -AsPlainText -Force
PS C:\Users\Administrator> Set-ADAccountPassword -Identity jdoe -NewPassword $Secret -Reset
PS C:\Users\Administrator> Set-ADUser -Identity jdoe -ChangePasswordAtLogon $true
```

Now I would inform Jon Doe that his account has been unlocked and password reset and I would send him the temporary password so he can change it. One thing to mention is that I didn't send the temporary password to Jon within the ticketing system due to security purposes,

Instead, I would use a completely different method to send Jon the temporary password such as an out of band method like Jon's verified corporate phone number.



Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

GUI Method Resolution Summary

- **Issue:** User account j doe was locked out after exceeding the maximum domain login threshold.
- **Root Cause:** Multiple authentication failures triggered the domain Account Lockout Policy.
- **Action Taken:** Unlocked the user account via Active Directory Users and Computers (ADUC). Reset the account password to a temporary credential and enforced password update at next logon.
- **Compliance & Security:** Communicated temporary login credentials to the user out-of-band via verified corporate telephone to adhere to security best practices.

PowerShell Method Resolution Summary

- **Issue:** User account jdoe was locked out after exceeding the maximum domain login threshold.
- **Root Cause:** Multiple authentication failures triggered the domain Account Lockout Policy.
- **Action Taken:** Utilized administrative PowerShell cmdlets on the Domain Controller to remediate the account. Reset the account password to a secure temporary credential using Set-ADAccountPassword and cleared the lockout flag via Unlock-ADAccount.
- **Compliance & Security:** Enforced domain compliance by configuring the -ChangePasswordAtLogon \$true attribute. To adhere to security best practices, the temporary password was delivered out-of-band via verified corporate phone rather than in the ticketing system.

Resolve this issue

Resolution

Done

?

Linked Issues

blocks

Issue

+

Begin typing to search for issues to link. If you leave it blank, no link will be made.

Comment

Reply to customer

Add internal comment

Your comments will not be visible to customers on the portal.

Style

B

I

U

A

A

Resolution Summary:

Issue: User account jdoe was locked out after exceeding the maximum domain login threshold.

Root Cause: Multiple authentication failures triggered the domain Account Lockout Policy.

Action Taken: Utilized administrative PowerShell cmdlets on the Domain Controller to remediate the account. Reset the account password to a secure temporary credential using Set-ADAccountPassword and cleared the

Resolve this issue

Cancel



Resolved ▾

✓ Done



▾ SLAs

Jun 29 05:00 PM

Time to resolution
within 48h

Today 09:00 PM

Time to first response
within 12h

Update SLAs

Refresh to recalculate values.

Refresh

▾ Details

Reporter



jondoe@mydclab.com

Knowledge base



View related arti...



Priority



Medium

Request
Type



Get IT help

Assignee



Mo H

> Development

Closed ▾

✓ Done

▾ SLAs

Jul 03 01:00 PM

Time to close after resolution within 60h

Today 09:00 PM

Time to first response within 12h

Today 09:43 PM

Time to resolution within 48h

Update SLAs

Refresh to recalculate values.

Refresh

Remove User from Security Group

I've received a ticket request to remove Jon Doe from the security group IT-Staff by department manager Oliver Johnson (make believe person for the sake of my lab).

← → ↺

mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11

Jira

Q Search

+ Create

Upgrade

3+

MH

Spaces

+ ...

Recent

IT team

...

Get started

Summary

Queues

+ ...

All open

1

Assigned to me

Open tasks

Multi-space work

Service requests

Incidents

Reports

Operations

Knowledge Base

Customers

Channels

>

Email logs

Add shortcut

Spaces / IT team / Queues

All open

☆

...

List

+

Q Search wo...

Request type

Status

Assignee

More filters

...

1 work item

☐	Request Type	Key	Summary	Reporter
☐	Get IT help	IT-6	Jon Doe account removal from security group	Oliver Johnson

← → ↻ mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11/IT-6

Jira Search + Create Upgrade 3+ MH

Spaces + ...

Recent

- IT team ...
- Get started
- Summary
- Queues + ...
- All open 1
- Assigned to me
- Open tasks
- Multi-space work
- Service requests
- Incidents
- Reports
- Operations
- Knowledge Base
- Customers
- Channels >
- Email logs
- Add shortcut
- Archived work items
- Demo service space

< Back IT-6 ^ v

Key details

Oliver Johnson raised this request via Portal
[View request in portal](#)

Description

I would like to remove Jon Doe from the security group IT-Staff.

Similar requests v

Activity

Show: Comments v

MH Add internal note / Reply to customer

Pro tip: press M to comment

MH Mo H 1 second ago

Good evening Mr. Johnson we are in the process of

Waiting for support v ⚡

SLAs

Jun 29 01:00 PM ||

Time to first response within 12h

Jul 03 05:00 PM ||

Time to resolution within 48h

Update SLAs
Refresh to recalculate values. Refresh

Details

Reporter

Oliver Johnson

Knowledge base

View related articles v

Priority

I've assigned the ticket to myself and changed the status of the ticket in progress.

In Progress ▾



▾ SLAs

Jul 03 05:00 PM ⌚

Time to resolution
within 48h

Today 12:40 AM ✓

Time to first response
within 12h

Update SLAs

Refresh to recalculate values.

↻ Refresh

▾ Details

Reporter



Oliver Johnson

Knowledge base



View related arti...



Priority



Medium

Request
Type



Get IT help

Assignee




Mo H


> Development


Manual Method


The first thing I do is go to server manager and go to **Users and Computers** under **Tools** menu.




I go to the **Properties** menu of the IT-Staff group go to the **Members** option and find Jon then click **Remove** and then **Yes** to confirm the removal and as a result you will see his name removed from the members section of the security group.










PowerShell Method


First I will run this command in power shell to remove Jon Doe from the security group:

Remove-ADGroupMember -Identity "IT-Staff" -Members "jdoe" -Confirm:\$false



Now to confirm that he is actually removed you can view the IT-Staff group members in powershell via the following command:
Get-ADGroupMember -Identity "IT-Staff" | Select-Object Name, SamAccountName

As you can see there are no results since Jon Doe was the only member and since he was removed, you will see nothing.



Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

GUI Method Resolution Summary

- **Issue:** Request from department manager Oliver Johnson to revoke access and remove user jdoe from the IT-Staff security group.
 - **Root Cause:** Standard role change / access management update requiring group membership modification.
 - **Action Taken:** Opened Active Directory Users and Computers (ADUC), accessed the **Properties** menu for the IT-Staff security group, and removed user Jon Doe from the **Members** tab.
 - **Verification:** Confirmed Jon Doe was removed by verifying the updated membership list within group properties.
-

PowerShell Method Resolution Summary

- **Issue:** Request from department manager Oliver Johnson to revoke access and remove user jdoe from the IT-Staff security group.
- **Root Cause:** Standard role change / access management update requiring group membership modification.
- **Action Taken:** Executed administrative PowerShell cmdlet `Remove-ADGroupMember -Identity "IT-Staff" -Members "jdoe" -Confirm:$false` on the Domain Controller to remove the account from the group without interactive prompts.
- **Verification:** Verified successful removal by running `Get-ADGroupMember -Identity "IT-Staff" | Select-Object Name, SamAccountName`, returning no results to confirm the group membership update.

I provide image of either the powershell command showing that Jon has been removed from the security group or use the manual method and show that Jon has been removed from the security group using the server manager, I then resolve the ticket with the following resolution summary:

← → ↺ mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11

Jira Search + Create Upgrade

For you Recent Starred Apps Plans Spaces Recent IT team Get started Summary Queues All open Assigned to Open tasks Multi-space w Service requ Incident Reports Operations Knowledge Base

Resolve this issue

Resolution Done ?

Linked Issues blocks

Issue +

Begin typing to search for issues to link. If you leave it blank, no link will be made.

Comment

Reply to customer Add internal comment

🔒 Your comments will not be visible to customers on the portal.

Style B I U A A Link List Table @ +

Resolution Actions Taken:

Acknowledgment: Assigned ticket to self and updated status to In Progress.

Execution: Utilized administrative PowerShell to remove the user from the specified security group using the following cmdlet:

```
Remove-ADGroupMember -Identity "IT-Staff" -Members "jdoe" -Confirm:$false
```

Resolve this issue Cancel

Disable Former Employee

A ticket request has been submitted to disable user Jon Doe's account.

Browser address bar: mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11/IT-7

Jira interface showing a service request titled "Jon Doe's account needs to be disabled".

Left Sidebar (Navigation):

- Get started
- Summary
- Queues
 - All open (1)
 - Assigned to me
 - Open tasks
- Multi-space work
 - Service requests
 - Incidents
 - Reports
 - Operations
 - Knowledge Base
 - Customers
 - Channels
 - Email logs
 - Add shortcut
 - Archived work items
- Demo service space
- More spaces
- Recommended
 - Create a roadmap (TRY)

Main Content Area:

Back IT-7

Jon Doe's account needs to be disabled

Key details

jondoe@mydclab.com raised this req... via Portal
[View request in portal](#)

Description
User Jon Doe has been terminated and we need to get his account disabled.

Similar requests

Activity
Show: Comments

Buttons: Add internal note / Reply to customer

Right Sidebar (Details):

Waiting for support

SLAs

- Jun 30 11:54 AM
Time to first response within 12h
- Jul 06 03:54 PM
Time to resolution within 48h
- Update SLAs
Refresh to recalculate values. Refresh

Details

Reporter
jondoe@mydclab.com

Knowledge base
[View related articles](#)

Priority

I assure the customer raising the issue that the account will be disabled as requested and I change the status of the ticket to in progress and assign the ticket to myself.

rev details

In progress

Assignee

 Mo H

[Assign to me](#)

Comment

[Reply to customer](#) [Add internal comment](#)

 Your comments will not be visible to customers on the portal.

Style **B** *I* U **A** [^]A     

The account will be disabled as requested


[preview](#) · [syntax help](#)


[In progress](#) [Cancel](#)


disabled as requested

Manual Method


First I go to server manager to open **Active Directory Users and Computers**, identify the organizational unit he would be in which would be Lab-Objects in this case, and then I right click on his name, and select **Disable Account**, the final image will show you confirmation that his account has been disabled.









And now to reset and scramble the password for best security practices. I right click Jon Doe's name once again, click Reset Password, set the new password and uncheck **User must change password at next logon** to prevent them from having the ability to set a new password and then press **OK**.








PowerShell Method

I open powershell in the OS of the domain controller and run this command:


Disable-ADAccount -Identity "jdoe" to disable his ability to log into the network.




Then I run this command to change the password for security best practices.

```
$RandomPassword = ConvertTo-SecureString 'TempOffboard2026!#$Text' -AsPlainText  
-Force
```


```
Set-ADAccountPassword -Identity "jdoe" -NewPassword $RandomPassword
```





Now to verify that my command has worked I run this command that should return the boolean result of **False** under the enabled column indicating that the account has actually been disabled:

Get-ADUser "jdoe" -Properties Enabled, DistinguishedName | Select-Object Name, Enabled, DistinguishedName



I will now resolve the ticket and submit the ticket with a resolution summary and image of the powershell command showing that Jon Doe's account is disabled as evidence.

Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

GUI Method Resolution Summary

- **Issue:** HR offboarding request to disable terminated employee Jon Doe (jdoe) and secure the account.
- **Root Cause:** Employee termination requiring immediate access revocation and account securing.
- **Action Taken:** Opened Active Directory Users and Computers (ADUC), disabled the Jon Doe user account, and performed a password reset with **User must change password at next logon** unchecked.

- **Verification:** Confirmed the disabled status via the ADUC confirmation pop-up message and verified the visual down-arrow indicator on the user icon.

PowerShell Method Resolution Summary

- **Issue:** HR offboarding request to disable terminated employee Jon Doe (jdoe) and secure the account.
- **Root Cause:** Employee termination requiring immediate access revocation and account securing.
- **Action Taken:** Executed `Disable-ADAccount -Identity "jdoe"` to deactivate the account, then executed `Set-ADAccountPassword` using a scrambled `$RandomPassword` string.
- **Verification:** Ran `Get-ADUser "jdoe" -Properties Enabled | Select-Object Name, Enabled` to confirm the boolean result returned **False**.

Final Status: Resolved / Closed

ues

+

...

ill open

1

signed to me

open tasks

liti-space work

vice requests

idents

ports

erations

nowledge Base

stomers

annels

>

ail logs

d shortcut

hived work items

o service space

spaces

>

nded

te a roadmap

TRY

Similar requests

▼

▼ Activity

Show: Comments ▼

MH

Add internal note / Reply to customer

@

Pro tip: press **M** to comment

MH

Mo H 2 seconds ago

Internal note

John Doe's account has been disabled

In Progress ▼

⚡

▼ SLAs

Jul 06 03:54 PM

Time to resolution within 48h

Today 03:58 PM ✓

Time to first response within 12h

Update SLAs

Refresh to recalculate values.

Refresh

▼ Details


Reporter

jondoe@mydclab.com

Knowledge base

View related articles ▼

Priority



Bulk User Creation via CSV

It looks like I've received a ticket to create domain user accounts for a list of new hires within a CSV file.

← → ↻ mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11/IT-9

Jira

Search

Recent

- IT team
- Get started
- Summary
- Queues
- All open 1
- Assigned to me
- Open tasks
- Multi-space work
- Service requests
- Incidents
- Reports
- Operations
- Knowledge Base
- Customers
- Channels
- Email logs
- Add shortcut
- Archived work items
- Demo service space

< Back IT-9

New hires need domain accounts

Create subtask Link work item Create ...

Key details

Oliver Johnson raised this request via Portal
[View request in portal](#)

Description


I need domain accounts on behalf of management to get domain user accounts for users in the attached CSV.

Attachments 1

adbulk.csv
27 Jun 2026, 01:37 PM

Similar requests

I set the ticket status to in progress and replied to the personnel who is replying on behalf of the manager and assigned the ticket to myself.



now I will open powershell and run the following powershell commands and scripts:

```
$TargetOU = "OU=Lab-Objects,DC=mydclab,DC=local"
```

```
$SecurityGroup = "IT-Staff"
```

```
$CSVPath = "$Home\Desktop\adusers.csv"
```

```
$Users = Import-Csv -Path $CSVPath
```

```
foreach ($User in $Users) {
```


```
    $SamAccountName = ($User.FirstName.Substring(0,1) + $User.LastName).ToLower()
```

```
    $SecurePassword = ConvertTo-SecureString "Password123!" -AsPlainText -Force
```


```
$AccountParams = @{
```

```
GivenName = $User.FirstName
Surname = $User.LastName
Name = "$($User.FirstName) $($User.LastName)"
SamAccountName = $SamAccountName
UserPrincipalName = "$SamAccountName@mydbclab.local"
Path = $TargetOU
AccountPassword = $SecurePassword
Enabled = $true
ChangePasswordAtLogon = $false
}
Write-Host "Creating user: $($AccountParams.Name)..."
New-ADUser @AccountParams
Add-ADGroupMember -Identity $SecurityGroup -Members $SamAccountName
Write-Host "Added $SamAccountName to group: $SecurityGroup"
}
```

First I would set the variables.




Then I would set another variable called `$Users` which is used to store the path to the csv file with all the users names, last names, and username that would be used and using that variable I would run the following loop script.



Here is proof that all the accounts have been made with this command:

Get-ADGroupMember -Identity "IT-Staff" | Select-Object Name, SamAccountName



Finally I close the ticket with photo evidence and the following resolution summary:

Resolution Summary:

- **Account Provisioning:** Bulk-provisioned Active Directory domain user accounts for incoming new hires (**Marcus Vance**, **Clarissa Wells**, and **Dominic Reid**) using an automated PowerShell script to process the local data source `C:\Users\Administrator\Desktop\adusers.csv`.
- **Environment Configuration:** Executed the deployment logic targeting the active organizational structure at `OU=Lab-Objects, DC=mydc1ab, DC=local`.
- **Access Control & Group Mapping:** Initialized all new user objects with a secure default credential baseline and dynamically assigned them to the **IT-Staff** security group.
- **Post-Deployment Verification:** Ran the `Get-ADGroupMember` cmdlet to audit the group membership, successfully verifying that all three accounts are active and correctly mapped to the target group.

Status: Resolved & Closed.

← → ↻ mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11/IT-9

Jira

Search

+ Create

Upgrade

For you

Recent

Starred

Apps

Plans

Spaces

Recent

IT team

Get started

Summary

Queues

All open

Assigned to me

Open tasks

Multi-space work

Service requests

Incidents

Reports

Operations

Knowledge Base

Resolve this issue

Resolution
Done

Linked Issues
blocks

Issue

Begin typing to search for issues to link. If you leave it blank, no link will be made.

Comment

Reply to customer Add internal comment

Your comments will not be visible to customers on the portal.

Style B I U A A Link List Table @ +

Account Provisioning: Bulk-provisioned Active Directory domain user accounts for incoming new hires (Marcus Vance, Clarissa Wells, and Dominic Reid) using an automated PowerShell script to process the local data source C:\Users\Administrator\Desktop\adusers.csv.

Environment Configuration: Executed the deployment logic targeting the active organizational structure at OU=Lab-Objects,DC=mydclab,DC=local.

Resolve this issue Cancel

6 05:00 PM Time to resolution within 48h

7 01:37 PM Time to first response within 12h

SLAs

h to recalculate values.

ails

ter Oliver Johnson

edge base View related an

y

st

Get IT help

Mo H

Similar requests