Project 2: Active Directory Administration & Security

Tickets:

- ADSEC-001: Create Organizational Unit
- ADSEC-002: Create Security Groups
- ADSEC-003: Configure Password Policy
- ADSEC-004: Delegate OU Permissions
- ADSEC-005: Review Inactive Accounts

Creating an Organizational Unit

Looks like a request has been submitted on behalf of management to have a new organizational unit created for the IT department.



I respond to the requester of the ticket and let them know that the OU will be created to fulfill SLA and then I change the status of the ticket to in progress and I assign the ticket to myself.



Manual Method

I open the server manager and go to **Users and Computers** option under the tools tab.



Right clicked the domain name, then **New**, then **organizational Unit**.



Named it IT-OU then pressed **OK**.



And the result is shown below.



PowerShell Method

I open powershell as administrator within the Domain Controller instance and run the following command.

New-ADOrganizationalUnit -Name "IT-OU" -Path "DC=mydclab,DC=local"



Added another command to prevent accidental deletion of the OU.

Set-ADOrganizationalUnit -Identity "OU=IT-OU, DC=mydclab, DC=local" -ProtectedFromAccidentalDeletion $true



Then to verify that the OU has been created I run the following.

Get-ADOrganizationalUnit -Filter "Name -eq 'IT-OU' “



Now I will resolve the ticket with evidence showing the OU has been created, I will provide a screenshot of the users and computers panel showing the name of the OU or the powershell command revealing the distinguished name and the name of the OU. Once done I will resolve and close the ticket with a ticket resolution summary.

MH

Add internal note / Reply to customer

Pro tip: press **M** to comment

Improve writing



The OU has been created

Save Cancel



Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Resolution Summary 1: PowerShell Method (Automation Focus)

- **Action Taken:** Utilized the Active Directory PowerShell module on the Domain Controller to provision the container directly within the domain root via: `New-ADOrganizationalUnit -Name "IT-OU" -Path "DC=mydbclab,DC=local"`
- **Security Configuration:** Enforced enterprise object lifecycle lifecycle protection by explicitly enabling the accidental deletion flag: `Set-ADOrganizationalUnit -Identity "OU=IT-OU,DC=mydbclab,DC=local" -ProtectedFromAccidentalDeletion $true`

- **Verification & Validation:** Executed the programmatic validation query `Get-ADOrganizationalUnit -Filter "Name -eq 'IT-OU'"` to verify object availability, confirm its correct Distinguished Name pathing, and validate active status.

Resolution Summary 2: Manual Method (GUI Focus)

- **Action Taken:** Launched the Active Directory Users and Computers (ADUC) snap-in console via the Server Manager Tools menu on the Domain Controller.
- **Configuration:** Navigated to the root domain (`mydbclab.local`), initialized a new Organizational Unit wizard, and named the target container `IT-OU`. Explicitly checked the **Protect container from accidental deletion** configuration box to apply baseline object protection during creation.
- **Verification:** Committed changes by clicking **OK**, confirming immediate visual structural availability within the ADUC directory hierarchy.

Ticket has been closed and all SLA goals have been achieved.


+ Create
Upgrade
MH
1
Closed
Done
Automation
SLAs
Yesterday 07:04 PM
Time to first response
within 12h
Today 02:42 PM
Time to resolution
within 48h
Today 02:43 PM
Time to close after resolution
within 60h
Update SLAs
Refresh to recalculate values.
Refresh
Details
Reporter
Oliver Johnson
Knowledge base
View related arti...
Priority
Medium
Request Type
Get IT help
Assignee
MH
Mo H

Creating Security Groups

It looks like the manager has requested that a new security group be created for the IT department



I will assign the ticket to myself and change the status to in progress.



Manual Method

First thing I do I go to **Server Manager > Tools > Active Directory Users and Computers.**



Right click on my organizational unit and select **New** then **Group**.



Type in the name of my security group then select **Global** for **Group Scope** and **Security** for Group type then I select **OK.**



And here is proof of my security group having been created.



PowerShell Method

I begin by running powershell as an administrator and running this command block:

New-ADGroup -Name "IT-Security-Group" `

-GroupScope Global `

-GroupCategory Security `

-Path "OU=IT-OU,DC=mydbclab,DC=local"



To prove the security group has been successfully created I run the following command.

Get-ADGroup -Identity "IT-SG"



And now I give the requester confirmation that the security group has been created with evidence either from powershell or manually going through the active directory to identify the created security group.



And then I change the status of the ticket to resolved and add the ticket summary.



Finally I close the ticket.


1
Closed
Done
Automation
SLAs
Jul 13 05:00 PM
Time to resolution
within 48h
Yesterday 03:29 PM
Time to first response
within 12h
Update SLAs
Refresh to recalculate values.
Refresh
Details
Reporter
Oliver Johnson
Knowledge base
View related arti...
Priority
Medium
Request Type
Get IT help
Assignee
MH
Mo H
Development

Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Resolution Summary: PowerShell Method

Ticket Summary: Create new Security Group for IT Department (PowerShell Automation).

Resolution Action Taken:

- **Method:** Executed administrative changes via the Active Directory PowerShell module on the Domain Controller.
- **Command Executed:** `New-ADGroup -Name "IT-SG" -GroupScope Global -GroupCategory Security -Path "OU=IT-OU,DC=mydbclab,DC=local"`
- **Verification:** Ran `Get-ADGroup -Identity "IT-SG"` to pull the object attributes from the directory. Confirmed successful object creation, correct Distinguished Name pathing, and active status.

Ticket Status: Resolved / Closed.

Resolution Summary: Manual Method

Ticket Summary: Create new Security Group for IT Department (GUI).

Resolution Action Taken:

- **Console:** Launched the Active Directory Users and Computers (ADUC) snap-in console via Server Manager Tools.
- **Navigation:** Expanded the `mydbclab.local` root domain and navigated into the target container (`OU=IT-OU,DC=mydbclab,DC=local`).
- **Configuration:** Right-clicked the workspace, selected **New > Group**, and provisioned the object as `IT-SG`. Explicitly verified that **Group Scope** was set to **Global** and **Group Type** was set to **Security**.
- **Verification:** Clicked OK to commit changes and refreshed the ADUC console workspace. Verified that the `IT-SG` security group icon successfully populated inside the container.

Ticket Status: Resolved / Closed.

Configure Password Policies

A ticket has been received requesting stricter password policies for account creations and logins.



I assign the ticket to myself and respond to the requester that I am working on it.



Manual Method

I go to the server manager and select the Active **Directory Administrative Center**.



I click on my domain name which is mydclab and double click **System**.



Then I double click **Password Settings Container**.



In the empty space I right click and select **New** then **Password Settings**.



Set the policy parameters.



Click **Add** and **Apply** the policy to a security group by typing its name in the box then I press **OK.**



The security group IT-SG is shown, then I press **OK.**



As you can see, here is evidence that the policy has been created.



PowerShell Method

I first run this powershell block first naming and creating the policies:

New-ADFineGrainedPasswordPolicy -Name "IT-Password-Policy" `

-Precedence 10 `

-ComplexityEnabled $true `

-MinPasswordLength 14 `

-PasswordHistoryCount 24 `

-MinPasswordAge "1.00:00:00" `

-MaxPasswordAge "90.00:00:00" `

-LockoutThreshold 5 `

-LockoutObservationWindow "00:30:00" `

-LockoutDuration "00:30:00"



To prove that the password policy has been created and exists I run this command:

Get-ADFineGrainedPasswordPolicy -Identity "IT-Password-Policy"



I reply to the customer with the evidence.



I change the status of the ticket to resolved and the ticket summary.



And then I close the ticket.

Closed ✓ Done Automation

SLAs

Jul 15 01:00 PM	Time to close after resolution within 60h
Today 04:19 PM ✓	Time to first response within 12h
Today 06:21 PM ✓	Time to resolution within 48h

Update SLAs

Refresh to recalculate values.

Refresh

Details

Reporter	Oliver Johnson
Knowledge base	View related arti...
Priority	Medium
Request Type	Get IT help
Assignee	MH Mo H

Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Resolution Summary: PowerShell Method

Ticket Summary: Implement Custom Password Security Controls via PowerShell.

Resolution Action Taken:

- **Policy Creation:** Utilized the Active Directory PowerShell module to provision a new Password Settings Object (PSO) named `IT-Password-Policy` with a precedence value of `10`.
- **Security Constraints:** Configured a minimum password length of 14 characters (`-MinPasswordLength 14`), enabled complexity requirements, set a 24-password history limit, and established a 5-attempt account lockout threshold with a 30-minute lockout/observation duration.
- **Target Assignment:** Linked the newly created policy object directly to the `IT-SG` security group using the `Add-ADFineGrainedPasswordPolicySubject` cmdlet.
- **Verification:** Executed `Get-ADFineGrainedPasswordPolicy -Identity "IT-Password-Policy"` to query the directory database and confirmed successful deployment, correct attribute parsing, and active status.

Ticket Status: Resolved / Closed.

Resolution Summary: Manual Method

Ticket Summary: Implement Custom Password Security Controls via GUI.

Resolution Action Taken:

- **Console:** Launched the Active Directory Administrative Center (ADAC) from the Server Manager Tools menu on the Domain Controller.
- **Navigation:** Expanded the `mydbclab.local` root domain, opened the **System** container, and navigated into the **Password Settings Container**.

- **Configuration:** Initialized a new Password Settings object named `IT-Password-Policy` with a precedence of `10`. Manually checked and configured the constraints to enforce a 14-character minimum length, standard complexity, a 24-password history, and a 5-attempt lockout policy lasting 30 minutes.
- **Target Assignment:** Scrolled to the **Directly Applies To** workspace, clicked Add, and explicitly mapped the policy to the `IT-SG` security group.
- **Verification:** Clicked OK to commit the policy to the directory database. Refreshed the container workspace and verified the active listing of `IT-Password-Policy`, ensuring the group mapping was live.

Ticket Status: Resolved / Closed.

Delegating OU permissions

It looks like there has been a request to assign permissions to the IT-SG security group to manage accounts within the Staff-OU organizational unit.



I assign the ticket to myself and reply to the customer, and change the ticket status to in progress.



Manual Method

First I go to active directory users and computers in server manager.



I click **View** and then **Advanced Features**.



I right click the OU Staff-OU then select **Delegate Control**.



I get into the delegation wizard and click **Next**.



I click **Add** in the **Users or Groups** window.



I Type in the name of the security group that will receive the delegated permissions in this case it will be IT-SG and then i select **Check Names > OK.**



I can see that the security group has been selected I hit **Next**.



In the next window I select **Create a custom task to delegate** radio button then hit **Next**.



I select the radio button for **Only the following objects in this folder** and select the box next to **User objects**, I also make sure the boxes next to **Create selected Objects in this folder** and **Delete selected objects in this folder** are checked, then I hit **Next**.



In the permission window I select **Create All Child Objects**, **Delete All Child Objects**, **Read All Properties**, and **Write All Properties**, then I hit **Next**.



I double check to see if the proper permissions have been assigned to the security group and then I finally complete the wizard by hitting **Finish**.



Now I login to the client instance with Jon Doe's account and run the following script in powershell ise to create a test user to show that Jon Doe has received the permissions.

$UserPassword = ConvertTo-SecureString "LabPassword123!" -AsPlainText -Force

New-ADUser -Name "Test User" `

-SamAccountName "testuser1" `

-Path "OU=Staff-OU,DC=mydclab,DC=local" `

-Enabled $true `

-AccountPassword $UserPassword



Here is proof from the Domain Controller itself that the test user has been created in Staff-OU organizational unit.



PowerShell Method

I ran this script in powershell ISE, it can be done in standard powershell but long scripts are easier to run in ISE hence my choice:

Import-Module ActiveDirectory

$OUPath = "AD:\OU=Staff-OU,DC=mydclab,DC=local"

$Group = Get-ADGroup -Identity "IT-SG"

$SID = New-Object System.Security.Principal.SecurityIdentifier($Group.SID)

$ACL = Get-Acl -Path $OUPath

$Rights = [System.DirectoryServices.ActiveDirectoryRights]"CreateChild, DeleteChild, WriteProperty, ExtendedRight"

```
$Control = [System.Security.AccessControl.AccessControlType]"Allow"

$InheritAll = [System.DirectoryServices.ActiveDirectorySecurityInheritance]"All"


# Apply broadly to user objects and generic container writes

$UserGUID = [Guid]"bf967aba-0de6-11d0-a285-00aa003049e2"

$GenericGUID = [Guid]"00000000-0000-0000-0000-000000000000"


foreach ($GUID in @($UserGUID, $GenericGUID)) {

   $ACE = [System.DirectoryServices.ActiveDirectoryAccessRule]::new($SID, $Rights, $Control, $GUID, $InheritAll)

   $ACL.AddAccessRule($ACE)

}


Set-Acl -Path $OUPath -AclObject $ACL
```



I then login to the client machine using the domain account but I will use Jon Doe’s credentials to run the commands after this step.

Command to use Jon Doe’s credentials: **$JohnCred = Get-Credential -UserName "mydclab\jdoe" -Message "Enter John Doe's Password"**



I use jdoe's credentials and permissions to run these commands:

$UserPassword = ConvertTo-SecureString "LabPassword123!" -AsPlainText -Force

New-ADUser -Name "Success User" -SamAccountName "success1" -Path "OU=Staff-OU,DC=mydclab,DC=local" -Enabled $true -AccountPassword $UserPassword -Credential $JohnCred

I do this to create a password for a new test user in Staff-OU and finally create the user, these are all permissions that Jon Doe gets when we delegated them to IT-SG security group which he is a part of.



As you can see the user was successfully created proving Jon Doe was successfully given permissions to create users in Staff-OU, which is just one of the permissions he's been given. This is the command I used to prove that the new test user is now a part of the Staff-OU.

Get-ADUser -Filter * -SearchBase "OU=Staff-OU,DC=mydclab,DC=local" | Select-Object Name, SamAccountName, Enabled



I reply with proof that permission have been assigned.



I then resolve the ticket with a resolution summary of what was done.



And finally I can close the ticket.

Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Resolution Summary: PowerShell Method

Ticket Summary: Verify Delegated Administrative Controls over `Staff-OU` via PowerShell.

Resolution Action Taken:

- **Tooling & Setup:** Verified that the Active Directory Module for Windows PowerShell was installed and operational on the client workstation (psdclab-client1)
- **Authentication:** Authenticated using designated `IT-SG` group member credentials to test administrative scope.
- **Provisioning:** Executed `New-ADUser` within `OU=Staff-OU,DC=mydbclab,DC=local` to provision `Test User` successfully.
- **Verification:** Executed `Get-ADUser -Identity "Test User"` to verify successful directory creation and object property propagation.
- **Boundary Testing:** Attempted administrative tasks outside `Staff-OU` to validate restricted permissions (`Access Denied` confirmed as expected).

Ticket Status: Resolved / Closed.

Resolution Summary: Manual Method

Ticket Summary: Verify Delegated Administrative Controls over `Staff-OU` via GUI.

Resolution Action Taken:

- **Console:** Launched Active Directory Users and Computers (`ADUC`) via RSAT on the local client workstation authenticated as an `IT-SG` member.
- **Navigation:** Expanded the domain hierarchy and navigated directly to the `Staff-OU` container.
- **Execution:** Initialized object creation within the GUI to manually create and configure the `Test User` object.
- **Verification:** Refreshed the workspace to confirm `Test User` appeared in the `Staff-OU` directory view.
- **Boundary Testing:** Attempted object modifications outside `Staff-OU` to verify boundary enforcement (`Access Denied` prompt confirmed as expected).

Ticket Status: Resolved / Closed.

Review Inactive Accounts

It looks like I have received a ticket requesting the review of inactive accounts within the Staff-OU organizational unit and I have been tasked to identify them and disable them.



I respond to the requester, assign the ticket to myself, and change the ticket status to in progress.



Manual Method

Quick lab note: In the manual method example I only display myself inspecting the login activity of one account, unlike in the powershell version, and I disable only that account, but I would essentially repeat the process for all the other accounts.

I open Active Directory users and Computers using the run tool in windows.



In ADUC I select **View** and select **Advanced Features**.



Then I double click **Test User** because I want to see their login activity.



I then select **Attribute Editor**.



And I identify **lastlogon activity** and I see that it says **never**, clearly an inactive account.



Now I disable the account by right clicking it and selecting **Disable Account** and then **OK** in the next box.


13.217.223.127 - Remote Desktop Connection
Recycle Bin
EC2 Feedback
EC2 Microso...
Microsoft Edge
Active Directory Users and Computers
File
Action
View
Help
Active Directory Users and Comp
Saved Queries
mydclab.local
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
IT-OU
LostAndFound
Managed Service Accoun
Program Data
Staff-OU
System
Users
Name
Type
Description
Bob Ross
User
Jane Doe
User
Copy...
Add to a group...
Name Mappings...
Disable Account
Reset Password...
Move...
Open Home Page
Send Mail
All Tasks
Cut
Delete
Rename
Properties
Help
Disables the account for the current selection.



As you can see as identified by the downward arrow on the account, it is an indicator that it is disabled.



I add a description explaining the reason the account was disabled and then press **Apply** and then **OK**.



PowerShell Method

I run this script in powershell to filter for inactive accounts within the organizational unit and disable them as requested. **Lab Environment Note:** Because this is a newly provisioned sandbox environment, no user accounts met the standard 90-day inactivity threshold. To validate the script's logic and demonstrate a successful proof of concept, the `-TimeSpan` parameter was temporarily set to `0` days. In a production enterprise environment, this value would be set to `90` days to align with standard corporate security and lifecycle management policies.

$TargetOU = "OU=Staff-OU,DC=mydclab,DC=local"

$StaleUsers = Search-ADAccount -AccountInactive -TimeSpan 0 -SearchBase $TargetOU -UsersOnly

$StaleUsers | Disable-ADAccount

$StaleUsers | Set-ADUser -Description "Disabled: 90-Day Security Audit Compliance (for the lab 0 days)."



I run this command for proof that the accounts have been disabled.

Get-ADUser -SearchBase "OU=Staff-OU,DC=mydclab,DC=local" -Filter "Enabled -eq 'False'" -Properties Description | Select-Object Name, SamAccountName, Enabled, Description

As expected, you can see that all the accounts have been disabled due to the 0 days timespan parameter in the previous command.


13.217.223.127 - Remote Desktop Connection
Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\jdoe.MYDCLAB> $TargetOU = "OU=Staff-OU,DC=mydclab,DC=local"
PS C:\Users\jdoe.MYDCLAB> $StaleUsers = Search-ADAccount -AccountInactive -TimeSpan 0 -SearchBase $TargetOU -UsersOnly
PS C:\Users\jdoe.MYDCLAB> $StaleUsers | Disable-ADAccount
PS C:\Users\jdoe.MYDCLAB> $StaleUsers | Set-ADUser -Description "Disabled: 90-Day Security Audit Compliance (for the lab 0 days)."
PS C:\Users\jdoe.MYDCLAB> Get-ADUser -SearchBase "OU=Staff-OU,DC=mydclab,DC=local" -Filter "Enabled -eq 'False'" -Properties Description | Select-Object Name,SamAccountName, Enabled, Description
Name SamAccountName Enabled Description
---- -------------- ------- -----------
Jane Doe janed False Disabled: 90-Day Security Audit Compliance (for the lab 0 days).
Bob Ross bross False Disabled: 90-Day Security Audit Compliance (for the lab 0 days).
Test User testuser1 False Disabled: 90-Day Security Audit Compliance (for the lab 0 days).
PS C:\Users\jdoe.MYDCLAB>

Now I will respond to the requester with evidence of the disabled accounts.



I will now resolve the ticket and provide a ticket resolution summary and then finally close the ticket.


mhasan12544.atlassian.net/jira/servicedesk/projects/IT/queues/custom/11/IT-17
Jira
Search
+ Create
Upgrade
For you
Recent
Starred
Apps
Plans
Spaces
Recent
IT team
Get started
Summary
Queues
All open
Assigned to me
Open tasks
Multi-space work
Service requests
Incidents
Reports
Operations
Knowledge Base
Customers
Resolve this issue
Resolution
Done
Linked Issues
blocks
Issue
Begin typing to search for issues to link. If you leave it blank, no link will be made.
Comment
Reply to customer
Add internal comment
Your comments will not be visible to customers on the portal.
Style
Resolution: Solved
Resolved By: Jon Doe (Help Desk Technician)
Method: Automated (PowerShell Module for Active Directory)
Summary of Action:
As part of our standard security and compliance lifecycle management, a PowerShell automation script was executed to identify and disable inactive user accounts within the Staff-OU (OU=Staff-OU,DC=mydclab,DC=local).
Technical Execution Details:
Resolve this issue
Cancel
Automation
Time to resolution
within 48h
Time to first resp
within 12h
Oliver Johnson
View related arti...
Medium
Get IT help
Mo H
Development

Closed ⌄ ✓ Done Automation ⌄

SLAs

Jul 21 05:00 PM — Time to resolution within 48h

Jul 13 09:14 PM ✓ — Time to first response within 12h

Update SLAs

Refresh to recalculate values.

Refresh

Details

Reporter	Oliver Johnson
Knowledge base	View related arti...
Priority	Medium
Request Type	Get IT help
Assignee	MH Mo H

Ticket Resolution Summaries Powershell and Manual(GUI) Methods:

Powershell method summary:

Resolution: Solved

Resolved By: Mohammad Hasan (Help Desk Technician)

Method: Automated (PowerShell Module for Active Directory)

Summary of Action:

As part of our standard security and compliance lifecycle management, a PowerShell automation script was executed to identify and disable inactive user accounts within the **`Staff-OU`** (`OU=Staff-OU,DC=mydclab,DC=local`).

Technical Execution Details:

1. **Target Identification:** Utilized the `Search-ADAccount` cmdlet with the `-AccountInactive` parameter to query user accounts within the designated Staff OU.
   - *Note:* While standard enterprise policy dictates a 90-day threshold, a testing threshold of `0` days was utilized in this sandbox validation to successfully process newly provisioned test accounts.
2. **Account Disablement:** Piped the target query results directly into `Disable-ADAccount` to immediately revoke active access.
3. **Audit Documentation:** Piped the disabled accounts into `Set-ADUser` to automatically append a standardized compliance tracking note to each object's description field: `"Disabled: 90-Day Security Audit Compliance (Lab Testing Threshold: 0 Days)."`

Manual method summary:

Resolution: Solved

Resolved By: Mohammad Hasan (Help Desk Technician)

Method: Manual (Active Directory Users and Computers GUI)

Summary of Action:

Handled the standard security lifecycle ticket by manually auditing and disabling a stale user account inside the **`Staff-OU`** container (`OU=Staff-OU,DC=mydclab,DC=local`).

Technical Execution Details:

1. **Console Configuration:** Launched the Active Directory Users and Computers console (`dsa.msc`) using delegated help desk credentials. Enabled **Advanced Features** under the *View* menu to expose advanced object attributes.
2. **Account Audit:** Navigated to the `Staff-OU`, opened the properties of the target test user, and inspected the **Attribute Editor** tab. Audited the `lastLogon` attribute to confirm the account met the inactivity threshold (simulated at 0 days for sandbox testing).
3. **Account Disablement:** Right-clicked the verified stale user account and selected **Disable Account** from the context menu to immediately revoke active access.
4. **Manual Compliance Stamping:** Opened the disabled user's properties