

BARÈME EXAMEN DSS 24/25

DTD

```
<!-- 0.25 -->
<ELEMENT recipeml (recipe)>
<!-- 0.25 -->
<ELEMENT recipe (head,ingredients,directions)>
<!-- 0.5 -->
<ELEMENT head (title,tags?)>
<!-- 0.5 -->
<ELEMENT ingredients (ing+)>
<!-- 0.5 -->
<ELEMENT directions (step+)>
<!-- 0.25 -->
<ELEMENT ing (qty,item)>
<!-- 0.25 -->
<ELEMENT title (#PCDATA)>
<!-- 0.25 -->
<ELEMENT tags (#PCDATA)>
<!-- 0.25 -->
<ELEMENT qty (#PCDATA)>
<!-- 0.25 -->
<ELEMENT item (#PCDATA)>
<!-- 0.25 -->
<ELEMENT step (#PCDATA)>
<!-- 0.5 -->
<!ATTLIST recipeml version CDATA #IMPLIED>
<!-- 0.5 -->
<!ATTLIST ing unit (tsp|pinch|cup|tbsp|g|ml) #IMPLIED>
```

XSLT

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- 0.25 -->
<xsl:stylesheet version="1.0"
  xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

  <!-- 0.25 -->
  <xsl:output method="html" indent="yes"/>

  <!-- 0.5 -->
  <xsl:template match="//recipe">
    <html>
      <head>
        <!-- 0.25 -->
        <title><xsl:value-of select="./head/title"/></title>
      </head>
      <body>
        <!-- 0.25 -->
        <h1><xsl:value-of select="./head/title"/></h1>
        <h2>Ingrédients</h2>
        <ul>
          <!-- 0.5 -->
          <xsl:for-each select="//recipe/ingredients/ing">
            <li>
              <!-- 0.5 -->
              <xsl:value-of select="qty" /><xsl:text> </xsl:text>
              <!-- 0.5 -->
              <xsl:value-of select="@unit" /><xsl:text> </xsl:text>
              <!-- 0.5 -->
              <xsl:value-of select="item" />
            </li>
          </xsl:for-each>
        </ul>
        <h2>Étapes</h2>
        <ol>
          <!-- 0.5 -->
          <xsl:for-each select="//recipe/directions/step">
            <li>
              <!-- 0.5 -->
              <xsl:value-of select="." />
            </li>
          </xsl:for-each>
        </ol>
      </body>
    </html>
  </xsl:template>
</xsl:stylesheet>
```

XPATH

Q3 : count(//recipe/ingredients/ing)

Q4 : //recipe/ingredients/ing[item='Œuf']/qty/text()

XSD

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"> <!-- 0.5 -->

  <xs:simpleType name="unitType"> <!-- 1.0 -->
    <xs:restriction base="xs:string">
      <!-- xs:enumeration also accepted -->
      <xs:pattern value="tsp|pinch|cup|tbsp|g|ml" />
    </xs:restriction>
  </xs:simpleType>

  <xs:simpleType name="tagsType"> <!-- 1.0 -->
    <xs:list itemType="xs:NMTOKEN" /> <!-- xs:string also accepted -->
  </xs:simpleType>

  <xs:complexType name="headType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="title" type="xs:string" />
      <xs:element name="tags" type="tagsType" minOccurs="0" />
    </xs:sequence>
  </xs:complexType>

  <xs:complexType name="ingType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="qty" type="xs:decimal" /> <!-- xs:int also accepted -->
      <xs:element name="item" type="xs:string" />
    </xs:sequence>
    <xs:attribute name="unit" type="unitType" use="optional" />
  </xs:complexType>

  <xs:complexType name="ingredientsType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="ing" type="ingType" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>

  <xs:complexType name="directionsType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="step" type="xs:string" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>

  <xs:complexType name="recipeType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="head" type="headType" />
      <xs:element name="ingredients" type="ingredientsType" />
      <xs:element name="directions" type="directionsType" />
    </xs:sequence>
  </xs:complexType>

  <xs:complexType name="recipeMIType"> <!-- 1.0 -->
    <xs:sequence>
      <xs:element name="recipe" type="recipeType" />
    </xs:sequence>
    <xs:attribute name="version" type="xs:string" use="optional" />
  </xs:complexType>

  <xs:element name="recipeml" type="recipeMIType" /> <!-- 0.5 -->
</xs:schema>
```