نام آزمون مدت زمان آزمون نام و نام خانوادگی : مدتاک کد اجرا : کد ملی : ۵۱ 🔾 🔾 🔾 101 161 🔾 🔾 🔾 Yol ______ 101 YoY ______ ۵۲ 🔾 🔾 ۱۹۵ 107 🔾 🔾 🔾 161 - - -161 C C C ٣ - - - - -۵۳ 🔾 🔾 ۳۵ 164 - - - -٧٠٣ 🔾 🔾 ٣٠٢ 70° — — f _ _ _ _ _ ۵۴ — — — — 10F - - - - -165 - -Yof _ _ _ _ _ 40F _ _ _ _ ۵۵ 🗆 🗆 🗆 100 - -100 - -۲۰۵ 🗀 🗀 🗀 100 C ۵۶ 🔾 🔾 🔾 109 - -164 - -Yoy _ _ _ _ _ Pay - - - - -10V _ _ _ _ ۵۷ 🔾 🔾 🔾 16V - - -Y•V _ _ _ _ _ Y6V _ _ _ _ _ ^ _ _ _ _ ۵۸ 🔾 🔾 ۸۵ 101 - - - - - -٢٠٨ 🔾 🔾 ran O O O 9 🔾 🔾 🔾 ۵۹ 🔘 🔘 ۱ 109 🔘 🔘 🔘 169 - - - -P09 _____ Pa9 () () % O O O 11. 190 - -٧١٠ 🔾 ۲۶۰ 🗆 🗆 🗆 91 🔾 🔾 191 🔾 🔾 🔾 P9P _______ 91 - - -197 🔾 🔾 PIP _______ 111 _ _ _ _ _ P\$P _ _ _ 98 O O C 198 _ _ _ _ _ 71P () () IIF _______ P9F _ _ _ _ _ 9F _______ IF _ _ _ _ _ 194 - - -PIF () () (10 0 0 90 - - -110 - - -190 - -۲۱۵ 🔾 🔾 ۵۱۲ P90 - - -19 - -99 🔾 🔾 119 - - -199 - -PI9 _ _ _ _ 97 🔾 🔾 🔾 197 🔾 🔾 🔾 PIV _ _ _ P5V _ _ _ _ _ IN _____ 91 - - - - -IIA O O O 191 - -PIA O 19 - - -99 🔾 🔾 🔾 119 🔾 🔾 199 - - -P19 _ _ _ _ P99 O O O ۲۰ O O O V• — — — — 140 - -100 - -PP• _ _ _ _ _ ٢٧٠ 🔾 🔾 🔾 PI ______ VI ______ IPI ______ IVI OOO PPI _______ PVI ______ PP _______ VY _______ 177 _ _ _ _ _ IVY _ _ _ V# _ _ _ _ _ 14h — — — — PVP _ _ _ _ _ 444 C PF _ _ _ _ _ _ IVF _ _ _ _ _ PVF ___ __ __ __ PA ______ 140 _ _ _ _ ٣٢٥ 🗀 🗀 PVA ______ 140 - -٢٢٧ 🗆 🗆 🗆 ٣٧ 🔾 🔾 🔾 146 C IVÝ C PV9 ______ 1PV _______ 747 🔾 🔾 🔾 w _ _ _ _ PV _ _ _ _ _ _ IVV — — — — IVA 🔾 🔾 🔾 PVA _ _ _ _ _ PA _ _ _ _ _ vv _ _ _ _ _ _ 1PA - - - - - -PPA _ _ _ _ _ P9 _____ V9 _ _ _ _ _ IV9 _ _ _ _ PP9 _ _ _ _ PV9 ______ ۳۰ O O O ۸۰ O O O ٣٣٠ 🔾 🔾 ٢٣٠ ٧٨٠ 🔾 🔾 10° () PI - - - - - -VI _____ IVI — — — — PPI _ _ _ _ _ PAI _ _ _ _ IVA 🔘 🔘 🔘 7447 _ _ _ _ _ _ LVL C C C AP _ _ _ _ **РРР** — — — — THH _ _ _ _ _ IVE _ _ _ 1446 O mk _ _ _ _ _ 184 _ _ _ _ _ LVE _ _ _ _ ٣۵ 🔾 🔾 ۵۳ ۸۵ — — — A IPO _____ ١٨۵ 🔾 🔾 ه٨١ ۳۶ O O C 189 C IAY O ٢٣٧ - - - - - -PA9 _ _ _ _ _ ٣٧ 🔾 🔾 IPV _ _ _ _ _ YPV _ _ _ _ _ PAV O O O ٣٨ 🔾 🔾 🔾 IPA _ _ _ _ _ IW _ _ _ _ _ _ YMV ___ __ __ PVV __ _ _ _ ٣٩ 🔾 🔾 🔾 IP9 _ _ _ _ PP9 _ _ _ _ _ PN9 C ۸۹ (۴۰ 🗆 🗆 🗆 90 - - - - -190 🔾 🔾 ٢٩٠ 🔾 🔾 FI ______ 91 🔾 🔾 IFI O O 191 🔾 🔾 🔾 PFI _ _ _ _ _ P91 _ _ _ _ FT _ _ _ _ _ 94 🔘 🔘 🔘 1FY _ _ _ _ _ 191 _ _ _ _ 144 O O O 1917 _______ FF _ _ _ _ _ _ ۹۳ 🔾 🔾 ۹۳ 1910 - -YFW ___ __ __ P9P _ _ _ _ FF _ _ _ _ _ 94 _ _ _ _ _ 166 O 194 _ _ _ _ PFF _ _ _ _ _ Pale _ _ _ _ _ Få - - - - -90 _ _ _ _ 1F6 _ _ _ _ 190 - -PF6 _ _ _ _ _ P90 _____ PIF9 O F9 _ _ _ _ IFY O 199 - - -hlen 🗀 🗀 🗀 9V _ _ _ _ IFV _ _ 19V _ _ _ _ 9A _ _ _ _ _ 19A — — — — FV — — — IFA _ _ _ _ _ 19/1 ... 99 🔾 🔾 🔾 149 - - -199 🔘 🔘 🔘 YF9 _ _ _ _ P99 O O O F9 _ _ _ _ _ ۵۰ 🔾 🔾 🔾 100 - -٢٠٠ 🗆 🔻 ٢۵٠ - - - - - -٣٠٠ 🔾 🔾

مثال هایی از موارد غیرقابل قبول برای دستگاه: 💿 🕕 🛑 🚍 🔘 🕽 🛑

مثال قابل قبول برای اسکن نئودرس: