Supplementary Material

This file contains the following appendices:

1. **Appendix A** contains material relevant to RQ-1. Specifically:
   - Table A.1 presents the types of anomalies in thirteen publicly available datasets.
   - Table A.2 presents the percentage of normal data, and the three anomaly categories in each dataset.
   - Table A.3 presents details of each anomaly category.
   - Table A.4 presents details of ADS for each anomaly category.
   - Table A.5 presents details of the SS for each dataset.
   - Table A.6 presents details of the SS for each RL algorithm.
   - Table A.7 presents details of the SS for each Gen AI algorithm.
2. **Appendix B** contains material relevant to RQ-2. Specifically:
   - Table B.1 provides a summary of the value-based RL approaches used in cybersecurity.
   - Table B.2 provides a summary of the policy gradient-based RL approaches used in cybersecurity.
   - Table B.3 provides a summary of the hybrid actor-critic-based RL approaches used in cybersecurity.
   - Table B.4 provides a summary of the state-of-the-art studies based on RL algorithms for cybersecurity.
3. **Appendix C** contains material relevant to RQ-3. Specifically:
   - Table C.1 provides a summary of GAN-based generative AI approaches used in cybersecurity.
   - Table C.2 presents VAE-based generative AI approaches used in cybersecurity.
   - Table C.3 summarizes transformer and large language model (LLM)-based generative AI techniques used in cybersecurity.
   - Table C.4 outlines hybrid and emerging generative AI approaches for cybersecurity.
   - Table C.5 provides a summary of the state-of-the-art studies based on Gen AI algorithms for cybersecurity.

Appendix A. Tables Relevant to RQ-1

Table A.1: Publicly available datasets for anomaly detection.

Dataset Dataset	No. of categories	Types of anomalies
UNSW–NB15	9	Fuzzers, Analysis, Backdoor, DoS, Exploits, Generic, Reconnaissance, Shellcode, Worms
SWaT	2	Normal and abnormal
MIMIC–III	-	Policy violation
CIC–IDS2017	15	DoS, PortScan, Web (XSS, SQLi), Heartbleed, etc.
N–BaIoT	2	Mirai, BASHLITE
Bot–IoT	4	DDoS, DoS, Reconnaissance, Information Theft
ECU–IoHT	4	ARP spoofing, DoS, Smurf, PortScan
ToN–IoT	9	DoS, DDoS, Backdoor, Injection, Password, Ransomware, XSS, MITM
IoT–23	12	Okiru, Mirai, Torii, C&C–HeartBeat
CIC IoT 2023	7	DDoS, DoS, Recon, Web-based, Brute Force, Spoofing, Mirai
CIC IoT DIAD 2024	7	DDoS, DoS, Recon, Web-based, Brute Force, Spoofing, Mirai
CIC IoMT 2024	5	DDoS, DoS, Recon, MQTT, Spoofing
DataSense: CIC IIoT 2025	7	Reconnaissance, DoS, DDoS, Web, MITM, Brute Force, Malware (Mirai) + Benign; 49 attack types

Table A.2: Distribution of anomalies in datasets.

Dataset	Normal / Benign	First largest anomaly type	Second largest anomaly type	Third largest anomaly type
UNSW–NB15	87%	Generic (8%)	Exploits (2%)	DoS (1%) Reconnaissance (1%) Fuzzers (1%)
CICIDS–2017	62%	Port Scan (12%)	DoS–Hulk (11%)	DDoS–LOIC (7%)
BoT–IoT	0%	DDoS (53%)	DoS (45%)	Reconnaissance/ Service Scan (2%)
ToN–IoT	4%	Scanning (32%)	DDoS (28%)	DoS (15%)
IoT–23	11%	Port Scan (56%)	Okiru (22%)	DDoS (11%)
CIC–IoT–DIAD	25%	Web–based (32%)	Brute Force (28%)	Mirai (3%) DoS (3%) DDoS (3%) Spoofing (3%) Reconnaissance (3%)
DataSense: CIC IIoT Dataset 2025	$< 0\%$	DDoS (63%)	DoS (29%)	Man-in-the-Middle (7%)

Table A.3: Details of anomaly categories.

Anomaly Category	Tactics	Techniques	Description
Adversarial threats	AML.T0008, AML.T0011	AML.T0002, AML.T0016	AI-generated malicious content, automated attacks, adversarial threats, evasion attacks, data poisoning, malware synthesis, polymorphic malware, adversarial evasion, zero-day attacks
AI-generated threats	AML.T0017, AML.T0013	AML.T0003, T1204	Automated phishing, prompt injection, code exploits, deepfakes, misinformation, LLM-aided propaganda, jailbreaking LLMs, AI-generated malware
Behavioural anomalies	TA0001, TA0002, TA0005, TA0007, TA0009	T1078, T1082, T1003, T1036, T1055	APTs, insider threats, evasive behaviour, lateral movement, MITM, ransomware, UEBA scenarios
Data leakage anomalies	TA0010, TA0009	T1005, T1041	Privilege misuse, data exfiltration
Host-based anomalies	TA0002, TA0003, TA0005	T1059, T1547, T1055, T1036	Intrusion attempts, privilege abuse, host-based detection
Intrusion anomalies	TA0001, TA0002, TA0004, TA0005, TA0008, TA0010	T1059, T1547, T1210, T1027, T1036	Brute force, shellcode, DoS, GPS spoofing, AIS manipulation, botnets, privilege escalation, zero-day exploits
Network-based anomalies	TA0011, TA0010, TA0007	T1041, T1071.001, T1040, T1046	DoS, U2R, R2L, spoofing, IoT attacks, botnet traffic, anomalous flows, adversarial traffic
Policy violation anomalies	TA0002, TA0005	T1204, T1036	Data tampering, integrity violations
Synthetic traffic anomalies	TA0001, TA0011	T1090, T1071.001	Synthetic flows, anomalous injections
Unknown/ Adaptive threats	TA0001, TA0004, AML.T0014	T1078, T1211, AML.T0011	APTs, IoT botnets, protocol anomalies, false data injection, reconnaissance, ransomware, MITM, password brute force, zero-day

Table A.4: ADS Details.

Anomaly Category	PR	RE	DF	ADS	Description	
Adversarial threats	9	9	8	9	8.75	Adversarial ML attacks exploit vulnerabilities in AI models; subtle perturbations hinder detection; prevention requires robust training; removal needs retraining; defence requires explainability/testing.
AI-generated threats	8	9	8	9	8.5	Includes deepfakes and synthetic phishing; hard to detect in real-time; prevention via model alignment; removal hard due to viral spread; defence needs GenAI detection.
Behavioural anomalies	8	6	5	7	6.5	Hard to detect due to blending with legitimate actions; moderate prevention with access controls; removal easier (no malware); defence needs UEBA.
Data leakage anomalies	8	7	7	8	7.5	Hard when encrypted/covert; prevention needs DLP; removal impossible post-exfiltration; defence needs encryption/monitoring.
Host-based anomalies	7	6	7	6	6.5	Mimics legitimate apps; prevention via whitelisting/EDR; removal may require re-imaging; defence via host IDS/EPP.
Intrusion anomalies	7	6	6	7	6.5	Multi-stage attacks; detection via NIDS/HIDS; prevention via segmentation; removal depth-dependent; defence layered.
Network-based anomalies	6	5	4	6	5.25	Detected via stats/flow; prevention via segmentation; removal often irrelevant; defence requires robust monitoring.
Policy violation anomalies	4	4	3	4	3.75	Easier to detect via logs; prevention with rules; removal straightforward; defence = enforcement/monitoring.
Synthetic traffic anomalies	6	5	3	6	5	Mimics real traffic; detection moderate; prevention/removal easier; defence = traffic baselines.
Unknown/ Adaptive threats	9	9	9	9	9	Evolving threats bypass signatures; very hard detection; prevention without AI difficult; removal may need rebuild; defence = zero-trust.

Table A.5: SS for datasets.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
Adversarial threats	BoT-IoT	0	0	0	0	0
AI-generated threats	BoT-IoT	0	0	0	0	0
Behavioral	BoT-IoT	0	0	0	0	0
Data leakage	BoT-IoT	0	0	0	0	0
Host-based	BoT-IoT	3	3	1	3	2.5
Intrusion anomalies	BoT-IoT	3	3	3	3	3
Network-based	BoT-IoT	3	3	3	3	3
Policy violation	BoT-IoT	0	0	0	0	0
Synthetic traffic	BoT-IoT	0	0	0	0	0
Unknown or Adaptive threats	BoT-IoT	0	0	0	0	0
Adversarial threats	CICIDS2017	3	3	2	2	2.5
AI-generated threats	CICIDS2017	0	0	0	0	0
Behavioral	CICIDS2017	3	3	3	3	3
Data leakage	CICIDS2017	0	0	0	0	0
Host-based	CICIDS2017	0	0	0	0	0
Intrusion anomalies	CICIDS2017	3	3	3	3	3
Network-based	CICIDS2017	0	0	0	0	0
Policy violation	CICIDS2017	0	0	0	0	0
Synthetic traffic	CICIDS2017	0	0	0	0	0
Unknown or Adaptive threats	CICIDS2017	3	3	2	3	2.75
Adversarial threats	CICIDS2018	3	3	1	3	2.5
AI-generated threats	CICIDS2018	0	0	0	0	0
Behavioral	CICIDS2018	0	0	0	0	0
Data leakage	CICIDS2018	0	0	0	0	0
Host-based	CICIDS2018	0	0	0	0	0
Intrusion anomalies	CICIDS2018	0	0	0	0	0
Network-based	CICIDS2018	3	3	3	3	3
Policy violation	CICIDS2018	0	0	0	0	0
Synthetic traffic	CICIDS2018	0	0	0	0	0
Unknown or Adaptive threats	CICIDS2018	3	3	3	2	2.75
Adversarial threats	DataSense:CICIIoT2025	0	0	0	0	0
AI-generated threats	DataSense:CICIIoT2025	0	0	0	0	0
Behavioural anomalies	DataSense:CICIIoT2025	0	0	0	0	0
Data leakage anomalies	DataSense:CICIIoT2025	0	0	0	0	0
Host-based anomalies	DataSense:CICIIoT2025	0	0	0	0	0
Intrusion anomalies	DataSense:CICIIoT2025	3	2	1	3	2.25
Network-based anomalies	DataSense:CICIIoT2025	3	2	1	3	2.25
Policy violation anomalies	DataSense:CICIIoT2025	0	0	0	0	0
Synthetic traffic anomalies	DataSense:CICIIoT2025	0	0	0	0	0
Unknown/Adaptive threats	DataSense:CICIIoT2025	0	0	0	0	0
Adversarial threats	KDDCup99	0	0	0	0	0
AI-generated threats	KDDCup99	0	0	0	0	0
Behavioral	KDDCup99	0	0	0	0	0
Data leakage	KDDCup99	0	0	0	0	0
Host-based	KDDCup99	0	0	0	0	0
Intrusion anomalies	KDDCup99	0	0	0	0	0
Network-based	KDDCup99	3	2	1	3	2.25
Policy violation	KDDCup99	0	0	0	0	0
Synthetic traffic	KDDCup99	0	0	0	0	0
Unknown or Adaptive threats	KDDCup99	3	2	1	2	2
Adversarial threats	NSL-KDD	3	3	3	2	2.75
AI-generated threats	NSL-KDD	0	0	0	0	0
Behavioral	NSL-KDD	3	3	3	3	3
Data leakage	NSL-KDD	0	0	0	0	0
Host-based	NSL-KDD	0	0	0	0	0
Intrusion anomalies	NSL-KDD	3	3	3	3	3
Network-based	NSL-KDD	3	3	3	3	3
Policy violation	NSL-KDD	0	0	0	0	0
Synthetic traffic	NSL-KDD	0	0	0	0	0
Unknown or Adaptive threats	NSL-KDD	3	3	1	2	2.25
Adversarial threats	ydata-synthetic	3	3	3	2	2.75
AI-generated threats	ydata-synthetic	0	0	0	0	0
Behavioral	ydata-synthetic	3	3	3	2	2.75
Data leakage	ydata-synthetic	0	0	0	0	0
Host-based	ydata-synthetic	0	0	0	0	0
Intrusion anomalies	ydata-synthetic	3	3	3	2	2.75
Network-based	ydata-synthetic	0	0	0	0	0
Policy violation	ydata-synthetic	3	3	1	3	2.5
Synthetic traffic	ydata-synthetic	0	0	0	0	0
Unknown or Adaptive threats	ydata-synthetic	3	3	1	1	2
Adversarial threats	TON-IoT	0	0	0	0	0

Continued on next page

Table A.5: SS for datasets.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
AI-generated threats	TON-IoT	0	0	0	0	0
Behavioral	TON-IoT	0	0	0	0	0
Data leakage	TON-IoT	0	0	0	0	0
Host-based	TON-IoT	0	0	0	0	0
Intrusion anomalies	TON-IoT	3	3	3	3	3
Network-based	TON-IoT	3	3	3	3	3
Policy violation	TON-IoT	0	0	0	0	0
Synthetic traffic	TON-IoT	0	0	0	0	0
Unknown or Adaptive threats	TON-IoT	3	3	1	3	2.5
Adversarial threats	UNSW-NB15	3	3	2	2	2.5
AI-generated threats	UNSW-NB15	0	0	0	0	0
Behavioral	UNSW-NB15	3	3	2	2	2.5
Data leakage	UNSW-NB15	0	0	0	0	0
Host-based	UNSW-NB15	0	0	0	0	0
Intrusion anomalies	UNSW-NB15	3	3	3	3	3
Network-based	UNSW-NB15	3	3	3	3	3
Policy violation	UNSW-NB15	0	0	0	0	0
Synthetic traffic	UNSW-NB15	0	0	0	0	0
Unknown or Adaptive threats	UNSW-NB15	3	3	2	3	2.75

End of table

Table A.6: SS for RL algorithms.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
Adversarial threats	A3C	0	0	0	0	0
AI-generated threats	A3C	0	0	0	0	0
Behavioral	A3C	0	0	0	0	0
Data leakage	A3C	0	0	0	0	0
Host-based	A3C	0	0	0	0	0
Intrusion anomalies	A3C	0	0	0	0	0
Network-based	A3C	0	0	0	0	0
Policy violation	A3C	0	0	0	0	0
Synthetic traffic	A3C	0	0	0	0	0
Unknown or Adaptive threats	A3C	3	1	2	3	2.25
Adversarial threats	AC	0	0	0	0	0
AI-generated threats	AC	0	0	0	0	0
Behavioral	AC	0	0	0	0	0
Data leakage	AC	0	0	0	0	0
Host-based	AC	0	0	0	0	0
Intrusion anomalies	AC	3	1	1	2	1.75
Network-based	AC	0	0	0	0	0
Policy violation	AC	0	0	0	0	0
Synthetic traffic	AC	0	0	0	0	0
Unknown or Adaptive threats	AC	0	0	0	0	0
Adversarial threats	DDPG	0	0	0	0	0
AI-generated threats	DDPG	0	0	0	0	0
Behavioral	DDPG	3	3	1	2	2.25
Data leakage	DDPG	0	0	0	0	0
Host-based	DDPG	0	0	0	0	0
Intrusion anomalies	DDPG	3	3	1	3	2.5
Network-based	DDPG	0	0	0	0	0
Policy violation	DDPG	0	0	0	0	0
Synthetic traffic	DDPG	0	0	0	0	0
Unknown or Adaptive threats	DDPG	3	3	2	3	2.75
Adversarial threats	DDQN	0	0	0	0	0
AI-generated threats	DDQN	0	0	0	0	0
Behavioral	DDQN	3	1	1	2	1.75
Data leakage	DDQN	0	0	0	0	0
Host-based	DDQN	0	0	0	0	0
Intrusion anomalies	DDQN	0	0	0	0	0
Network-based	DDQN	0	0	0	0	0
Policy violation	DDQN	0	0	0	0	0
Synthetic traffic	DDQN	0	0	0	0	0
Unknown or Adaptive threats	DDQN	0	0	0	0	0
Adversarial threats	Deep SARSA	0	0	0	0	0
AI-generated threats	Deep SARSA	0	0	0	0	0
Behavioral	Deep SARSA	3	1	1	2	1.75
Data leakage	Deep SARSA	0	0	0	0	0
Host-based	Deep SARSA	0	0	0	0	0
Intrusion anomalies	Deep SARSA	0	0	0	0	0
Network-based	Deep SARSA	0	0	0	0	0
Policy violation	Deep SARSA	0	0	0	0	0
Synthetic traffic	Deep SARSA	0	0	0	0	0
Unknown or Adaptive threats	Deep SARSA	0	0	0	0	0
Adversarial threats	DQN	3	3	1	2	2.25
AI-generated threats	DQN	0	0	0	0	0
Behavioral	DQN	3	3	1	2	2.25
Data leakage	DQN	0	0	0	0	0
Host-based	DQN	0	0	0	0	0
Intrusion anomalies	DQN	3	3	3	3	3
Network-based	DQN	3	3	1	3	2.5
Policy violation	DQN	0	0	0	0	0
Synthetic traffic	DQN	0	0	0	0	0
Unknown or Adaptive threats	DQN	3	3	2	3	2.75
Adversarial threats	Dueling-DQN	0	0	0	0	0
AI-generated threats	Dueling-DQN	0	0	0	0	0
Behavioral	Dueling-DQN	3	1	1	2	1.75
Data leakage	Dueling-DQN	0	0	0	0	0
Host-based	Dueling-DQN	0	0	0	0	0
Intrusion anomalies	Dueling-DQN	0	0	0	0	0
Network-based	Dueling-DQN	0	0	0	0	0
Policy violation	Dueling-DQN	0	0	0	0	0
Synthetic traffic	Dueling-DQN	0	0	0	0	0
Unknown or Adaptive threats	Dueling-DQN	0	0	0	0	0
Adversarial threats	PPO	0	0	0	0	0

Continued on next page

Table A.6: SS for RL algorithms.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
AI-generated threats	PPO	0	0	0	0	0
Behavioral	PPO	0	0	0	0	0
Data leakage	PPO	0	0	0	0	0
Host-based	PPO	0	0	0	0	0
Intrusion anomalies	PPO	3	3	1	3	2.5
Network-based	PPO	3	3	3	2	2.75
Policy violation	PPO	0	0	0	0	0
Synthetic traffic	PPO	0	0	0	0	0
Unknown or Adaptive threats	PPO	3	3	3	3	3
Adversarial threats	Q-Learning	0	0	0	0	0
AI-generated threats	Q-Learning	0	0	0	0	0
Behavioral	Q-Learning	0	0	0	0	0
Data leakage	Q-Learning	0	0	0	0	0
Host-based	Q-Learning	0	0	0	0	0
Intrusion anomalies	Q-Learning	0	0	0	0	0
Network-based	Q-Learning	0	0	0	0	0
Policy violation	Q-Learning	0	0	0	0	0
Synthetic traffic	Q-Learning	0	0	0	0	0
Unknown or Adaptive threats	Q-Learning	3	1	1	2	1.75
Adversarial threats	RRL	0	0	0	0	0
AI-generated threats	RRL	0	0	0	0	0
Behavioral	RRL	0	0	0	0	0
Data leakage	RRL	0	0	0	0	0
Host-based	RRL	0	0	0	0	0
Intrusion anomalies	RRL	0	0	0	0	0
Network-based	RRL	3	1	1	3	2
Policy violation	RRL	0	0	0	0	0
Synthetic traffic	RRL	0	0	0	0	0
Unknown or Adaptive threats	RRL	0	0	0	0	0
Adversarial threats	SAC	0	0	0	0	0
AI-generated threats	SAC	0	0	0	0	0
Behavioral	SAC	0	0	0	0	0
Data leakage	SAC	0	0	0	0	0
Host-based	SAC	3	1	1	3	2
Intrusion anomalies	SAC	0	0	0	0	0
Network-based	SAC	0	0	0	0	0
Policy violation	SAC	0	0	0	0	0
Synthetic traffic	SAC	0	0	0	0	0
Unknown or Adaptive threats	SAC	0	0	0	0	0
Adversarial threats	SARSA	0	0	0	0	0
AI-generated threats	SARSA	0	0	0	0	0
Behavioral	SARSA	0	0	0	0	0
Data leakage	SARSA	0	0	0	0	0
Host-based	SARSA	0	0	0	0	0
Intrusion anomalies	SARSA	0	0	0	0	0
Network-based	SARSA	0	0	0	0	0
Policy violation	SARSA	0	0	0	0	0
Synthetic traffic	SARSA	0	0	0	0	0
Unknown or Adaptive threats	SARSA	3	1	1	2	1.75

End of table

Table A.7: SS for Gen AI algorithms.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
Adversarial threats	DALL·E	0	0	0	0	0
AI-generated threats	DALL·E	3	2	2	0	1.75
Behavioral	DALL·E	0	0	0	0	0
Data leakage	DALL·E	0	0	0	0	0
Host-based	DALL·E	0	0	0	0	0
Intrusion anomalies	DALL·E	3	2	1	0	1.5
Network-based	DALL·E	0	0	0	0	0
Policy violation	DALL·E	0	0	0	0	0
Synthetic traffic	DALL·E	0	0	0	0	0
Unknown or Adaptive threats	DALL·E	0	0	0	0	0
Adversarial threats	GAN	3	3	1	2	2.25
AI-generated threats	GAN	3	3	1	2	2.25
Behavioral	GAN	3	3	1	2	2.25
Data leakage	GAN	0	0	0	0	0
Host-based	GAN	0	0	0	0	0
Intrusion anomalies	GAN	3	3	1	1	2
Network-based	GAN	0	0	0	0	0
Policy violation	GAN	0	0	0	0	0
Synthetic traffic	GAN	0	0	0	0	0
Unknown or Adaptive threats	GAN	0	0	0	0	0
Adversarial threats	GAN + ANN	0	0	0	0	0
AI-generated threats	GAN + ANN	0	0	0	0	0
Behavioral	GAN + ANN	3	1	1	3	2
Data leakage	GAN + ANN	0	0	0	0	0
Host-based	GAN + ANN	0	0	0	0	0
Intrusion anomalies	GAN + ANN	0	0	0	0	0
Network-based	GAN + ANN	0	0	0	0	0
Policy violation	GAN + ANN	0	0	0	0	0
Synthetic traffic	GAN + ANN	0	0	0	0	0
Unknown or Adaptive threats	GAN + ANN	0	0	0	0	0
Adversarial threats	GAN + CNN	3	1	2	3	2.25
AI-generated threats	GAN + CNN	0	0	0	0	0
Behavioral	GAN + CNN	0	0	0	0	0
Data leakage	GAN + CNN	0	0	0	0	0
Host-based	GAN + CNN	0	0	0	0	0
Intrusion anomalies	GAN + CNN	0	0	0	0	0
Network-based	GAN + CNN	0	0	0	0	0
Policy violation	GAN + CNN	0	0	0	0	0
Synthetic traffic	GAN + CNN	0	0	0	0	0
Unknown or Adaptive threats	GAN + CNN	0	0	0	0	0
Adversarial threats	GAN + GPT	3	1	1	1	1.5
AI-generated threats	GAN + GPT	0	0	0	0	0
Behavioral	GAN + GPT	0	0	0	0	0
Data leakage	GAN + GPT	0	0	0	0	0
Host-based	GAN + GPT	0	0	0	0	0
Intrusion anomalies	GAN + GPT	0	0	0	0	0
Network-based	GAN + GPT	0	0	0	0	0
Policy violation	GAN + GPT	0	0	0	0	0
Synthetic traffic	GAN + GPT	0	0	0	0	0
Unknown or Adaptive threats	GAN + GPT	0	0	0	0	0
Adversarial threats	GAN + LSTM	3	3	2	2	2.5
AI-generated threats	GAN + LSTM	0	0	0	0	0
Behavioral	GAN + LSTM	3	3	1	2	2.25
Data leakage	GAN + LSTM	0	0	0	0	0
Host-based	GAN + LSTM	0	0	0	0	0
Intrusion anomalies	GAN + LSTM	3	3	1	2	2.25
Network-based	GAN + LSTM	3	3	1	3	2.5
Policy violation	GAN + LSTM	0	0	0	0	0
Synthetic traffic	GAN + LSTM	0	0	0	0	0
Unknown or Adaptive threats	GAN + LSTM	0	0	0	0	0
Adversarial threats	GAN + QLearning	0	0	0	0	0
AI-generated threats	GAN + QLearning	0	0	0	0	0
Behavioral	GAN + QLearning	0	0	0	0	0
Data leakage	GAN + QLearning	0	0	0	0	0
Host-based	GAN + QLearning	0	0	0	0	0
Intrusion anomalies	GAN + QLearning	3	1	1	3	2
Network-based	GAN + QLearning	0	0	0	0	0
Policy violation	GAN + QLearning	0	0	0	0	0
Synthetic traffic	GAN + QLearning	0	0	0	0	0
Unknown or Adaptive threats	GAN + QLearning	0	0	0	0	0
Adversarial threats	GAN + RF	0	0	0	0	0

Continued on next page

Table A.7: SS for Gen AI algorithms.

Anomaly Category	Dataset	Relevance (R)	Coverage (C)	Usage (U)	Performance (P)	Support Score (SS)
AI-generated threats	GAN + RF	0	0	0	0	0
Behavioral	GAN + RF	3	2	1	3	2.25
Data leakage	GAN + RF	0	0	0	0	0
Host-based	GAN + RF	0	0	0	0	0
Intrusion anomalies	GAN + RF	0	0	0	0	0
Network-based	GAN + RF	3	2	2	3	2.5
Policy violation	GAN + RF	0	0	0	0	0
Synthetic traffic	GAN + RF	0	0	0	0	0
Unknown or Adaptive threats	GAN + RF	0	0	0	0	0
Adversarial threats	GAN + SVM	0	0	0	0	0
AI-generated threats	GAN + SVM	0	0	0	0	0
Behavioral	GAN + SVM	3	2	1	3	2.25
Data leakage	GAN + SVM	0	0	0	0	0
Host-based	GAN + SVM	0	0	0	0	0
Intrusion anomalies	GAN + SVM	0	0	0	0	0
Network-based	GAN + SVM	3	3	1	2	2.25
Policy violation	GAN + SVM	0	0	0	0	0
Synthetic traffic	GAN + SVM	0	0	0	0	0
Unknown or Adaptive threats	GAN + SVM	0	0	0	0	0
Adversarial threats	GAN + Transformer	3	1	1	2	1.75
AI-generated threats	GAN + Transformer	0	0	0	0	0
Behavioral	GAN + Transformer	0	0	0	0	0
Data leakage	GAN + Transformer	0	0	0	0	0
Host-based	GAN + Transformer	0	0	0	0	0
Intrusion anomalies	GAN + Transformer	0	0	0	0	0
Network-based	GAN + Transformer	0	0	0	0	0
Policy violation	GAN + Transformer	0	0	0	0	0
Synthetic traffic	GAN + Transformer	0	0	0	0	0
Unknown or Adaptive threats	GAN + Transformer	0	0	0	0	0
Adversarial threats	Transformer	3	3	1	2	2.25
AI-generated threats	Transformer	0	0	0	0	0
Behavioral	Transformer	3	3	1	2	2.25
Data leakage	Transformer	0	0	0	0	0
Host-based	Transformer	0	0	0	0	0
Intrusion anomalies	Transformer	3	3	1	1	2
Network-based	Transformer	0	0	0	0	0
Policy violation	Transformer	0	0	0	0	0
Synthetic traffic	Transformer	0	0	0	0	0
Unknown or Adaptive threats	Transformer	0	0	0	0	0
Adversarial threats	VAE	3	3	1	2	2.25
AI-generated threats	VAE	0	0	0	0	0
Behavioral	VAE	3	3	1	2	2.25
Data leakage	VAE	0	0	0	0	0
Host-based	VAE	0	0	0	0	0
Intrusion anomalies	VAE	3	3	1	1	2
Network-based	VAE	0	0	0	0	0
Policy violation	VAE	0	0	0	0	0
Synthetic traffic	VAE	0	0	0	0	0
Unknown or Adaptive threats	VAE	0	0	0	0	0

End of table

Appendix B. Tables Relevant to RQ-2

Table B.1: Value-based RL algorithms used in cybersecurity.

Algorithm	Type	Action space	Policy	Strengths	Limitations
Q-Learning (tabular)	Model-free	Discrete	Off-policy	Very simple and interpretable baseline; useful for small state spaces and as a red-team baseline	Does not scale to high-dimensional states; weak generalization vs deep methods
SARSA (tabular)	Model-free	Discrete	On-policy	On-policy updates can be steadier under non-stationarity; simple to implement; common baseline	Sample-inefficient; weaker asymptotic performance; sensitive to exploration policy
Deep SARSA	Model-free	Discrete	On-policy	Improved multi-class intrusion detection (NSL-KDD, UNSW-NB15)	Detects only known attacks; less sample-efficient
DQN	Model-free	Discrete	Off-policy	Baseline for discrete actions; replay buffer improves efficiency	Overestimation bias; poor with continuous actions; unstable under distribution shift
DDQN	Model-free	Discrete	Off-policy	Mitigates DQN overestimation; stable with target network and replay	Discrete-only; sensitive to hyperparameters; underestimation possible
Dueling-DQN	Model-free	Discrete	Off-policy	Separates $V(s)$ and advantage to improve value estimates; stronger than DQN in several comparisons	Still discrete-only; benefits depend on tuning; inherits replay/target sensitivities

Table B.2: Policy-based (policy gradient) RL algorithms used in cybersecurity.

Algorithm	Type	Action space	Policy	Strengths	Limitations
PPO	Model-free	Continuous / Discrete	On-policy	Stable clipped updates; widely reproducible across tasks	On-policy sample cost; sensitive to clip ϵ and GAE λ
A2C	Model-free	Discrete	On-policy	Simple baseline; advantage estimation stabilizes updates	Lower performance than value-based DQN variants in ICS NIDS
A3C	Model-free	Continuous / Discrete	On-policy	Asynchronous parallel workers speed wall-clock learning; strong baseline	On-policy sample inefficiency; stale-gradient effects; tuning entropy/LR needed

Table B.3: Hybrid actor–critic RL algorithms used in cybersecurity.

Algorithm	Type	Action space	Policy	Strengths	Limitations
Actor–Critic (generic)	Model-free	Continuous	Varies (on/off)	Combines critic stability with expressive policy; handles large action spaces	Coupled training can diverge; tuning entropy/advantage is critical
DDPG	Model-free	Continuous	Off-policy	Continuous actions for fine-grained defense; replay improves data efficiency	Exploration brittle; sensitive to reward scaling; less stable than TD3/SAC
RRIoT[1]	Model-free	Continuous	Off-policy	Handles sequential IoT traffic; recurrent encoder improves partial observability	Dataset imbalance; recurrent critics unstable; high compute cost
MAPPO	Model-free	Discrete	On-policy	Shared critic accelerated convergence; outperformed IPPO in maritime OT	Simulation not fully realistic; reward–cost valuation limited
SAC	Model-free	Continuous	Off-policy	High sample efficiency and stability via entropy regularization; robust for continuous control/response	Temperature tuning sensitivity; heavier compute/replay; less used for discrete-only tasks

[1] Recurrent Deep Deterministic Policy Gradient (RDDPG, as used in RRIoT);

Table B.4: Summary of the state-of-the-art studies on RL for cybersecurity.

Ref.	Year	Dataset	RL algorithm	Objective	Results	Strengths	Limitations
[38]	2023	ToN–IoT (GPS / Modbus / Weather)	DQN	Red teaming / attack planning	Accuracy = 87.8% (Weather split)	Fast convergence; strong on Weather	Lower GPS accuracy (79.7%); Modbus weaker
[11]	2024	Smart grid simulator (custom)	DDQN (CNN & GRU)	Smart grid anomaly detection	Accuracy = 95.3%	Accurate minority attack detection; real-time adaptability	Simulation only
[39]	2023	NSL–KDD	Deep SARSA	Network intrusion detection	F1 = 84.6%	Superior minority-class detection	Evaluated on older datasets
[40]	2023	Not specified	Actor–Critic	Adaptive threat detection / response	Conceptual	Supports adversarial learning; real-time policy updates	No dataset or empirical validation
[41]	2023	IPMSRL (maritime OT simulation)	MAPPO & IPPO	Industrial / OT defense	Success rate = 99.5% (MAPPO)	Collaborative defense; configurable environment	Domain-specific; complex simulator setup
[42]	2023	IoT–23	Recurrent RL (GRU & DQN)	IoT device threat detection	F1 = 80.6%	Captures sequential IoT dynamics	High complexity; training overhead
[47]	2023	Traffic management (simulated)	DRL (PPO / DDPG)	IoT-based traffic & cyber threat response	Reward +38% over baseline	Multi-agent coordination; real-time safety decisions	Environment-specific; no open dataset
[48]	2023	Enterprise network (simulated)	DQN	Real-time network threat detection	Accuracy = 93.1%	Adaptive learning; dynamic policy updates	Limited generalizability to public benchmarks
[47]	2023	Smart city traffic (simulated)	DRL (policy gradient)	Smart city cyber–physical threat detection	Accuracy = 91.4%	Coordinated traffic–cyber response	Complex simulation; replication difficult
[49]	2023	CyberBattleSim	DQL (reward shaping)	Red team attack simulation & defense	Steps-to-goal: 27% faster convergence	Reward-optimized adaptive planning	Limited generalization beyond emulation

Appendix C. Tables Relevant to RQ-3

Table C.1: GAN-based generative AI algorithms used in cybersecurity.

Algorithm	Type	Output modality	Training paradigm	Strengths	Limitations
Vanilla GAN	Generative	Network traffic / binaries	Adversarial (G vs D)	Simple baseline; effective for IDS data augmentation; learns distributional features	Training instability; mode collapse; limited scalability to high-dimensional domains
cGAN / ACGAN	Conditional GANs	Intrusion patterns, phishing emails	Adversarial (conditional labels)	Conditional control improves targeted attack synthesis and class balancing	Sensitive to label noise; prone to overfitting; requires rich labelled data
DCGAN / WGAN	Convolutional / Wasserstein GAN	Flow features, malware images	Adversarial (improved loss)	More stable training; WGAN alleviates mode collapse; DCGAN strong for feature learning	Higher computational cost; limited temporal modelling
Adaptive GAN	Adaptive / evolving GAN	Real-time threats	Adversarial (online updates)	Adapts to changing threat vectors with minimal retraining	No validation on distributed / real networks; assumes feature stability

Table C.2: VAE-based generative AI algorithms used in cybersecurity.

Algorithm	Type	Output modality	Training paradigm	Strengths	Limitations
VAE	Probabilistic generative model	Traffic logs, anomaly features	Variational (ELBO)	Stable training; learns compact latent representations; useful for anomaly detection	Generates less realistic samples vs GANs; blurry / low-fidelity outputs

Table C.3: Transformer and LLM-based generative AI algorithms used in cybersecurity.

Algorithm	Type	Output modality	Training paradigm	Strengths	Limitations
GPT / ChatGPT	Auto-regressive LLM	Text (logs, phishing, prompts)	Auto-regressive (self-attention)	Strong at language-based cyber tasks (log parsing, phishing, social engineering)	Hallucinations; vulnerable to prompt injection
BERT / other transformers	Encoder-only transformer	Log data, alerts	Self-supervised	Good for classification and embedding-based anomaly detection	Limited generative power; requires fine-tuning on domain data

Table C.4: Hybrid or emerging generative AI used in cybersecurity.

Algorithm	Type	Output modality	Training paradigm	Strengths	Limitations
GAN + VAE	Hybrid generative	Traffic anomalies	Combined (adversarial + variational)	Balances VAE stability with GAN realism; better diversity + quality	Complex training; limited benchmarks; few cyber applications yet
GAN + Transformer	Hybrid adversarial + attention	Traffic / malware / logs	Combined (adversarial + attention)	Captures sequential + contextual features; promising for adaptive threats	Under-explored; reproducibility issues; training overhead
Diffusion models	Probabilistic denoising generative	Synthetic attack traffic	Denoising score matching	High-quality synthetic data; avoids mode collapse; robust for data augmentation	Very computationally expensive; little empirical validation in cybersecurity

Table C.5: Summary of the state-of-the-art studies on Gen AI for cybersecurity.

Ref.	Gen AI alg.	Use case / domain	Dataset	Contribution	Limitations
[9]	GANs	Intrusion detection systems	CICIDS–2017; NSL–KDD; DARPA; CTU–13; RockYou	Taxonomy of GAN–based IDS approaches; highlights cGAN, DCGAN, WGAN for realistic intrusion patterns	Relies on legacy datasets (e.g., NSL–KDD); no real–world deployment or adversarial testing
[66]	GANs	Synthetic threat data generation	Simulated datasets	Uses GANs to generate synthetic threats for IDS; supports adversarial scenario emulation for training	Not validated on high–variance attack sets; no operational deployment
[72]	GANs	Network traffic anomaly detection	Not specified	Applies GAN–based models combining feature extraction and generation	No comparison to state–of–the–art DL; lacks adversarial defense integration
[21]	GANs	Survey on GANs for IDS	CICIDS–2017; NSL–KDD	Comprehensive survey; categorizes GAN types by threat model and dataset	Uses some outdated datasets; limited coverage of newer GAN variants or multimodal threats
[73]	GANs	IDS evaluation	NSL–KDD; CICIDS–2017	Evaluates WGAN, DCGAN, ACGAN with precision/recall	Dataset limitations; no longitudinal testing; GAN stability issues underexplored
[69]	GANs	IDS enhancement	CICIDS–2017	Proposes conditional GAN for attack pattern classification	No experimental implementation; minimal GAN configuration details
[74]	GANs	Phishing email defense	None	Generates phishing emails to harden classifiers via synthetic data	Email set lacks diversity; no comparison to transformer baselines
[75]	Adaptive GAN	Real–time threat detection	None	Adaptive GAN for evolving threats with minimal retraining	Not validated in dynamic/distributed environments; assumes feature stability
[76]	GANs, VAEs	Threat simulation (malware, phishing, intrusions)	Synthetic datasets	PCA–GAN hybrid for anomaly synthesis to train robust IDS	No real–time validation; limited dataset scope; no adversarial robustness checks
[67]	GANs, transformers	Anomaly detection	CICIDS–2017	Compares GANs vs transformers on intrusion data (detection rate, convergence, scalability)	Missing transformer tuning and GAN loss curves; reproducibility unclear
[68]	GANs, ChatGPT	Cyber threat analysis	None	Framework outlining Gen AI misuse scenarios and attack simulation potential	No implementation or experiments
[77]	GANs, GPT	GAN vs GPT in cybersecurity	CICIDS–2017; synthetic	Contrasts GAN and GPT for anomaly detection; reports accuracy/F1	Narrow dataset scope; simple GPT models; limited external validity
[78]	LLMs	Prompt injection, jailbreaking	None	Details jailbreak techniques and risks of unrestricted LLM use	No quantitative risk model; lacks detection/mitigation methods
[71]	LLMs	Defense simulation	None	Simulation architecture for cyber training using LLM outputs	Not evaluated; no red/blue team testing
[70]	LLMs, VAEs	Adaptive threat generation	None	LLM–driven adaptive response; feedback–based defense orchestration	No SIEM/SOAR integration; latency/performance metrics absent
[79]	ChatGPT	Explainable AI in cybersecurity	None	XAI–enhanced IDS with ChatGPT explanations; user–facing interpretability	Explanations not compared to ground truth/human baseline
[80]	ChatGPT	Social / ethical risks	None	Taxonomy of Gen AI misuse and threat classes; policy/ethics overview	Lacks empirical risk evaluation; conceptual focus

Continued on next page

Table C.5: Summary of the state-of-the-art studies on Gen AI for cybersecurity.

Ref.	Gen AI alg.	Use case / domain	Dataset	Contribution	Limitations
[81]	ChatGPT	Explainable IDS	CICIDS–2017	Uses ChatGPT to explain IDS decisions with LLM–based rationales	No adversarial evaluation; runtime overhead not reported; reliance on closed APIs
[82]	ChatGPT, LLMs	Policy and regulation risk	None	Analysis of Gen AI risks; layered defense and audit–based mitigation framework	No implementation/validation
[10]	ChatGPT, LLMs	Automated hacking / defense	None	Conceptual analysis: AI–generated phishing, malware, social engineering	No threat modelling or mitigation strategies
[83]	ChatGPT, Bard	LLM capabilities for offence/defense	None	Compares ChatGPT vs Bard for attack vector generation (evasiveness, diversity)	Dataset unspecified; metrics mostly qualitative

End of table

References

[1] S. Software, Marks & Spencer ransomware attack: Active Directory under fire, accessed: 2025-05-29 (2025).

[2] Cloud Security Alliance, Unpacking the 2024 Snowflake data breach, accessed: 2025-05-29 (2025).

[3] I, Priyadarshini, (2024). Anomaly Detection of IoT Cyberattacks in Smart Cities Using Federated Learning and Split Learning. Big Data and Cognitive Computing, 8(3), 21. doi.org/10.3390/bdcc8030021

[4] A. M. . Salman, B. T. . Al-Nuaimi, A. . Ali Subhi, H. . Alkattan, and R. H. C. . Alfilh, Enhancing Cybersecurity with Machine Learning: A Hybrid Approach for Anomaly Detection and Threat Prediction, Mesopotamian Journal of CyberSecurity, vol. 5, no. 1, pp. 202–215, Mar. 2025. doi.org/10.58496/MJCS/2025/014

[5] M. Li, Y. Qiao and B. Lee, A Comparative Analysis of Single and Multi-View Deep Learning for Cybersecurity Anomaly Detection, in IEEE Access, vol. 13, pp. 83996-84012, 2025, doi.org/10.1109/ACCESS.2025.3564066

[6] O. P. Olawale and S. Ebadinezhad, Cybersecurity Anomaly Detection: AI and Ethereum Blockchain for a Secure and Tamperproof IoHT Data Management, in IEEE Access, vol. 12, pp. 131605-131620, 2024. doi.org/10.1109/ACCESS.2024.3460428

[7] K. Arshad, R. F. Ali, A. Muneer, I. Abdul Aziz, S. Naseer, N. S. Khan, S. M. Taib, Deep reinforcement learning for anomaly detection: A systematic review, IEEE Access 10 (2022) 124017–124038. doi:10.1109/ACCESS.2022.3224023.

[8] R. Haoda, S. N. Huda Sheikh Abdullah, Q. Jiale, T. A. Mohd Tajul Ariffin and K. Akram Zainol Ariffin, Towards Transparent Intrusion Detection: The Role of Explainable AI, 2025 3rd International Conference on Cyber Resilience (ICCR), Dubai, United Arab Emirates, 2025, pp. 1-8. doi.org/10.1109/ICCR67387.2025.11292009

[9] J. Yedalla, Ai-generated cyber threats: The rise of autonomous hacking systems, International Journal of Advanced Research in Computer

and Communication Engineering IJARCCE (2024) Vol 13 Issue 12. doi:10.17148/IJARCCE.2024.131263.

[10] L Coppolino, S D'Antonio, G Mazzeo, F Uccello, The good, the bad, and the algorithm: The impact of generative ai on cybersecurity, Neurocomputing (2025) Elsevier Vol 623. doi:10.1016/j.neucom.2025.129406.

[11] AT El-Toukhy, I Elgarhy, MM Badr, M Mahmoud, MM Fouda, MI Ibrahem, F Amsaad, Securing smart grids: Deep reinforcement learning approach for detecting cyber-attacks, 2024 International Conference on Smart Communications and Networking (SmartNets), IEEE. doi.org/10.1109/SmartNets61466.2024.10577711

[12] MI Khan, A Arif, ARA Khan, The most recent advances and uses of ai in cybersecurity, BULLET: Jurnal Multidisiplin Ilmu (2024) Vol 3, Issue 4.

[13] SA Syed, Adversarial ai and cybersecurity: Defending against ai-powered cyber threats, Iconic Research And Engineering Journals, (2025) Vol 8 Issue 9.

[14] AH Salem, SM Azzam, OE Emam, AA Abohany, Advancing cybersecurity: a comprehensive review of ai-driven detection techniques, Journal of Big Data (2024) Springer Nature Vol 11. doi.org/10.1186/s40537-024-00957-y

[15] AM Abdallah, ASRO Alkaabi, GBND Alameri, SH Rafique, NS Musa, T Murugan, Cloud network anomaly detection using machine and deep learning techniques, IEEE Access Vol 12. doi.org/10.1109/ACCESS.2024.3390844

[16] Rafique SH, Abdallah A, Musa NS, Murugan T. Machine Learning and Deep Learning Techniques for Internet of Things Network Anomaly Detection—Current Research Trends. Sensors. 2024; 24(6):1968. doi.org/10.3390/s24061968.

[17] D Samariya, A Thakkar, A comprehensive survey of anomaly detection algorithms, Annals of Data Science Vol 10 (2023) 829-850. Springer Nature doi:10.1007/s40745-021-00362-9.

[18] K DeMedeiros, A Hendawi, M Alvarez, A survey of ai-based anomaly detection in iot and sensor networks, Sensors (2023) (1352) 1-21. doi:10.3390/s230301352.

[19] D. Javaheri, S. Gorgin, J.-A. Lee, M. Masdari, Fuzzy logic-based ddos attacks and network traffic anomaly detection methods: Classification, overview, and future perspectives, Information Sciences 626 (2023) 315–338 Elsevier. doi:10.1016/j.ins.2023.01.067.

[20] SVN Santhosh Kumar, M Selvi, A Kannan, A comprehensive survey on machine learning-based intrusion detection systems for the secure communication in internet of things, Computational Intelligence and Neuroscience (2023) 1-24. Hindawi doi:10.1155/2023/8981988.

[21] A. Dunmore, J. Jang-Jaccard, F. Sabrina and J. Kwak, A Comprehensive Survey of Generative Adversarial Networks (GANs) in Cybersecurity Intrusion Detection, in IEEE Access, vol. 11, pp. 76071-76094, 2023. doi:10.1109/ACCESS.2023.3296707.

[22] NR Haddaway, MJ Page, CC Pritchard, LA McGuinness, Prisma2020: An R package and shiny app for producing prisma 2020-compliant flow diagrams, with interactivity for optimised digital transparency and open synthesis, Campbell Systematic Reviews 18 (2) (2022) e1230, accessed 2022-05-06. doi:10.1002/cl2.1230.

[23] Nour Moustafa, University of New South Wales (UNSW) Canberra, UNSW-NB15: A comprehensive dataset for network intrusion detection, https://research.unsw.edu.au/projects/unsw-nb15-dataset.

[24] iTrust, Centre for Research in Cyber Security, Singapore University of Technology and Design, Secure Water Treatment (SWaT) Dataset, https://itrust.sutd.edu.sg/itrust-labs_datasets/dataset_info/, accessed: 2025-06-21 (2019).

[25] A. E. Johnson, T. J. Pollard, L. Shen, L.-w. H. Lehman, M. Feng, M. Ghassemi, B. Moody, P. Szolovits, L. Anthony Celi, R. G. Mark, MIMIC-III, a freely accessible critical care database, Scientific Data 3 (1) (2016) 160035.

[26] Canadian Institute for Cybersecurity, University of New Brunswick, CIC-IDS2017: Intrusion detection evaluation dataset, https://www.unb.ca/cic/datasets/ids-2017.html.

[27] Canadian Institute for Cybersecurity, University of New Brunswick, N-baiot: Network-based dataset for iot botnet detection, https://www.unb.ca/cic/datasets/nbaiot.html, accessed: 2025-08-09 (2018).

[28] Nour Moustafa, University of New South Wales (UNSW) Canberra, Bot-IoT: Internet of things botnet attack dataset, https://research.unsw.edu.au/projects/bot-iot-dataset.

[29] Mohiuddin Ahmed, Surender Byreddy, Anush Nutakki, Leslie F. Sikos, Paul Haskell-Dowland, ECU-IoHT: A dataset for analyzing cyberattacks in Internet of Health Things, Ad Hoc Networks, Volume 122, 2021, 102621. doi.org/10.1016/j.adhoc.2021.102621

[30] Nour Moustafa, University of New South Wales (UNSW) Canberra, The TON-IoT Datasets https://research.unsw.edu.au/projects/toniot-datasets.

[31] Sebastian Garcia, Agustin Parmisano, & Maria Jose Erquiaga. (2020). IoT-23: A labeled dataset with malicious and benign IoT network traffic (Version 1.0.0) [Data set]. Zenodo. doi.org/10.5281/zenodo.4743746, Stratosphere Laboratory, Czech Technical University in Prague https://www.stratosphereips.org/datasets-iot23.

[32] ECP Neto, S Dadkhah, R Ferreira, A Zohourian, R Lu, AA Ghorbani, CICIoT2023: A Real-Time Dataset and Benchmark for Large-Scale Attacks in IoT Environment, Sensors 23 (13) (2023). doi:10.3390/s23135941.

[33] M. Rabbani et al., Device Identification and Anomaly Detection in IoT Environments, in IEEE Internet of Things Journal, vol. 12, no. 10, pp. 13625-13643, 15 May15, 2025. doi.org/10.1109/JIOT.2024.3522863

[34] Sajjad Dadkhah, Euclides Carlos Pinto Neto, Raphael Ferreira, Reginald Chukwuka Molokwu, Somayeh Sadeghi, Ali A. Ghorbani, CICIoMT2024: A benchmark dataset for multi-protocol security assessment in IoMT, Internet of Things, v. 28, December 2024.

doi.org/10.1016/j.iot.2024.101351. Canadian Institute for Cybersecurity, University of New Brunswick, https://www.unb.ca/cic/datasets/iomt-dataset-2024.html.

[35] Canadian Institute for Cybersecurity, University of New Brunswick, DataSense: CIC IIoT dataset 2025, https://www.unb.ca/cic/datasets/iiot-dataset-2025.html, accessed: 2026-2-11 (2025).

[36] A. Firouzi, S. Dadkhah, S. A. Maret, A. A. Ghorbani, DataSense: A Real-Time Sensor-Based Benchmark Dataset for Attack Analysis in IIoT with Multi-Objective Feature Selection, Electronics 14 (20) (2025) 12–22. doi:10.3390/electronics14204095.

[37] Y. Meidan, M. Bohadana, Y. Mathov, Y. Mirsky, D. Breitenbacher, A. Shabtai, Y. Elovici, N-BaIoT: Network-based detection of iot botnet attacks using deep autoencoders, IEEE Pervasive Computing 17 (3) (2018) 12–22. doi:10.1109/MPRV.2018.03367731.

[38] Oh SH, Jeong MK, Kim HC, Park J. Applying Reinforcement Learning for Enhanced Cybersecurity against Adversarial Simulation. Sensors. 2023; 23(6):3000. doi.org/10.3390/s23063000.

[39] Mohamed, S., Ejbali, R. Deep SARSA-based reinforcement learning approach for anomaly network intrusion detection system. Int. J. Inf. Secur. 22, 235–247 (2023). doi.org/10.1007/s10207-022-00634-2.

[40] MDM RAHMAN, MS HOSSAIN, MD MASHFIQUER, MDSU RAHMAN, S NAHAR, Reinforcement learning for adaptive cybersecurity: Ai-driven threat detection and response mechanisms, ICONIC Research and Engineering Journals, 2023, Vol 7 Issue 1.

[41] A Wilson, R Menzies, N Morarji, D Foster, MC Mont, E Turkbeyler, L Gralewski, Multi-agent reinforcement learning for maritime operational technology cyber security, Proceedings of the Conference on Applied Machine Learning in Information Security 2023 (CAMLIS). doi.org/10.48550/arXiv.2401.10149

[42] C Rookard, A Khojandi, RRIoT: Recurrent reinforcement learning for cyber threat detection on iot devices, Elsevier Computers & Security, 2024. doi.org/10.1016/j.cose.2024.103786

[43] A. Basnet, M. Ghanem, D. Dunsin, W. Sowinski-Mydlarz, Advanced Persistent Threats (APT) attribution using deep reinforcement learning, arXiv:2410.11463 (2024). doi:10.48550/arxiv.2410.11463.

[44] M. Dehghan, B. Sadeghiyan, E. Khosravian, A. S. Moghaddam, F. Nooshi, ProAPT: Projection of APT Threats with Deep Reinforcement Learning, arXiv:2209.07215 (2022). doi:10.48550/arXiv.2209.07215.

[45] Atheer Alaa Hammad, Saadaldeen Rashid Ahmed, Mohammad K. Abdul-Hussein, Mohammed R. Ahmed, Duaa A. Majeed, and Sameer Algburi. 2024. Deep Reinforcement Learning for Adaptive Cyber Defense in Network Security. In Proceedings of the Cognitive Models and Artificial Intelligence Conference (AICCONF 2024) 292–297. doi:10.1145/3660853.3660930.

[46] M. Malik and K. S. Saini, Network Intrusion Detection System Using Reinforcement Learning Techniques, 2023 International Conference on Circuit Power and Computing Technologies (ICCPCT), 2023, pp. 1642-1649. doi:10.1109/iccpct58313.2023.10245608.

[47] ISHITA AGARWAL, et al., Enhancing road safety and cybersecurity in traffic management systems leveraging the potential of reinforcement learning, IEEE Access Vol 12. doi.org/10.1109/ACCESS.2024.3350271

[48] Atheer Alaa Hammad, Saadaldeen Rashid Ahmed, Mohammad K. Abdul-Hussein, Mohammed R. Ahmed, Duaa A. Majeed, and Sameer Algburi. 2024. Deep Reinforcement Learning for Adaptive Cyber Defense in Network Security. In Proceedings of the Cognitive Models and Artificial Intelligence Conference (AICCONF 2024). Association for Computing Machinery, 292–297. doi.org/10.1145/3660853.3660930.

[49] N. E. Fard, R. R. Selmic and K. Khorasani, A Review of Techniques and Policies on Cybersecurity Using Artificial Intelligence and Reinforcement Learning Algorithms, in IEEE Technology and Society Magazine, vol. 42, no. 3, pp. 57-68, Sept. 2023. doi.org/10.1109/MTS.2023.3306540

[50] AD Sontan, SV Samuel, The intersection of artificial intelligence and cybersecurity: Challenges and opportunities, World Journal of Advanced Research and Reviews, 2024. doi.org/10.30574/wjarr.2024.21.2.0607

[51] H. Benaddi, K. Ibrahimi, A. Benslimane, M. Jouhari and J. Qadir, Robust Enhancement of Intrusion Detection Systems Using Deep Reinforcement Learning and Stochastic Game, in IEEE Transactions on Vehicular Technology, vol. 71, no. 10, pp. 11089-11102, Oct. 2022. doi:10.1109/TVT.2022.3186834.

[52] H. Benaddi, K. Ibrahimi, A. Benslimane, J. Qadir, A deep reinforcement learning based intrusion detection system (drl-ids) for securing wireless sensor networks and internet of things, in: International Wireless Internet Conference (WiCON), 2019, pp. 73–87. doi:10.1007/978-3-030-52988-8_7.

[53] A Abisoye, JI Akerele, PE Odio, A Collins, GO Babatunde, SD Mustapha, Using ai and machine learning to predict and mitigate cybersecurity risks in critical infrastructure, International Journal of Engineering Research and Development Feb 2025.

[54] K. Ren, M. Wang, Y. Zeng, Y. chao Zhang, An unmanned network intrusion detection model based on deep reinforcement learning, in: IEEE International Conference on Unmanned Systems (ICUS), 2022, pp. 1070–1076. doi:10.1109/ICUS55513.2022.9986601.

[55] K. Saheed, S. Henna, Deep reinforcement learning for advanced persistent threat detection in wireless networks, in: IEEE Conference on Artificial Intelligence and Computer Science (AICS), 2023, pp. 1–6. doi:10.1109/aics60730.2023.10470498.

[56] Fakhar Abbas, Thomas Best, Emerging threats in cybersecurity: How artificial intelligence is enhancing cyber defense, February 2025. doi:10.13140/RG.2.2.15512.10245

[57] C. Rookard, A. Khojandi, RRIoT: Recurrent reinforcement learning for cyber threat detection on iot devices, Computers & Security (2024) Elsevier Vol 140. doi:10.1016/j.cose.2024.103786.

[58] Y. Badr, Enabling intrusion detection systems with dueling double deep q-learning, Digital Transformation and Society Vol 1 Issue 1 (2022) 115–141. doi:10.1108/dts-05-2022-0016.

[59] F. Sangoleye, J. Johnson and E. Eleni Tsiropoulou, Intrusion Detection in Industrial Control Systems Based on Deep Reinforcement Learning, in IEEE Access, vol. 12, pp. 151444-151459, 2024. doi:10.1109/access.2024.3477415.

[60] T. T. Nguyen and V. J. Reddi, "Deep Reinforcement Learning for Cyber Security," in IEEE Transactions on Neural Networks and Learning Systems, vol. 34, no. 8, pp. 3779-3795, Aug. 2023. doi:10.1109/TNNLS.2021.3121870.

[61] A. Tellache, A. Mokhtari, A. A. Korba, Y. Ghamri-Doudane, Multi-agent reinforcement learning-based network intrusion detection system, arXiv:2407.05766 (2024). doi:10.48550/arxiv.2407.05766.

[62] C. Rookard, A. Khojandi, Applying deep reinforcement learning for detection of internet-of-things cyber attacks, in: IEEE Computing and Communication Workshop and Conference (CCWC), 2023, pp. 0389–0395. doi:10.1109/CCWC57344.2023.10099349.

[63] S. B. V., P. Naval, Deep reinforcement learning in automated network vulnerability detection, in: IEEE International Conference on Recent Advances in Science, Engineering and Technology (ICRASET), 2023, pp. 1–5. doi:10.1109/icraset59632.2023.10420358.

[64] N Mohamed, A Oubelaid, SK Almazrouei, Staying ahead of threats: A review of ai and cyber security in power generation and distribution, International Journal of Electrical and Electronics Research, 2023 Vol 11 Issue 1.

[65] W. Yang, A. Acuto, Y. Zhou, D. Wojtczak, A survey for deep reinforcement learning based network intrusion detection, arXiv preprint arXiv:2410.07612 (2024). doi:10.48550/arxiv.2410.07612.

[66] S. O. Alo, A. S. Jamil, M. J. Hussein, M. K. H. Al-Dulaimi, S. W. Taha and A. Khlaponina, Automated Detection of Cybersecurity Threats Using Generative Adversarial Networks (GANs), 2024 36th Conference of Open Innovations Association (FRUCT), Lappeenranta, Finland, 2024, pp. 566-577. doi.org/10.23919/FRUCT64283.2024.10749874

[67] S. M. Rayavarapu, T. S. Prasanthi, G. S. Rao and G. S. Kumar, Generative Adversarial Networks for Anomaly Detection in Cyber Security: A

Review, 2023 4th International Conference on Electronics and Sustainable Communication Systems (ICESC), Coimbatore, India, 2023, pp. 662-666. doi.org/10.1109/ICESC57686.2023.10193331

[68] M. Gupta, C. Akiri, K. Aryal, E. Parker and L. Praharaj, From ChatGPT to ThreatGPT: Impact of Generative AI in Cybersecurity and Privacy, in IEEE Access, vol. 11, pp. 80218-80245, 2023. doi:10.1109/ACCESS.2023.3300381.

[69] S. Ayyaz and S. M. Malik, A Comprehensive Study of Generative Adversarial Networks (GAN) and Generative Pre-Trained Transformers (GPT) in Cybersecurity, 2024 Sixth International Conference on Intelligent Computing in Data Sciences (ICDS), Marrakech, Morocco, 2024, pp. 1-8. doi.org/10.1109/ICDS62089.2024.10756505

[70] Victor Jüttner, Martin Grimmer, Erik Buchmann, ChatIDS: Explainable Cybersecurity Using Generative AI, doi.org/10.48550/arXiv.2306.14504.

[71] R. Pasupuleti, R. Vadapalli and C. Mader, Cyber Security Issues and Challenges Related to Generative AI and ChatGPT, 2023 Tenth International Conference on Social Networks Analysis, Management and Security (SNAMS), Abu Dhabi, United Arab Emirates, 2023, pp. 1-5. doi.org/10.1109/SNAMS60348.2023.10375472

[72] RR Pasala, Using generative ai for adaptive intrusion detection systems, International Journal of Engineering Technology Research & Management (August 2024) Vol 8 Issue 8.

[73] H. Sinha, The identification of network intrusions with generative artificial intelligence approach for cybersecurity, Journal of Web Applications and Cyber Security, JoWACS (2024). doi:10.48001/jowacs.2024.2220-29.

[74] R. Changala, S. Kayalvili, M. Farooq, L. M. Rao, V. S. Rao and S. Muthuperumal, "Using Generative Adversarial Networks for Anomaly Detection in Network Traffic: Advancements in AI Cybersecurity," 2024 International Conference on Data Science and Network Security (ICDSNS), Tiptur, India, 2024, pp. 1-6. doi.org/10.1109/ICDSNS62112.2024.10690857

[75] N. V. N. Thaneeru, V. M. Tatikonda, Adaptive generative ai for dynamic cybersecurity threat detection in enterprises, International Journal of Science and Research Archive (2024). doi:10.30574/ijsra.2024.11.1.0313.

[76] A Mahal, K Singh, K Singh, Influence of generative ai on cyber security, International Journal of All Research Education and Scientific Methods (IJARESM) Vol 13, Jan 2025.

[77] Dhoni, Pan. (2023). Synergizing Generative Artificial Intelligence and Cybersecurity: Roles of Generative Artificial Intelligence Entities, Companies, Agencies and Government in Enhancing Cybersecurity. 14. 16. doi.org/10.4172/2229-371X.14.3.005.

[78] S. Sai, U. Yashvardhan, V. Chamola and B. Sikdar, Generative AI for Cyber Security: Analyzing the Potential of ChatGPT, DALL-E, and Other Models for Enhancing the Security Space, in IEEE Access, vol. 12, pp. 53497-53516, 2024. doi.org/10.1109/ACCESS.2024.3385107.

[79] Zhen Ling Teo, Chrystie Wan Ning Quek, Joy Le Yi Wong, Daniel Shu Wei Ting, Cybersecurity in the generative artificial intelligence era, Asia-Pacific Journal of Ophthalmology, Volume 13, Issue 4, 2024. doi:10.1016/j.apjo.2024.100091.

[80] S. Ankalaki, A. R. Atmakuri, M. Pallavi, G. S. Hukkeri, T. Jan and G. R. Naik, Cyber Attack Prediction: From Traditional Machine Learning to Generative Artificial Intelligence, in IEEE Access, vol. 13, pp. 44662-44706, 2025. doi.org/10.1109/ACCESS.2025.3547433

[81] Shivani Metta, Isaac Chang, Jack Parker, Michael P. Roman, Arturo F. Ehuan, Generative ai in cybersecurity, (Year 2024). doi.org/10.48550/arXiv.2405.01674

[82] M. Wang, Generative ai: A new challenge for cybersecurity, Journal of Computer Science and Technology Studies (2024) Vol 6 Issue 2. doi.org/10.32996/jcsts.2024.6.2.3.

[83] Bekim Fetaji, Majlinda Fetaji, Ćamil Sukić, Mirlinda Ebibi, Fjolla Fetaji, Analyses of Leveraging Generative AI (GAI) for Proactive Cybersecurity, SAR Journal (2024). doi:10.18421/SAR73-11.

[84] M. Nachaat, Current trends in AI and ML for cybersecurity: A state-of-the-art survey, Cogent Engineering (2023) Vol 1, Issue 2. doi.org/10.1080/23311916.2023.2272358

[85] K. Dhanushkodi and S. Thejas, AI Enabled Threat Detection: Leveraging Artificial Intelligence for Advanced Security and Cyber Threat Mitigation, in IEEE Access, vol. 12, pp. 173127-173136, 2024. doi.org/10.1109/ACCESS.2024.3493957

[86] Chakraborty, A., Biswas, A., Khan, A.K. (2023). Artificial Intelligence for Cybersecurity: Threats, Attacks and Mitigation. In: Biswas, A., Semwal, V.B., Singh, D. (eds) Artificial Intelligence for Societal Issues. Intelligent Systems Reference Library, vol 231. Springer, Cham. doi.org/10.1007/978-3-031-12419-8-1.