

List of Studies

- [S1] Abdulsalam, S., Lakomski, D., Gu, Q., Jin, T., Zong, Z.: Program energy efficiency: The impact of language, compiler and implementation choices. In: International Green Computing Conference. pp. 1–6 (2014). <https://doi.org/10.1109/IGCC.2014.7039169>
- [S2] Abtahizadeh, S.A., Khomh, F., Guéhéneuc, Y.G.: How green are cloud patterns? In: 2015 IEEE 34th International Performance Computing and Communications Conference (IPCCC). pp. 1–8 (2015). <https://doi.org/10.1109/PCCC.2015.7410295>
- [S3] Ahmed, H. et al.: Evolution of kotlin apps in terms of energy consumption: An exploratory study. In: 2023 International Conference on ICT for Sustainability (ICT4S). pp. 46–56 (2023). <https://doi.org/10.1109/ICT4S58814.2023.00014>
- [S4] Berrocal, J. et al.: Early analysis of resource consumption patterns in mobile applications. *Pervasive Mob. Comput.* **35**, 32–50 (Feb 2017). <https://doi.org/10.1016/j.pmcj.2016.06.011>
- [S5] Berry, V. et al.: Is it worth migrating a monolith to microservices? An experience report on performance, availability and energy usage. In: 2024 IEEE International Conference on Web Services (ICWS). pp. 944–954 (2024). <https://doi.org/10.1109/ICWS62655.2024.00112>
- [S6] Bunse, C., Höpfner, H., Roychoudhury, S., Mansour, E.: Choosing the "best" sorting algorithm for optimal energy consumption:. In: Proceedings of the 4th International Conference on Software and Data Technologies. pp. 199–206. SciTePress - Science and and Technology Publications (2009). <https://doi.org/10.5220/0002245401990206>
- [S7] Calero, C., Polo, M., Ángeles Moraga, M.: Investigating the impact on execution time and energy consumption of developing with spring. *Sustain. Comput. Inform. Syst.* **32**, 100603 (2021). <https://doi.org/10.1016/j.suscom.2021.100603>
- [S8] Capuano, R., O’Dea, E., Muccini, H.: A comparative analysis of monolith vs microservices energy consumption. In: Andrikopoulos, V., Pautasso, C., Ali, N., Soldani, J., Xu, X. (eds.) *Software Architecture*. vol. 15929, pp. 260–275. Springer Nature Switzerland (2025). https://doi.org/10.1007/978-3-032-02138-0_17
- [S9] Carette, A., Younes, M.A.A., Hecht, G., Moha, N., Rouvoy, R.: Investigating the energy impact of android smells. In: 2017 IEEE 24th International Conference on Software Analysis, Evolution and Reengineering (SANER). pp. 115–126 (2017). <https://doi.org/10.1109/SANER.2017.7884614>
- [S10] Chinenyeze, S., Liu, X., Al-Dubai, A.: An aspect oriented model for software energy efficiency in decentralised servers. In: Proceedings of the 2014 conference ICT for Sustainability. pp. 112–119. Atlantis Press (2014). <https://doi.org/10.2991/ict4s-14.2014.14>
- [S11] Chowdhury, S.A., Hindle, A.: Characterizing energy-aware software projects: Are they different? In: 2016 IEEE/ACM 13th Working Conference on Mining Software Repositories (MSR). pp. 508–511 (2016). <https://doi.org/10.1145/2901739.2903494>
- [S12] Connolly Bree, D., Cinnéide, M.O.: Inheritance versus delegation: Which is more energy efficient? In: Proceedings of the IEEE/ACM 42nd International Conference on Software Engineering Workshops. pp. 323–329. ICSEW’20, Association for Computing Machinery (2020). <https://doi.org/10.1145/3387940.3392192>

- [S13] Connolly Bree, D., Cinnéide, M.O.: Removing decorator to improve energy efficiency. In: 2022 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER). pp. 902–912 (2022). <https://doi.org/10.1109/SANER53432.2022.00108>
- [S14] Connolly Bree, D., Cinnéide, M.O.: Energy efficiency of the visitor pattern: Contrasting java and C++ implementations. *Empir. Softw. Eng.* **28**(6), 145 (2023). <https://doi.org/10.1007/s10664-023-10387-8>
- [S15] Corral, L., Georgiev, A.B., Sillitti, A., Succi, G.: A study of energy-aware implementation techniques: Redistribution of computational jobs in mobile apps. *Sustain. Comput. Inform. Syst.* **7**, 11–23 (2015). <https://doi.org/10.1016/j.suscom.2014.11.005>
- [S16] Couto, M., Saraiva, J., Fernandes, J.P.: Energy refactorings for android in the large and in the wild. In: 2020 IEEE 27th International Conference on Software Analysis, Evolution and Reengineering (SANER). pp. 217–228 (2020). <https://doi.org/10.1109/SANER48275.2020.9054858>
- [S17] Cruz, L., Abreu, R., Grundy, J., Li, L., Xia, X.: Do energy-oriented changes hinder maintainability? In: 2019 IEEE International Conference on Software Maintenance and Evolution (ICSME). pp. 29–40 (2019). <https://doi.org/10.1109/ICSME.2019.00013>
- [S18] Cruz, L., Abreu, R.: On the energy footprint of mobile testing frameworks. *IEEE Trans. Softw. Eng.* **47**(10), 2261–2271 (2021). <https://doi.org/10.1109/TSE.2019.2946163>
- [S19] Dhaka, G., Singh, P.: An empirical investigation into code smell elimination sequences for energy efficient software. In: 2016 23rd Asia-Pacific Software Engineering Conference (APSEC). pp. 349–352 (2016). <https://doi.org/10.1109/APSEC.2016.057>
- [S20] Feitosa, D., Alders, R., Ampatzoglou, A., Avgeriou, P., Nakagawa, E.Y.: Investigating the effect of design patterns on energy consumption. *J. Software: Evol. Process* **29**(2), e1851 (2017). <https://doi.org/10.1002/smr.1851>
- [S21] Gharbi, Y., Tóth, M., Bozó, I.: Measuring and analysing erlang’s energy usage. In: 2024 47th MIPRO ICT and Electronics Convention (MIPRO). pp. 1993–1998 (2024). <https://doi.org/10.1109/MIPRO60963.2024.10569977>
- [S22] Gottschalk, M., Jelschen, J., Winter, A.: Refactorings for Energy-Efficiency. In: Marx Gomez, J. et al. (eds.) *Advances and New Trends in Environmental and Energy Informatics: Selected and Extended Contributions from the 28th International Conference on Informatics for Environmental Protection*, pp. 77–96. Springer International Publishing (2016). https://doi.org/10.1007/978-3-319-23455-7_5
- [S23] Guamán, D., Pérez, J., Valdiviezo-Díaz, P., Canas, N.: Estimating the energy consumption of software components from size, complexity and code smells metrics. In: *Proceedings of the 37th ACM/SIGAPP Symposium on Applied Computing*. pp. 1456–1459. SAC ’22, Association for Computing Machinery (2022). <https://doi.org/10.1145/3477314.3507353>
- [S24] Hasan, S. et al.: Energy profiles of Java collections classes. In: *Proceedings of the 38th International Conference on Software Engineering*. pp. 225–236. ICSE ’16, Association for Computing Machinery (2016). <https://doi.org/10.1145/2884781.2884869>
- [S25] Hunt, N., Sandhu, P.S., Ceze, L.: Characterizing the performance and energy efficiency of lock-free data structures. In: 2011 15th Workshop on Interaction between Compilers and Computer Architectures. pp. 63–70 (2011). <https://doi.org/10.1109/INTERACT.2011.13>

- [S26] Jagroep, E. et al.: Awakening awareness on energy consumption in software engineering. In: 2017 IEEE/ACM 39th International Conference on Software Engineering: Software Engineering in Society Track (ICSE-SEIS). pp. 76–85 (2017). <https://doi.org/10.1109/ICSE-SEIS.2017.10>
- [S27] Jagroep, E. et al.: The hunt for the guzzler: Architecture-based energy profiling using stubs. *Inf. Software Technol.* **95**, 165–176 (2018). <https://doi.org/10.1016/j.infsof.2017.12.003>
- [S28] Kalsum, T. et al.: Towards sustainable software engineering: A green computing approach. In: 2024 5th International Conference on Innovative Computing (ICIC). pp. 1–6 (2024). <https://doi.org/10.1109/ICIC63915.2024.11116549>
- [S29] Khomh, F., Abtahizadeh, S.A.: Understanding the impact of cloud patterns on performance and energy consumption. *J. Syst. Software* **141**, 151–170 (2018). <https://doi.org/10.1016/j.jss.2018.03.063>
- [S30] Khrouf, L., Shatnawi, A., Niang, B.T., Verhaeghe, B.: On the energy consumption of web applications: An empirical study of their design solutions. In: 2025 IEEE/ACM 9th International Workshop on Green and Sustainable Software (GREENS). pp. 47–54 (2025). <https://doi.org/10.1109/GREENS66463.2025.00012>
- [S31] Li, D., Halfond, W.G.J.: An investigation into energy-saving programming practices for android smartphone app development. In: Proceedings of the 3rd International Workshop on Green and Sustainable Software. pp. 46–53. GREENS 2014, Association for Computing Machinery (2014). <https://doi.org/10.1145/2593743.2593750>
- [S32] Li, D., Hao, S., Halfond, W.G.J., Govindan, R.: Calculating source line level energy information for android applications. In: Proceedings of the 2013 International Symposium on Software Testing and Analysis. pp. 78–89. ISSTA 2013, Association for Computing Machinery (2013). <https://doi.org/10.1145/2483760.2483780>
- [S33] Liu, K., Pinto, G., Liu, Y.D.: Data-oriented characterization of application-level energy optimization. In: Egyed, A., Schaefer, I. (eds.) *Fundamental Approaches to Software Engineering*. pp. 316–331. Springer (2015). https://doi.org/10.1007/978-3-662-46675-9_21
- [S34] Maleki, S., Fu, C., Banotra, A., Zong, Z.: Understanding the impact of object oriented programming and design patterns on energy efficiency. In: 2017 Eighth International Green and Sustainable Computing Conference (IGSC). pp. 1–6 (2017). <https://doi.org/10.1109/IGCC.2017.8323605>
- [S35] Mancebo, J., Calero, C., García, F.: Does maintainability relate to the energy consumption of software? A case study. *Software Qual. J.* **29**(1), 101–127 (2021). <https://doi.org/10.1007/s11219-020-09536-9>
- [S36] Manimegalai, R., Sandhanam, S., Nandhini, A., Pandia, P.: Energy efficient coding practices for sustainable software development. In: Proceedings of the First International Conference on Science, Engineering and Technology Practices for Sustainable Development, ICSETPSD 2023, 17th-18th November 2023, Coimbatore, Tamilnadu, India (2024). <https://doi.org/10.4108/eai.17-11-2023.2342635>
- [S37] Michanan, J., Dewri, R., Rutherford, M.J.: Predicting data structures for energy efficient computing. In: 2015 Sixth International Green and Sustainable Computing Conference (IGSC). pp. 1–8 (2015). <https://doi.org/10.1109/IGCC.2015.7393698>
- [S38] Morisio, M., Ardito, L., Vetro, A., Procaccianti, G.: Definition, implementation and validation of energy code smells: An exploratory study on an embedded

- system. In: *ENERGY 2013 : The Third International Conference on Smart Grids, Green Communications and IT Energy-aware Technologies*. p. 39 (2013)
- [S39] Moura, I., Pinto, G., Ebert, F., Castor, F.: Mining energy-aware commits. In: *2015 IEEE/ACM 12th Working Conference on Mining Software Repositories*. pp. 56–67 (2015). <https://doi.org/10.1109/MSR.2015.13>
 - [S40] Nikzad, N., Chipara, O., Griswold, W.G.: APE: An annotation language and middleware for energy-efficient mobile application development. In: *Proceedings of the 36th International Conference on Software Engineering*. pp. 515–526. ICSE 2014, Association for Computing Machinery (2014). <https://doi.org/10.1145/2568225.2568288>
 - [S41] Ochoa, J.S. et al.: Energy consumption of IoT monitoring software architectures in the edge. In: Galster, M. et al. (eds.) *Software Architecture*. pp. 217–232. Springer Nature Switzerland (2024). https://doi.org/10.1007/978-3-031-70797-1_15
 - [S42] Oliveira, W., Torres, W., Castor, F., Ximenes, B.H.: Native or web? A preliminary study on the energy consumption of android development models. In: *2016 IEEE 23rd International Conference on Software Analysis, Evolution, and Reengineering (SANER)*. vol. 1, pp. 589–593 (2016). <https://doi.org/10.1109/SANER.2016.93>
 - [S43] Ournani, Z., Rouvoy, R., Rust, P., Penhoat, J.: Tales from the Code #1: The Effective Impact of Code Refactorings on Software Energy Consumption. SCITEPRESS - Science and Technology Publications (2021). <https://doi.org/10.5220/0010517900340046>
 - [S44] Palomba, F., Di Nucci, D., Panichella, A., Zaidman, A., De Lucia, A.: On the impact of code smells on the energy consumption of mobile applications. *Inf. Software Technol.* **105**, 43–55 (2019). <https://doi.org/10.1016/j.infsof.2018.08.004>
 - [S45] Park, J.J., Hong, J.E., Lee, S.H.: Investigation for software power consumption of code refactoring techniques. *Proc. Int. Conf. Softw. Eng. Knowl. Eng. SEKE* **2014**, 717–722 (2014)
 - [S46] Pereira, R. et al.: Energy efficiency across programming languages: How do energy, time, and memory relate? In: *Proceedings of the 10th ACM SIGPLAN International Conference on Software Language Engineering*. pp. 256–267. ACM (2017). <https://doi.org/10.1145/3136014.3136031>
 - [S47] Pereira, R. et al.: Ranking programming languages by energy efficiency. *Science of Computer Programming* **205**, 102609 (2021). <https://doi.org/10.1016/j.scico.2021.102609>
 - [S48] Pereira, R., Couto, M., Saraiva, J., Cunha, J., Fernandes, J.P.: The influence of the java collection framework on overall energy consumption. In: *Proceedings of the 5th International Workshop on Green and Sustainable Software*. pp. 15–21. GREENS '16, Association for Computing Machinery (2016). <https://doi.org/10.1145/2896967.2896968>
 - [S49] Procaccianti, G., Fernández, H., Lago, P.: Empirical evaluation of two best practices for energy-efficient software development. *J. Syst. Software* **117**, 185–198 (2016). <https://doi.org/10.1016/j.jss.2016.02.035>
 - [S50] Qasim, A., Munawar, A., Hassan, J., Khalid, A.: Evaluating the impact of design pattern usage on energy consumption of applications for mobile platform. *Appl. Comput. Syst.* **26**(1), 1–11 (2021). <https://doi.org/10.2478/acss-2021-0001>
 - [S51] Rodriguez, A., Longo, M., Zunino, A.: Using bad smell-driven code refactorings in mobile applications to reduce battery usage. In: *ASSE 2016, 16th Symposium Argentino de Ingeniería de Software* (2015)

- [S52] Sahin, C., Pollock, L., Clause, J.: How do code refactorings affect energy usage? In: Proceedings of the 8th ACM/IEEE International Symposium on Empirical Software Engineering and Measurement. pp. 1–10. ESEM '14, Association for Computing Machinery (2014). <https://doi.org/10.1145/2652524.2652538>
- [S53] Sahin, C., Tornquist, P., McKenna, R., Pearson, Z., Clause, J.: How does code obfuscation impact energy usage? In: 2014 IEEE International Conference on Software Maintenance and Evolution. pp. 131–140 (2014). <https://doi.org/10.1109/ICSME.2014.35>
- [S54] Şanlıalp, İ., Öztürk, M.M., Yiğit, T.: Energy efficiency analysis of code refactoring techniques for green and sustainable software in portable devices. *Electronics* **11**, 442 (2022). <https://doi.org/10.3390/electronics11030442>
- [S55] Seo, C., Malek, S., Medvidovic, N.: An energy consumption framework for distributed java-based systems. In: Proceedings of the 22nd IEEE/ACM International Conference on Automated Software Engineering. pp. 421–424. ASE '07, Association for Computing Machinery (2007). <https://doi.org/10.1145/1321631.1321699>
- [S56] Soongpol, B., Netinant, P., Rukhiran, M.: Practical Sustainable Software Development in Architectural Flexibility for Energy Efficiency Using the Extended Agile Framework. *Sustainability* **16**(13), 5738 (2024). <https://doi.org/10.3390/su16135738>
- [S57] Tonini, A.R., Fischer, L.M., Mattos, J.C.B., Brisolara, L.B.: Analysis and evaluation of the android best practices impact on the efficiency of mobile applications. In: 2013 III Brazilian Symposium on Computing Systems Engineering. pp. 157–158 (2013). <https://doi.org/10.1109/SBESC.2013.39>
- [S58] Verdecchia, R., Aparicio Saez, R., Procaccianti, G., Lago, P.: Empirical evaluation of the energy impact of refactoring code smells. In: ICT4S2018. 5th International Conference on Information and Communication Technology for Sustainability. EPIc Series in Computing, vol. 52, pp. 365–345 (2018). <https://doi.org/10.29007/dz83>
- [S59] Vos, S., Lago, P., Verdecchia, R., Heitlager, I.: Architectural tactics to optimize software for energy efficiency in the public cloud. In: 2022 International Conference on ICT for Sustainability (ICT4S). pp. 77–87 (2022). <https://doi.org/10.1109/ICT4S55073.2022.00019>
- [S60] Zhao, Y., De Matteis, T., Bogner, J.: How does microservice granularity impact energy consumption and performance? A controlled experiment. In: 2025 IEEE 22nd International Conference on Software Architecture (ICSA). pp. 84–95 (2025). <https://doi.org/10.1109/ICSA65012.2025.00018>