The frontpage package

Marc Heijn
marc@heijn-buis.demon.nl

v0.4 from 2025/10/14

1 Introduction

The package creates a front page.

2 Install

```
latex frontpage.ins
bash install.sh
```

3 Usage

```
\title{The frontpage package}
\subtitle{an MH-package}
\abstracttitle{The frontpage package}
\author[marc@heijn-buis.demon.nl]{Marc Heijn}
\date{October 12, 2023}
\what{package}
\programme{Homebrew packages}
\coverimage{%
\vspace*{-4cm}
\centering
\includegraphics[width=\textwidth]{zwaluw_r}
\vspace*{-5cm}
}

\makefrontpage
\maketitle
```

When using LaTeXMLc use `latexmlc --css=frontpage.css -splitat=chapter`.

Homebrew packages

package

The frontpage package

by

M. Heijn, Marc. Heijn

October 12, 2023

Supervisor: person one

Second examiner: person two

Home made
street and city
Country

The frontpage package

M. Heijn, Marc. Heijn

October 12, 2023

4 Implementation

4.1 frontpage.sty

```
1 \newif\if@dutchlanguage \@dutchlanguagefalse
2 \newif\if@generic \@generictrue
3 \RequirePackage{graphicx}
```

++++++++++++++++++++++++++ COLOR +++++++++++++++

```
4 \RequirePackage{xcolor}
5 \definecolor{rulecolor}{rgb}{0.08, 0.38, 0.74}
6 \RequirePackage{authblk}
```

\supervisortext

```
7 \def\supervisortext{Supervisor}
```

\titletext

```
8 \def\titletext{Title}
```

\authortextsingular

```
9 \def\authortextsingular{Author}
```

\authortextplural

```
10 \def\authortextplural{Authors}
```

\datetext

```
11 \def\datetext{Date}
```

\bytext

```
12 \def\bytext{by}
```

\tracktext

```
13 \def\tracktext{Track}
```

\secondgradertext

```
14 \def\secondgradertext{Second examiner}
```

\logosize

```
15 \def\logosize{5cm}
```

```
   \departmenttext
                    16 \def\departmenttext{\relax}
   \universitytext
                    17 \def\universitytext{\relax}
      \logopicture
                    18 \def\logopicture{\relax}
      \facultytext
                    19 \def\facultytext{\relax}
\universityaddress
                    20 \def\universityaddress{\relax}
         \website
                    21 \def\website{\relax}

                    22 \DeclareOption{dutch}{
                    23     \@dutchlanguagetrue
```

Dutch values for translatable constant text

```
                    24     \def\supervisortext{Begeleider}
                    25     \def\titletext{Titel}
                    26     \def\authortextsingular{Auteur}
                    27     \def\authortextplural{Auteurs}
                    28     \def\datetext{Einddatum}
                    29     \def\bytext{door}
                    30     \def\tracktext{Richting}
                    31     \def\secondgradertext{Tweede beoordelaar}
                    32 }
                    33 \DeclareOption{vu}{% VU specific values
        \logosize
                    34 \def\logosize{1.5cm}

                    35 \@genericfalse

         \website
                    36 \def\website{http://www.math.vu.nl/}
\universityaddress
                    37 \def\universityaddress{de Boelelaan 1111, 1081 HV Amsterdam}

                    38 \if@dutchlanguage
                    39   \def\logopicture{vu/VU-logo2.png}
                    40   \def\departmenttext{Afdeling Wiskunde}
                    41   \def\facultytext{Faculteit der Exacte Wetenschappen}
                    42   \def\universitytext{Vrije Universiteit Amsterdam}
```

```
\else
  \def\logopicture{vu/VU-logo2.png}
  \def\departmenttext{Department of Mathematics}
  \def\facultytext{Faculty of Sciences}
  \def\universitytext{Vrije Universiteit Amsterdam}
\fi
}
\DeclareOption{uva}{% UvA specific values
\@genericfalse
```

`\logosize`

```
\def\logosize{1.5cm}
```

`\website`

```
\def\website{http://math.vu.nl/}
```

`\universityaddress`

```
\def\universityaddress{de Boelelaan 1111, 1081 HV Amsterdam}

\if@dutchlanguage
  \def\logopicture{uvalogo-nl}
  \def\departmenttext{Korteweg-de Vries Instituut voor Wiskunde}
  \def\facultytext{Faculteit der Natuurwetenschappen, Wiskunde en Informatica}
  \def\universitytext{Universiteit van Amsterdam}
\else
  \def\logopicture{uvalogo-en}
  \def\departmenttext{Korteweg-de Vries Institute for Mathematics}
  \def\facultytext{Faculty of Science}
  \def\universitytext{University of Amsterdam}
\fi
}
\ProcessOptions\relax
```

`\title` Variable text commands

```
\gdef\title#1{\gdef\@title{#1}}
```

`\date`

```
\gdef\date#1{\gdef\@date{#1}}
```

`\subtitle`

```
\def\subtitle#1{\gdef\@subtitle{#1}}
```

`\institute`

```
\def\institute#1{\gdef\@institute{#1}}
```

`\instituteaddress`

```
\def\instituteaddress#1{\gdef\@instituteaddress{#1}}
```

```
   \coverimage
                73 \newcommand{\coverimage}[1]{\gdef\@coverimage{#1}}
\abstracttitle
                74 \def\abstracttitle#1{\gdef\@abstracttitle{#1}}
         \what
                75 \def\what#1{\gdef\@what{#1}}
        \track
                76 \def\track#1{\gdef\@track{#1}}
    \programme
                77 \def\programme#1{\gdef\@programme{#1}}
   \supervisor
                78 \def\supervisor#1{\gdef\@supervisor{#1}}
                79 \supervisor{\relax}
 \secondgrader
                80 \def\secondgrader#1{\gdef\@secondgrader{#1}}
                81 \secondgrader{\relax}
                82 \coverimage{\relax}
                83 \what{\relax}
                84 \track{\relax}
                85 \subtitle{\relax}
                86 \programme{\relax}
                87 \supervisor{\relax}
                88 \secondgrader{\relax}
                89 \RequirePackage{authblk}
   \MH@authors
                90 \def\MH@authors{}
      \author
                91 \renewcommand{\author}[2][]{\fp@author{#1}{#2}}%
    \fp@author
                92 \def\fp@author#1#2{%
                93       \ifnewaffil\addtocounter{affil}{1}%
                94        \edef\AB@thenote{\arabic{affil}}\fi
                95       \if\relax#1\relax\def\AB@note{\AB@thenote}\else\def\AB@note{#1}%
                96         \setcounter{Maxaffil}{0}\fi
                97       \ifnum\value{authors}>1\relax
                98       \@namedef{@sep\number\c@authors}{\Authsep}\fi
                99       \addtocounter{authors}{1}%
               100       \begingroup
```

```
          \let\protect\@unexpandable@protect \let\and\AB@pand
          \def\thanks{\protect\thanks}\def\footnote{\protect\footnote}%
        \@temptokena=\expandafter{\AB@authors}%
        {\def\\{\protect\\[\@affilsep]\protect\Affilfont
             \protect\AB@resetsep}%
             \xdef\AB@author{\AB@blk@and#2}%
      \ifnewaffil\gdef\AB@las{}\gdef\AB@lasx{\protect\Authand}\gdef\AB@as{}%
          \xdef\AB@authors{\the\@temptokena\AB@blk@and}%
      \else
         \xdef\AB@authors{\the\@temptokena\AB@as\AB@au@str}%
         \global\let\AB@las\AB@lasx\gdef\AB@lasx{\protect\Authands}%
         \gdef\AB@as{\Authsep}%
      \fi
      \gdef\AB@au@str{#2}}%
        \@temptokena=\expandafter{\AB@authlist}%
        \let\\=\authorcr
        \xdef\AB@authlist{\the\@temptokena
          \protect\@nameuse{@sep\number\c@authors}%
          \protect\Authfont#2\AB@authnote{\AB@note}}%
     \ifnum\value{authors}>1\relax
        \xdef\MH@authors{\MH@authors,  #2}
    \else
        \gdef\MH@authors{#2}
    \fi
      \endgroup
      \ifnum\value{authors}>2\relax
      \@namedef{@sep\number\c@authors}{\Authands}\fi
      \newaffilfalse
}
```

\makefrontpage

```
\newcommand{\makefrontpage}{
 %% \typeout{\MH@authors}
 \@ifundefined{hypersetup}{\relax}{%
 \hypersetup{
pdftitle={\@title},
pdfsubject={\@programme\ \@track\ \@what},
pdfauthor={\MH@authors}
}}%
 %% %\pdfsetup
 \thispagestyle{empty}
 \vspace*{1pt}
 {\centering
 \if\@programme\relax
 \else {\Large\@programme\par}
 \if\@track\relax\else\medskip{\large\tracktext: \@track\par}\fi
 \bigskip\fi
 {\Large \textit{\@what}\par}\bigskip\medskip
```

```
 {\color{rulecolor}\hrule\@height2pt}\bigskip
 {\LARGE \textbf{\normalfont\bfseries \@title}\par}
 \bigskip
 {\color{rulecolor}\hrule\@height2pt}\bigskip\medskip
 {\large \bytext\par}\medskip
 %%%%%%%%
 \setbox0=\hbox{\MH@authors}\ifdim\wd0=0pt\relax\else{\LARGE \MH@authors\\}\bigskip\fi
 %% {\LARGE \MH@authors\\}\bigskip
 {\large \@date\par}\bigskip\bigskip\bigskip
 \setbox0=\hbox{\@supervisor}\ifdim\wd0=0pt\relax\else{\large\supervisortext: \@supervisor\par}
 \setbox0=\hbox{\@secondgrader}\ifdim\wd0=0pt\relax\else{\large\secondgradertext: \@secondgrade
 \vspace{\stretch{1}}
 \begin{center}\@coverimage\end{center}
 \vspace{\stretch{1}}
 }\noindent
 \@institute\\
 \@instituteaddress
 \cleardoublepage
}
```

\@maketitle

```
\def\@maketitle{%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \MH@authors
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\if@titlepage
 \let\@maketitle=\maketitle%
  \renewcommand\maketitle{\begin{titlepage}%
 \@ifundefined{hypersetup}{\relax}{%
 \hypersetup{
pdftitle={\@title},
pdfsubject={\@programme\ \@track\ \@what},
pdfauthor={\MH@authors}
}}%
 %% \pdfsetup
 \@maketitle
 \thispagestyle{empty}
 \vspace*{1pt}
 {\centering
```

```
\if\@programme\relax
\else {\Large\@programme\par}
\if\@track\relax\else\medskip{\large\tracktext: \@track\par}\fi
\bigskip\fi
{\Large \textit{\@what}\par}\bigskip\medskip
{\color{rulecolor}\hrule\@height2pt}\bigskip
{\LARGE \textbf{\normalfont\bfseries \@title}\par}
\bigskip
{\color{rulecolor}\hrule\@height2pt}\bigskip\medskip
{\large \bytext\par}\medskip
%%%%%%%%
\setbox0=\hbox{\MH@authors}\ifdim\wd0=0pt\relax\else{\LARGE \MH@authors\\}\bigskip\fi
%% {\LARGE \MH@authors\\}\bigskip
{\large \@date\par}\bigskip\bigskip\bigskip
\setbox0=\hbox{\@supervisor}\ifdim\wd0=0pt\relax\else{\large\supervisortext: \@supervisor\par}
\setbox0=\hbox{\@secondgrader}\ifdim\wd0=0pt\relax\else{\large\secondgradertext: \@secondgrade
\vspace{\stretch{1}}
\@coverimage
\vspace{\stretch{1}}
\@institute
\@instituteaddress
}
 \end{titlepage}%
 }
\fi
```

Default values for variable text

```
\institute{
 \if\logopicture\relax\else%
 {\raggedleft\includegraphics[height=\logosize]{\logopicture}\vspace{-\logosize}\\}\fi%
 {\raggedright
 \if\departmenttext\relax\else\departmenttext\\\smallskip\fi%
 \if\facultytext\relax\else\if@generic\else \facultytext\\ \fi\fi%
 }}
\instituteaddress{%
 \if\departmenttext\relax\else\departmenttext\\\fi%
 \if\universitytext\relax\else\universitytext\\\fi%
 %% \universityaddress\\
 \if\universityaddress\relax\else\if@generic\else \universityaddress\\ \fi\fi%
 \if\website\relax\else\url{\website}{}\fi%
}
```

4.2 frontpage.sty.ltxml

```
# -*- mode: Perltidy -*-
# LaTeXML bindings for frontpage.sty

package LaTeXML::Package::Pool;
use LaTeXML::Package; # to load these definitions
use LaTeXML::Util::Pathname;
```

```
7
8  use strict;
9  use warnings;
10
11 LoadPool('TeX');
12 RequirePackage('graphics');
13 RequirePackage('svg');
14
15 # forcing a new html page using latexmlc --splitat=chapter
16 DefConstructor('\newWebPage',"<ltx:chapter␣xml:id='PB'>");
17
18 ##############################################
19 # Adjusting center with first paragraph no indent
20 # Taken from TeX.pool.ltxml
21 ##############################################
22 sub setAlignAndClass {
23   my ($document, $node, $align, $class) = @_;
24   my $model = $document->getModel;
25   my $qname = $model->getNodeQName($node);
26   if    ($qname eq 'ltx:tag') { }
                                              # HACK
27   elsse {
28     if ($align && $document->canHaveAttribute($qname, 'align')
         ) {
29       $node->setAttribute(align => $align); }
30     if ($class && $document->canHaveAttribute($qname, 'class')
         ) {
31       $document->addClass($node, $class); }
32     }
33   return; }
34
35 sub AligningEnvironment {
36   my ($align, $class, $document, %props) = @_;
37   map { setAlignAndClass($document, $_, $align, $class) }
38     insertBlock($document, $props{body});    # Add class
         attribute to new nodes.
39   return; }
40
41 DefEnvironment('{mhtitle}',  sub {
42     $_[0]->maybeCloseElement('ltx:p');
         # this starts a new vertical block
43     AligningEnvironment('', 'ltx_mhtitle␣ltx_noindent', @_);
         },    # aligning will take care of \\\\ "rows"
44       beforeDigest => sub {
45       Let('\par', '\inner@par');
46       Let('\\\\', '\inner@par');
47       });
48 ##############################################
49
50 DefMacro('\abstracttitle{}','\gdef\@abstracttitle{#1}');
```

```
DefMacro('\subtitle{}','\gdef\@subtitle{#1}');
DefMacro('\coverimage{}','\gdef\@coverimage{#1}');
DefMacro('\secondgrader{}','\gdef\@secondgrader{#1}');
DefMacro('\what{}','\gdef\@what{#1}');
DefMacro('\track{}','\gdef\@track{#1}');
DefMacro('\supervisor{}','\gdef\@supervisor{#1}');
DefMacro('\programme{}','\gdef\@programme{#1}');
DefMacro('\institute{}','\gdef\@institute{#1}');
DefMacro('\instituteaddress{}','\gdef\@instituteaddress{#1}');

Let('\@abstracttitle','\relax');
Let('\@track','\relax');
Let('\@programme','\relax');
Let('\@what','\relax');
#Let('\@','\relax');

# DefMacro\titletext{Title}
# DefMacro\authortextsingular{Author}
# DefMacro\authortextplural{Authors}
DefMacro('\datetext','Date');
DefMacro('\bytext','by');
DefMacro('\tracktext','Track');
DefMacro('\supervisortext','Supervisor');
DefMacro('\secondgradertext','Second␣examiner');
DefMacro('\whattext','What');
DefMacro('\programmetext','Programme');
DefMacro('\institutetext','');
DefMacro('\instituteaddresstext','');

DefConstructor('\mhtitle@line',
  '<ltx:p␣class="ltx_titleline">␣</ltx:p>',
    mode         => 'text',
    bounded => 0,
);

DefConstructor('\mhtitle@item{}',
  '<ltx:p␣class="ltx_#1">'.
  '<ltx:text␣class="ltx_texttype">#tekst</ltx:text>'.
  '<ltx:text␣class="ltx_subtext">#value<ltx:text></ltx:p>',
  properties => sub{
    my $item = ToString($_[1]);
    #print("\n value = " . $item."\n");
    my $tekst = ToString(Digest(T_CS('\\'.$item.'text')));
    my $value = ToString(Digest(T_CS('\\@'.$item)));
    if ( $tekst ne "") {$tekst = $tekst .":";}
    #print($tekst ." = " . $value ."\n");
    (tekst => $tekst, value => $value);
  }
  );

```

```
DefMacro('\@maketitle','\relax');

DefMacro('\maketitle',#'\relax');#\my@frontmatterhere');#sub{
    MyFrontMatter();});
'\begin{mhtitle}'.
'\if\@title\relax\relax\else\mhtitle@title{\@title\fi}'.
'\mhtitle@authors{}'.
'\mhtitle@date'.
'\end{mhtitle}'
);

DefMacro('\makefrontpage',
'\newWebPage' .
'\begin{mhtitle}' .
    '\if\@programme\relax\else\mhtitle@item{programme}\fi' .
    '\if\@track\relax\else\mhtitle@item{track}\fi'.
    '\if\@what\relax\else\mhtitle@item{what}\fi'.
'\mhtitle@line' .
'\if\@title\relax\relax\else\mhtitle@title{\@title\fi}'.
'\mhtitle@line' .
'\mhtitle@authors{}' .
'\mhtitle@date' .
    '\@coverimage' .
    '\if\@supervisor\relax\else\mhtitle@item{supervisor}\fi'.
    '\if\@secondgrader\relax\else\mhtitle@item{secondgrader}\
        fi'.
    '\if\@institute\relax\else\mhtitle@item{institute}\fi'.
    '\if\@instituteaddress\relax\else\mhtitle@item{
        instituteaddress}\fi'.
'\end{mhtitle}' .
'\newWebPage'
);

Let('\@title','\relax');
DefConstructor('\mhtitle@title{}',
#  "<ltx:title class='ltx_title_document ltx_mhtitle'>#1".
#  "</ltx:title>",
"<ltx:p␣class='ltx_title'>#1".
"</ltx:p>",
    mode         => 'text',
    bounded => 0,
);

Let('\@date','\today');
DefConstructor('\mhtitle@date',
    "<ltx:p␣class='ltx_date'>#datum</ltx:p>",
    mode         => 'text',
    bounded => 1,
    properties => sub{(datum => ToString(Digest(T_CS('\@date')
        )));
```

```
147     });
148
149 sub index_of {
150     my ($value, @array) = @_;
151     for my $i (0..$#array) {return $i if $array[$i] eq $value
            ;}
152     return -1;
153 }
154 sub last_element {
155     my ($value, @array) = @_;
156     my $index = index_of( @_ ) + 1;
157     if ($index eq $#array) {return 1;}
158     return 0;
159 }
160
161 my @mh_affil;
162 my @mh_authors;
163 DefMacro('\author[]{}',sub {
164 my ($gullet, $affil, $name) =@_;
165 push(@mh_affil,ToString($affil));
166 push(@mh_authors,ToString($name));
167 return;
168 });
169
170 DefMacro('\mhtitle@authors', sub{
171     my $i = 0;
172     (map {$i++; (T_CS('\mhtitle@author'),T_BEGIN,Tokenize($_),
            T_END,T_BEGIN,Token($i),T_END);} @mh_authors);
173   });
174 DefConstructor('\mhtitle@author{}{}',
175 #   "<ltx:creator role='author' class='ltx_mhtitle' before='#
        prefix'>"
176 #    . "<ltx:personname>#1</ltx:personname>"
177 #    . "</ltx:creator>",
178   "<ltx:text␣class='ltx_prefix'>#prefix</ltx:text>" .
179   "<ltx:text␣class='ltx_author'>" .
180   "#1" .
181   "</ltx:text>",
182 mode          => 'text',
183 bounded => 1,
184   properties => sub{
185         my $author = ToString($_[1]);
186         my $number = ToString($_[2]);
187         #print("\nProperties mhtitleauthor: " . $number . " " .
              $author. " Total=" . $#mh_authors);
188         my $prefix = "";
189         if( $number <= 1 ){}
190         elsif ($number == ($#mh_authors + 1) ){$prefix = "␣and␣
              ";}
191         else { $prefix = ",";}
```

```
        (prefix => $prefix);
      },
);

#
#article
#AddToMacro(T_CS('\maketitle'), T_CS('\ltx@authors@oneline'));
#LaTeX.pool
# See frontmatter support in TeX.ltxml
# Let('\@title', '\@empty');
# DefMacro('\title[]{}', '\if.#1.\else\def\shorttitle{#1}\
    @add@frontmatter{ltx:toctitle}{#1}\fi'
#     . '\def\@title{#2}\@add@frontmatter{ltx:title}{#2}',
    locked => 1);
#
AssignValue(frontmatter_deferred => 1, 'global');
AssignValue(frontmatter_done => 1, 'global');    # OK, we're
    placing FrontMatter here, now.

1;
```

4.3 frontpage.css

```
.ltx_mhtitle .ltx_title,
.ltx_mhtitle .ltx_date,
.ltx_mhtitle .ltx_author,
.ltx_mhtitle .ltx_prefix,
.ltx_mhtitle .ltx_role_author{
text-align: center;
margin:0.5em 0 0.5em 0;
  font-weight: normal;
}
.ltx_mhtitle * {
text-align: center;
  font-weight: normal;
}
.ltx_mhtitle .ltx_title    { font-size: 200%; }
.ltx_mhtitle .ltx_author   { font-size: 120%; }
.ltx_mhtitle .ltx_prefix   { font-size: 120%; }
.ltx_mhtitle .ltx_date     { font-size: 120%; }
.ltx_mhtitle .ltx_subtitle { font-size: 120%; }

.ltx_titleline {height: 2px; width: 80%; margin:auto;
    background:#1a53bf}

.ltx_texttype{visibility: hidden;width: 0px; display: inline-
    block;}
.ltx_subtext {font-size:100%; }
.ltx_programme .ltx_texttype { }
.ltx_programme .ltx_subtext { }
```

```
.ltx_what .ltx_texttype { }
.ltx_what .ltx_subtext {}
.ltx_secondgrader,
.ltx_supervisor {text-align:left;}
.ltx_secondgrader .ltx_texttype { visibility:visible ;width:
    auto; }
.ltx_secondgrader .ltx_subtext {font-weight:bold;}
.ltx_supervisor .ltx_texttype {visibility:visible ;width:auto;
    }
.ltx_supervisor .ltx_subtext {font-weight:bold;}
.ltx_institute,
.ltx_instituteaddress {text-align:right;}
```

Change History

v0.3

General: First time DTX-file 1

v0.4

General: ltxml preamble correction by removing 1

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\@abstracttitle . . . 74
\@affilsep 104
\@coverimage 73, 159, 212
\@date . 69, 155, 177, 208
\@dutchlanguagefalse 1
\@dutchlanguagetrue 23
\@genericfalse . . 35, 51
\@genericrtrue 2
\@height 147, 150, 200, 203
\@ifundefined . 132, 184
\@institute 71, 162, 214
\@instituteaddress 72, 163, 215
\@maketitle 166
\@namedef 98, 127
\@nameuse 118
\@programme 77, 135, 142, 143, 187, 195, 196
\@secondgrader 80, 157, 210
\@subtitle 70
\@supervisor 78, 156, 209
\@temptokena . . 103, 108, 110, 115, 117
\@title 68, 134, 148, 169, 186, 201
\@track 76, 135, 144, 187, 197
\@unexpandable@protect 101
\@what 75, 135, 146, 187, 199
\\ 104, 116, 153, 154, 162, 206, 207, 222, 224, 225, 228–231
\␣ 135, 187

A

\AB@as 107, 110, 112
\AB@au@str . . . 110, 114
\AB@authlist . . 115, 117
\AB@authnote 119
\AB@author 106
\AB@authors 103, 108, 110
\AB@blk@and . . . 106, 108
\AB@las 107, 111
\AB@lasx 107, 111
\AB@note 95, 119
\AB@pand 101
\AB@resetsep 105
\AB@thenote 94, 95
\abstracttitle 74
\addtocounter . . . 93, 99
\Affilfont 104
\and 101
\arabic 94
\Authand 107
\Authands 111, 127

\Authfont 119
\author 91
\authorcr 116
\authortextplural 10, 27
\authortextsingular 9, 26
\Authsep 98, 112

B
\begin 159, 167, 173, 183
\begingroup 100
\bfseries 148, 201
\bigskip . . 145–147, 149, 150, 153–156, 198–200, 202, 203, 206–209
\bytext . 12, 29, 151, 204

C
\c@authors 98, 118, 127
\centering . . . 141, 194
\cleardoublepage . . 164
\color 147, 150, 200, 203
\coverimage 73, 82

D
\date 69
\datetext 11, 28
\DeclareOption 22, 33, 50
\def . . . 7–21, 24–31, 34, 36, 37, 39–42, 44–47, 52–54, 56–59, 61–64, 70–72, 74–78, 80, 90, 92, 95, 102, 104, 166
\definecolor 5
\departmenttext 16, 40, 45, 57, 62, 224, 228

E
\edef 94
\else 43, 60, 95, 109, 122, 143, 144, 153, 156, 157, 196, 197, 206, 209, 210, 221, 224, 225, 228, 229, 231, 232
\end . . 159, 175, 178, 217
\endgroup 125
\expandafter . . 103, 115

F
\facultytext . . . 19, 41, 46, 58, 63, 225
\fi 48, 65, 94, 96, 98, 113, 124, 127, 144, 145, 153, 156, 157, 197, 198, 206, 209, 210, 219, 222, 224, 225, 228, 229, 231, 232
\footnote 102, 168
\fp@author 91, 92

G
\gdef . 68–78, 80, 107, 111, 112, 114, 123
\global 111

H
\hbox 153, 156, 157, 206, 209, 210
\hrule 147, 150, 200, 203
\hypersetup . . . 133, 185

I
\if 95, 142, 144, 195, 197, 221, 224, 225, 228, 229, 231, 232
\if@dutchlanguage 1, 38, 55
\if@generic . 2, 225, 231
\if@titlepage 181
\ifdim 153, 156, 157, 206, 209, 210
\ifnewaffil 93, 107
\ifnum 97, 120, 126
\includegraphics . . 222
\institute 71, 220
\instituteaddress 72, 227

L
\LARGE 148, 153, 154, 169, 201, 206, 207
\Large 143, 146, 196, 199
\large 144, 151, 155–157, 171, 177, 197, 204, 208–210
\let 101, 111, 116, 168, 182
\lineskip 172
\logopicture . 18, 39, 44, 56, 61, 221, 222
\logosize 15, 34, 52, 222

M
\makefrontpage 130
\maketitle . . . 182, 183
\medskip 144, 146, 150, 151, 197, 199, 203, 204
\MH@authors 90, 121, 123, 131, 136, 153, 154, 174, 188, 206, 207

N
\newaffilfalse 128
\newif 1, 2
\noindent 161
\normalfont . . . 148, 201
\number . . . 98, 118, 127

P
\par 143, 144, 146, 148, 151, 155–157, 169, 175, 179, 196, 197, 199, 201, 204, 208–210
\pdfsetup 138, 190
\ProcessOptions . . . 67
\programme 77, 86
\protect 101, 102, 104, 105, 107, 111, 118, 119

R
\raggedleft 222
\raggedright 223
\relax 16–21, 67, 79, 81–88, 95, 97, 120, 126, 132, 142, 144,

153, 156, 157, 184, 195, 197, 206, 209, 210, 221, 224, 225, 228, 229, 231, 232
\renewcommand .. 91, 183
\RequirePackage 3, 4, 6, 89

S

\secondgrader 80, 81, 88
\secondgradertext . .. 14, 31, 157, 210
\setbox ... 153, 156, 157, 206, 209, 210
\setcounter 96
\smallskip 224
\stretch 158, 160, 211, 213
\subtitle 70, 85
\supervisor .. 78, 79, 87
\supervisortext 7, 24, 156, 209

T

\textbf 148, 201
\textit 146, 199
\thanks 102, 168
\the 108, 110, 117
\thispagestyle 139, 192
\title 68
\titletext 8, 25
\track 76, 84
\tracktext 13, 30, 144, 197
\typeout 131

U

\universityaddress . 20, 37, 54, 230, 231
\universitytext 17, 42, 47, 59, 64, 229
\url 232

V

\value 97, 120, 126
\vskip 170, 176, 180
\vspace 140, 158, 160, 193, 211, 213, 222

W

\wd 153, 156, 157, 206, 209, 210
\website . 21, 36, 53, 232
\what 75, 83

X

\xdef 106, 108, 110, 117, 121