Accessibility testing script

01 / Understand the task

A keyboard and screen-reader pass you can run in forty minutes.

Run a repeatable first accessibility pass on one complete learner task.

Choose one small, real example to work on. A focused attempt gives you better evidence than a general impression.

Your example: _____

Your audience: _____

Your intended outcome: _____

One constraint: _____

Accessibility testing script

02 / Put a method to work

1. Tab from the address bar: find the skip link, main navigation and primary task.

2. Use Shift+Tab to confirm a sensible reverse order and visible focus.

3. Open a menu/dialog with Enter or Space; close it with Escape and check focus return.

4. Submit an empty form, then an invalid value; read the summary and field errors.

5. Check headings, control names and status updates with a screen reader.

6. Repeat at 320px, with 200% text, reduced motion and high-contrast settings.

Working notes: _____

_____

Accessibility testing script

03 / A worked practice scenario

Task: open a course, inspect the curriculum and find a sample lesson.

Record the browser, screen reader, input method, viewport and exact failing step.

An automated report is useful evidence, not proof of complete WCAG conformance. Retest the task after each fix.

Apply the method to your own example. What changes?

Your first attempt: _____

Your revision: _____

Accessibility testing script

04 / Reflect and keep going

Can the learner complete the task without a pointer, colour or animation being required?

What is clearer after using this workbook?

_____

What evidence supports that conclusion?

_____

What is the smallest useful next step?

_____

Feedback prompt: "I noticed ____. That helped / made it harder to ____. One thing to try is ____."

You may adapt this original sample workbook for personal learning and classroom demonstrations.

This is sample learning material, not legal, financial, medical or accreditation advice.