Motion timing reference

01 / Understand the task

Easing curves, durations and the reasoning behind each default.

Choose motion that explains a relationship without delaying the learner.

Choose one small, real example to work on. A focused attempt gives you better evidence than a general impression.

Your example: _____

Your audience: _____

Your intended outcome: _____

One constraint: _____

Motion timing reference

02 / Put a method to work

1. Start with a static interface that communicates the complete state.

2. Use around 150ms for a small control response; try 220ms for a panel transition.

3. Keep longer illustrative sequences user-controlled and nonessential.

4. Animate opacity and translation where possible, not layout dimensions.

5. Use a restrained ease-out for entry; test interruption and repeated clicks.

6. Provide a static reduced-motion version and pause offscreen ambient movement.

Working notes: _____

_____

Motion timing reference

03 / A worked practice scenario

A useful entry curve is cubic-bezier(.16,1,.3,1). The exact duration depends on distance and context.

For a three-step explanation, reveal the next state after the learner selects it. Do not auto-advance past reading content.

Compare a 150ms and 300ms response. Keep the one that explains the change without feeling like a wait.

Apply the method to your own example. What changes?

Your first attempt: _____

Your revision: _____

Motion timing reference

04 / Reflect and keep going

Does the interface remain understandable with every animation removed?

What is clearer after using this workbook?

_____

What evidence supports that conclusion?

_____

What is the smallest useful next step?

_____

Feedback prompt: "I noticed ____. That helped / made it harder to ____. One thing to try is ____."

You may adapt this original sample workbook for personal learning and classroom demonstrations.

This is sample learning material, not legal, financial, medical or accreditation advice.