

```

1  {$R-,S-,I+,D+,T-,F-,V+,B+,N-,L+ }
2  {$M 1024,0,0 }
3  {$DEFINE Debug }
4  {$UNDEF Debug }
5  {PL96}
6
7  {*****}
8  * C-CAD1.PAS
9  * Auswerten der CADLIST.??? - Dateien
10 * Teil 1 auf SYSORG-Rechner
11 *
12 * (c) by NILES-SOFT 1988 VERS. 1.0
13 * Programmierer: Marcus Herbote
14 * {*****}
15
16 uses dos,crt,wahl;
17
18 const copyrc = '(c) 88 by NILES-SOFT';
19 pc1 = 'M o d u l : C - C , A D 1';
20 pc2 = 'V e r s i o n 1 . 0';
21 pc3 = '19.05.88';
22 path_bat = 'C:\BAT\BATCH\';
23
24 {$I FENSTER.INC}
25
26 type bezeichnung = array[1..39] of char;
27 path_type = string[30];
28 cadlist = record kz : char;
29 dat : record case kz : char of
30 char; '1': (objbez : array[1..35] of
31 char; zusbez : array[1..35] of
32 char; objnr : array[1..11] of
33 char; typ : array[1.. 3] of
34 char; archdt : array[1.. 6] of
35 char; bib : array[1.. 8] of
36 char; fuell1 : array[1.. 2] of
37 char); '2': (znr_alt : array[1.. 8] of
38 char; znr_neu : array[1.. 8] of
39 char; zdatanf : array[1.. 8] of
40 char; name : array[1..35] of
41 char; fuell2 : array[1..39] of
42 char);
43 end;
44 path = record nam : array[1.. 8] of char;
45 ext : array[1.. 3] of char;
46 path : array[1..30] of char;
47 bezeich : bezeichnung;
48 cr,lf : char;
49 end;
50 typ_type = record typ1 : array[1.. 3] of char;
51 typ2 : array[1..35] of char;
52 f : array[1.. 2] of char;
53 end;
54
55 var path_d : file of path;
56 path_p : path;
57 hilf_p : string[255];
58 bat_cop, cop1 : text;
59 cad1_d : file of cadlist;
60 objekt : array[1..11] of char;
61 typ3 : string[3];
62 typ4 : string[35];
63 path_u, path_indiv,
64 path_m, path_acad : path_type;
65 lw : char;
66 cad1_p : cadlist;
67 S_Rec : record Fill : array[1..21] of byte;
68 Attr : Byte;
69 Time : LongInt;
70 Size : LongInt;
71 Name : string[12];
72 end;
73 i,j,k,k_y,kb : Integer;
74 typanz : Integer;
75 typ_d : file of typ_type;
76 typ_p : array[1..50] of typ_type;
77 Men_Nr : Integer;
78 Men_Nr_c : string[4];
79 x : LongInt;
80
81 procedure p_text_s(var path:path_type; search:bezeichnung);
82 begin Seek(path_d,0); repeat Read(path_d,path_p);
83 until (path_p.bezeich=search) or Eof(path_d);
84 if path_p.bezeich=search
85 then begin path:=path_p.path; path[0]:=chr(1);
86 while path[ord(path[0])+1]<>' ' do path[0]:=chr(ord(path[0])+1);
87 end
88 else begin textbackground(red); textcolor(yellow+blink);
89 gotoxy(20,10); write('Die Datei "PATH.TXT" enthaelt keinen');
90 gotoxy(20,11); write('Eintrag: "'+search+'" !!!');
91 halt(1);
92 end;
93 end;
94
95 begin clrscr;
96 fenster(1, 1, 1,80,24,'I','M',' ',' ',' ','H','<',' ','M'); gotoxy(1,25);
97
98 Assign(path_d,'C:\PATH.TXT'); SetFAttr(path_d,Archive); Reset(path_d);
99 if IOResult<0 then begin textbackground(red); textcolor(yellow+blink);
100 gotoxy(20,10); write('Die Datei "PATH.TXT" ist n
101 icht ');

```

```

102          gotoxy(20,11); write('          e x i s t e n t !!!
103      ');
104          halt(1);
105      end;
106      p_text_s(path_u, 'bergabe CAD');
107      p_text_s(path_m, 'Install Individual');
108      p_text_s(path_acad, 'AutoCAD');
109      p_text_s(path_indiv, 'Individual');
110      Close(path_d); SetFAttr(path_d,ReadOnly+Hidden);
111      {clrscr; writeln(path_u,'. '); writeln(path_m,'. '); writeln(path_acad,'. '); writeln
112      (path_indiv,'. ');}
113      Assign(typ_d,path_u+'TYP.TXT'); Reset(typ_d);
114      if IOResult<>0 then begin textbackground(RED); textcolor(yellow+BLINK);
115      gotoxy(20,10); write('Die Datei "TYP.TXT" ist ni
116      cht ');
117          gotoxy(20,11); write('          e x i s t e n t !!!
118      ');
119          halt(1);
120      end;
121      typanz:=0;
122      while FilePos(typ_d)<FileSize(typ_d) do
123      begin typanz:=typanz+1; Read(typ_d,typ_p[typanz]); end;
124      Close(typ_d);
125      FindFirst(path_u+'CADLIST.???',AnyFile,S_Rec); i:=0;
126      while DosError=0 do
127      begin i:=i+1; typ3:=copy(S_Rec.Name,9,3);
128      for j:=1 to typanz do
129      begin if typ3=typ_p[j].typ1 then auswahl[i].t:=typ_p[j].typ2; end;
130      FindNext(S_Rec);
131      end;
132      if i=0 then
133      begin textbackground(RED); textcolor(yellow+BLINK);
134      gotoxy(20,10); write('Es liegen keine bergabedateien');
135      gotoxy(20,11); write('fuer das CAD - System vor !!! ');
136      halt(1);
137      end;
138      for j:=1 to i do
139      begin auswahl[j].x:=33; auswahl[j].y:=j+5; end;
140      w:=1; wahl1(i); Window(2,4,79,23); clrscr; Window(1,1,80,25);
141      typ4:=auswahl[w].t; Men_Nr:=9000;
142      for j:=1 to typanz do
143      begin if typ4=typ_p[j].typ2 then typ3:=typ_p[j].typ1; end;
144      Assign(cop,path_m+'TITEL'); Rewrite(cop);
145      Str(Men_Nr:4, Men_Nr_c); Assign(bat,path_m+Men_Nr_c); Rewrite(bat);
146      writeln(bat,'C',03,00,03,14);
147      writeln(bat,'W',01,01,60,05,'I,M,K,.,L,<.,M';201,205,203,186,204,188,18
148      6,205');
149      writeln(bat,'E',TITEL);
150      write(bat,'10,55,');
151      Assign(cadl_d,path_u+'CADLIST.'+typ3); Reset(cadl_d);
152      Read(cadl_d,cadl_p);
153      with cadl_p.dat do
154      begin gotoxy(10,10); write('Objektbezeichnung: '+objbez);
155      writeln(cop,'',02,03,Objektbezeichnung: '+objbez);
156      gotoxy(10,11); write(' '+zusbez);
157      writeln(cop,'',03,03, '+zusbez);
158      gotoxy(10,8); write('Objektnummer : '+objnr+ ' '+typ4);
159      writeln(bat,objnr);
160      end;
161      Write(cop,'',04,03,' '+typ4);
162      Write(cop,''); Close(cop); Assign(cop,path_m+'REN-DWG.BAT'); Rewrite(cop);
163      Read(cadl_d,cadl_p); k_y:=6; kb:=33;
164      while FilePos(cadl_d)<FileSize(cadl_d) do
165      begin with cadl_p.dat do
166      begin if znr_alt<>' ' then
167      begin writeln(cop,'RENAME '+znr_alt+'.DWG '+znr_neu+'.DWG')
168      end;
169      gotoxy(10,15); write('alte Zeichnungsnummer: ',znr_alt);
170      gotoxy(10,16); write('neue Zeichnungsnummer: ',znr_neu);
171      gotoxy(10,17); write('Beginn der Erstellung: ',zdatanf);
172      gotoxy(10,18); write('Zeichnungsbezeichnung: ');
173      gotoxy(10,20); write(name);
174      write(bat,'b',chr(64+kb),',',kb:=kb+1;
175      if k_y>9 then write(bat,k_y:2) else write(bat,'0',k_y:1);
176      writeln(bat,'10, '+name),k_y:=k_y+1;
177      writeln(bat,'>$01(' +znr_neu+)',');
178      end;
179      if k_y=21 then
180      begin if Men_Nr>9000 then
181      begin Men_Nr:=Men_Nr-1; Str(Men_Nr:4, Men_Nr_c);
182      writeln(bat,'m1,22,07, '+Men_Nr_c+',vorige Seite
183      ');
184      Men_Nr:=Men_Nr+1; Str(Men_Nr:4, Men_Nr_c);
185      writeln(bat,'m2,23,07, '+Men_Nr_c+',naechste Seite
186      ');
187      Men_Nr:=Men_Nr-1; Str(Men_Nr:4, Men_Nr_c);
188      writeln(bat,'mz,22,47,0000,Haupt-AUSWAHL-Ebene ');
189      writeln(bat,'>$01(%1)',');
190      writeln(bat,'>$ACAD.BAT"(%1, '+path_acad+', '+path_indiv+')');
191      Close(bat);
192      Assign(cop1,path_m+Men_Nr_c); Reset(cop1);
193      Men_Nr:=Men_Nr+1; Str(Men_Nr:4, Men_Nr_c);
194      Assign(bat,path_m+Men_Nr_c); Rewrite(bat);
195      for i:=1 to 4 do
196      begin Readln(cop1,hilf_p); writeln(bat,hilf_p); end;
197      Close(cop1); k_y:=6; kb:=33;
198      end;
199      Read(cadl_d,cadl_p); for x:=1 to 20000 do ;
200      end;
201      if Men_Nr>9000 then
202      begin Men_Nr:=Men_Nr-1; Str(Men_Nr:4, Men_Nr_c);
203      writeln(bat,'m1,22,07, '+Men_Nr_c+',vorige Seite
204      ');
205      Men_Nr:=Men_Nr+1; Str(Men_Nr:4, Men_Nr_c);
206      end;

```

Seite C-CAD - 3