Mher Tovmasyan

E-commerce website

Introduction:

Project is a simple and reliable e-commerce website. With user-friendly interface and basic functions.

A well-organized product catalog and search has been created to allow customers to browse through different categories and easily find the products they want and add to cart.


Tech stack

Baskend Node.js

- MySql
- Express
- Sequelize
- Jwt, nodemailer
- Multer

<u>Frontend</u>


- Typescript
- React.js
- Redux, toolkit
- Ant design



- Categories
- Search
- Cart

Women Kids Sale

Product





Slub Cotton Hoodie



Quantity: 1


Add To Cart


Product Details

Combed cotton that's knit for subtle texture gives this gym-class fave a lighter weight than classic hoodies and makes it easy to layer as the days cool.

Featured Products


New Summer Collection






- Authentication (JWT)
- verification (NodeMailer)
- Cart

Men Women Kids Sale




Men Women Kids Sale


Contakt Help Register Login



Admin page to manage the site

- CRUD products
- CRUD categories
- CRUD navbar






- Routers (Express)
- Authentication (JWT)
- Verification (NodeMailer)
- Multer

```
router.get('/allproducts', PublicControllers.allProducts);
router.get('/allcategories', PublicControllers.allCategories);
                                                                                                            next()
router.get('/allnavbars', PublicControllers.allNavbars);
router.get('/product/:product_id', PublicControllers.product);
                                                                                                         else {
router.get('/navbars', PublicControllers.navbars);
router.get('/categories/:category', PublicControllers.categories);
router.get('/categoryId/:category id', PublicControllers.categoryId)
                                                                                                   }).catch((err)=>{
router.get('/navbarId/:navbar id', PublicControllers.navbarId)
                                                                                                       console.log(err)
router.get('/verify/:token', PublicControllers.verify);
router.get('/images/:name', PublicControllers.images);
router.post('/register', PublicControllers.register);
router.post('/login', PublicControllers.login);
router.post('/addcart', authenticateToken user, userControllers.addCart);
router.post('/deletecart', authenticateToken user, userControllers.deleteCart);
router.get('/userbuys/:cart id', authenticateToken user, userControllers.userBuys);
router.post('/addcategory', authenticateToken admin, adminController.addCategory);
router.post('/addnavbar', authenticateToken admin, adminController.addNavbar);
router.post('/addproduct', authenticateToken admin, adminController.addProduct);
router.post('/upload', upload.single('image'), adminController.upload);
router.delete('/deleteproduct', authenticateToken admin, adminController.deleteProduct);
router.delete('/deletecategory', authenticateToken admin, adminController.deleteCategory);
router.delete('/deletenavbar', authenticateToken admin, adminController.deleteNavbar);
router.put('/updateproduct/:product_id', authenticateToken_admin, adminController.updateProduct);
router.put('/updatecategory/:category id', authenticateToken admin, adminController.updateCategory);
router.put('/updatenaybar/:naybar id', authenticateToken admin, adminController.updateNaybar);
module.exports = router;
```

```
if (err) {
  return res.sendStatus(403)
const decoded = jwt.decode(token)
Users.findOne({
    where: {
         email: decoded.email
}).then((user)=>{
    if("user" === user.role){
        return res.json("it is not verified")
    } else if("verified user" === user.role){
        return res.sendStatus(403)
                               function sendmail(email, token) {
                                   const transporter = nodemailer.createTransport({
    res.sendStatus(403)
                                       service: 'gmail',
                                       auth: {
                                           user: process.env.EMAIL,
                                           pass: process.env.EMAIL PASSWORD
                                   const mailOptions = {
                                      from: 'tovmasyanmher70@gmail.com',
                                       to: email.
                                       subject: 'Sending Email using Node.js',
                                       text: `click http://localhost:3001/verify/${token}
                                   transporter.sendMail(mailOptions, function (error, info)
                                      if (error) {
                                           console.log(error);
                                       } else {
                                           console.log('Email sent: ' + info.response);
```

jwt.verify(token, SECRET, (err) => {

- MySql
- Sequelize



Շևորհակալություն