





REV.	DESCRIPTION	DATE	APPROVED
B	DEEPENED DWELL ON SPLINE, REV. TOL ON 1.603 OD LENGTH (WAS ±.002)	11-10-10	MCH
C	INCREASED NUMBER OF C'BORES (WAS 4)	10-2-14	MCH
D		12/13/2017	




SECTION A-A
SCALE 1 : 1



SEE PG.2 FOR
TIMING HOLE
AND GROOVE
DETAILS



DETAIL B
SCALE 2 : 1



8X Ø .144+.005-.000 THRU
Ø .263+.005-.000 ∇ .073+.005-.000

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
SPECIAL TOOL SOLUTIONS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
SPECIAL TOOL SOLUTIONS IS PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH±1° BEND ±1° TWO PLACE DECIMAL ± .010 THREE PLACE DECIMAL ± .005	NAME	DATE	SPECIAL TOOL SOLUTIONS	
			DRAWN	MCH		09/21/09
			CHECKED			
			ENG APPR.			
			MFG APPR.			
		MATERIAL			INTERMEDIARY HOUSING, J.5-J3AP CLUTCH (BEFORE HEAT TREAT)	
		4340/H.T. 44-48 HRC				
		FINISH	COMMENTS: REMOVE ALL BURRS AND BREAK SHARP EDGES			
NEXT ASSY	USED ON	BLACK OXIDE				
APPLICATION		DO NOT SCALE DRAWING				
			SIZE A	DWG. NO. P000420	REV. D	
			SCALE:1:1		WEIGHT:	
					SHEET 1 OF 4	

SPECIAL TOOL SOLUTIONS

INTERMEDIARY HOUSING,
J.5-J3AP CLUTCH
(BEFORE HEAT TREAT)

SIZE
A

DWG. NO.
P000420



REV.
D

SCALE: 1:1


WEIGHT:

SHEET 1 OF 4


REV.	DESCRIPTION	DATE	APPROVED
-	See BEFORE H.T.	-	-




3X @120° ϕ .1875
(USE 3/16 BALL MILL)




DETAIL D
SCALE 2 : 1



DETAIL F
SCALE 2 : 1





SECTION C-C





PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
SPECIAL TOOL SOLUTIONS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
SPECIAL TOOL SOLUTIONS IS PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH ± 1° BEND ± 1° TWO PLACE DECIMAL ± .010 THREE PLACE DECIMAL ± .005		NAME	DATE	SPECIAL TOOL SOLUTIONS			
			DRAWN	MCH	09/21/09				
			CHECKED				INTERMEDIARY HOUSING, J.5-J3AP CLUTCH (BEFORE HEAT TREAT)		
			ENG APPR.						
			MFG APPR.						
		MATERIAL 4340/ H.T. 44-48 HRC	Q.A.						
		FINISH NICKEL PLATE	COMMENTS: REMOVE ALL BURRS AND BREAK SHARP EDGES						
NEXT ASSY	USED ON						SIZE A	DWG. NO. P000420	REV. D
APPLICATION		DO NOT SCALE DRAWING							
			SCALE:1:1		WEIGHT:		SHEET 2 OF 4		


REV.	DESCRIPTION	DATE	APPROVED
-	See BEFORE H.T.	-	-



SECTION A-A
SCALE 1 : 1



DETAIL B
SCALE 2 : 1



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPECIAL TOOL SOLUTIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPECIAL TOOL SOLUTIONS IS PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH ±1° BEND ±1° TWO PLACE DECIMAL ± .010 THREE PLACE DECIMAL ± .005		NAME	DATE
			DRAWN	MCH	09/21/09
			CHECKED		
			ENG APPR.		
			MFG APPR.		
		MATERIAL			
		4340/H.T. 44-48 HRC	COMMENTS: REMOVE ALL BURRS AND BREAK SHARP EDGES		
		FINISH			
NEXT ASSY	USED ON	BLACK OXIDE			
APPLICATION		DO NOT SCALE DRAWING			

SPECIAL TOOL SOLUTIONS			
INTERMEDIARY HOUSING, J.5-J3AP CLUTCH (AFTER 2ND OP)			
SIZE A	DWG. NO. P000420	REV. D	
SCALE:1:1	WEIGHT:	SHEET 3 OF 4	