

FLUXPAY

CONSUMER PAYMENTS ON MONAD

money that moves like a message.

Send, split, and stream money with sub-second settlement —
no seed phrase, no wallet, no gas, no "blockchain" in the UI.

Track 2 · Consumer Products & Payments

Monad Metropolis 2026

Non-custodial

Fluxpay · Team brief

Deployed on Monad Testnet (chain 10143)

01 The problem

Stablecoin rails are built for institutions, not people.

\$390B

real stablecoin payments settled
in 2025

58%

of that volume is B2B — under
1% is retail

76%

of users who tried a crypto
payment abandoned it

Friction kills the consumer use case

Wallets, seed phrases, gas tokens, and chain selection push everyday users away. Paying a friend should feel like sending a text, not operating a bank terminal.

Monad's speed has no consumer face

Monad has deep DeFi and institutional capital but no consumer payment app. The infrastructure is ready; the human layer is missing.

02 What we're building

A passkey-first payments app with three surfaces.

SURFACE	WHAT IT DOES	WHY IT WINS
Pay	Send by username, request, QR, shareable links, one-tap group splits	The app that never says "blockchain" — Face ID to first payment in under 30 seconds
Streams	Per-second billing vaults: subscriptions, pay-per-minute services, allowances	Impossible elsewhere at this speed — the live demo: pause and the tick freezes in under 1 second
Activity	Real-time feed of every settlement and stream tick	Makes sub-second finality visible

03 Why Monad

~400 ms blocks, ~800 ms finality

Settlements land before the sender lifts their finger; streams tick in real time. The UX is honest, not optimistic marketing.

Gas abstraction

Users hold only USDC. Monad bills `gas_limit`, so we set explicit per-selector gas limits instead of estimating — sponsored and predictable.

04 How it works

Non-custodial by construction.

Passkey accounts

Mera derives a standard EOA from a WebAuthn passkey (no seed phrase, no MPC). EIP-7702 delegation adds batching and sponsored gas.

Non-custodial

Keys live on the user's device. The backend relays signed intents — it can delay, never steal. The chain is the source of truth; Postgres is a cache.

Recipient-bound links

Payment links use a signed ephemeral claim bound to the claimer, so a mempool observer cannot front-run and steal the escrow.

Streams that never inflate

Per-stream prefunded escrow with 18-decimal remainder-preserving accrual. Pause, cancel, and top-up settle atomically.

05 Status

AREA	STATE
Smart contracts	Deployed & verified on Monad Testnet — <code>FluxPay</code> , <code>StreamVault</code> , <code>PaymentLinkEscrow</code> , <code>SplitManager</code> , <code>UsernameRegistry</code>
Contract tests	Foundry unit + invariant suite passing (accrual caps, no double-withdraw, pause/resume, refunds)
Backend	TypeScript gateway, registry, WebSocket feed, Postgres read model, log-poller indexer
Frontend	Next.js PWA — onboarding, pay, splits, streams, live activity

06 Roadmap

- **Day 1–2:** passkey onboarding · send by username · payment links
- **Day 3–4:** live activity feed · per-second streams (the demo moment)
- **Day 5–6:** splits · hardening · polish · backup demo video
- **Then:** stablecoin bounties — Agora AUD cross-border, Chainlink CRE automation, Envio indexing, Privy/Dynamic embedded auth

FLUXPAY

money that moves like a message.

Built for Monad Metropolis 2026 · Track 2
Deployed on Monad Testnet · chain 10143