

# **Learn Links and Buttons**

## **Signifiers**

In the field of user interface design, signifiers are indicators that offer clues about how to interact with new objects or situations.

## The User Agent Stylesheet

The user agent stylesheet is a set of default styles included in the browser for use on all web pages.

#### **Links and Button Behavior**

Links and buttons should exhibit the same behavior across different browsers to consistently maintain the same experience for all users.

### **Link States**

In a browser, links have four main states:

- · Normal (not clicked)
- Hover
- · Active (clicked)
- Visited

## **Link Styles**

Links should be styled in a different way from their surrounding text. By default, links appear blue and underlined in contrast to

the surrounding black text.

#### **Anchor Text**

Anchor text is the text inside of a link and is descriptive of the linked resource.

It improves:

- Usability
- Accessibility
- · Search engine optimization



#### The 'title' Attribute

The title attribute can be provided to any HTML element.

This attribute is used for additional context or advisory text for clickable elements.

## **Tooltips**

A tooltip is a descriptive box which contains the text of an element's title attribute and appears near the user's cursor.

#### The: hover CSS Pseudo-Class

The CSS pseudo-class :hover is used to style an element when the mouse cursor hovers over it.

# The CSS cursor Property

The CSS cursor property is used to change the appearance of the mouse cursor when hovering over an element.

#### Skeuomorphism

Skeuomorphism is the concept of replicating or imitating real-life counterparts with UI elements.

## Flat Design

Flat design uses simplicity and lack of clutter for its UI



## **Button Skeuomorphic Styling**

A <button> element can incorporate skeuomorphic styling for a realistic 3D appearance.

When pressing the button, a texture change may occur to make the button appear to flatten and pop back up when released.

# **Button Flat Styling**

A <button> element can incorporate flat styling for a simple 2D effect.

When pressing the button, a color change may occur as a signifier that the button has been pressed.

#### **Button Hover State**

A button can have a hover state that changes the appearance of a cursor when it is directly over the button.

#### **Mobile Device Hover State**

The hover state of buttons and links do not apply to mobile devices due to the lack of a cursor.



