PT. LONG RICH INDONESIA

Form Aspek Dampak

Tahun : 2024

Area : A1

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
	ALL PLANT&ADM. OFFICE																			
1	All (Plant & Adm. Office)	Parkir (semua kendaraan)	Emisi CO-CO2 ke atmosfir	Kontaminasi udara/atmosphir	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
2			Bocor/tumpahan minyak atau bensin	Kontaminasi permukaan tanah/tanah	L	1	1	1	HREAI	1	3	3	3-LR	Abnormal	V	V	V		6,8	Pengecekan security, penanganan tumpahan
3	All (Plant & Adm. Office)	Konsumsi listrik (termasuk penerangan,komputer, printer, mesin,charging bateri)	Konsumsi energi-listrik	Preservation of Natural Resources	L	4	4	16	SHREAI	2	2	64	3-LR	Normal	v	V	V	V	7,8	
4		Penggunaan air (termasuk untuk proses kebersihan, minum, pencucian, produksi, toilet, sanitasi)	Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V	V	7	Rainwater harvesting program
5		Penggunaan baterai	limbah padat-B3	Kontaminasi permukaan tanah/tanah	L	3	2	6	SHREAI	2	2	24	3-LR	Normal	v	V	V	v	1,5,6,8	kontrol penggunaan, penyediaan tempat limbah B3, pembuangan ke PPLI
6		Kegiatan administrasi (diantaranya computing, printing, laporan, record, dokumentasi)	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	1	3	HREAI	2	4	24	3-LR	Normal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
7			limbah padat – plastik	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	3	4	48	3-LR	Normal	V	V	V	V	3,5,6,8	recycle program, prosedur penanganan sampah
8			limbah padat- limbah organik (makanan)	Kontaminasi permukaan tanah/tanah	L	1	1	1	HREAI	2	4	8	3-LR	Normal	V	V	V		1,5,6,8	Prosedur penanganan sampah, biopore program
9		Sisa tinta pronter, fax dan fotocopy Photocopy	limbah padat-B3	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	1	2	8	3-LR	Normal	V	V	V	V	2,5,6,8	Reuse tempat toner,prosedur Hazardous chemical
10		limbah pita printer	limbah padat-B3	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	1	2	8	3-LR	Normal	V	V	V	V	1,5,6,8	Reuse tempat toner,prosedur Hazardous chemical
11		Kegiatan administrasi (diantaranya computing, printing, laporan, record, dokumentasi)	limbah padat-kertas	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
12			Limbah padat – scrap campuran (besi + plastic)	Kontaminasi tanah	L	2	1	2	HREAI	3	3	18	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
13		Toilet/Wastafel/Handwash	limbah cair – sanitary	Kontaminasi air/air tanah	L	2	2	4	HREAI	1	2	8	3-LR	Normal	V	V	V	V	3,8	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
14		Toilet/Wastafel/Handwash	limbah padat – kertas	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	2	8	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
15			limbah padat- limbah organik (makanan)	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	2	8	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
16		Pantry	limbah padat- limbah organik (makanan)	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	2	8	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
17			limbah padat – glass	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	2	2	16	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah
18			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
19			Limbah cair – kebersihan	Kontaminasi permukaan air/air tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V	V	3,8	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
20			Atmospheric Emissions – ozone depleting gases	Kontaminasi udara/atmosphir	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
21			limbah padat – limbah konstruksi	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	2	8	3-LR	Normal	V	V	V	V	3,5.6	recycle program, prosedur penanganan sampah

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
22		Air Conditioning Unit & Air Handling Unit	Atmospheric Emissions – ozone depleting gases	Kontaminasi udara/atmosphir	L	2	2	4	HREAI	1	3	12	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
23			limbah padat – sleeve filter / air filter	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	1	4	16	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
24		Fire Prevention-Explosion-fire	limbah padat-B3	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	1	3	12	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
25			Atmospheric Emissions – particles (powder / dust)	Kontaminasi udara/atmosphir	L	2	2	4	HREAI	1	3	12	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
26			Bocoran/tumpahan bahan kimia (contoh CIP cair)	Kontaminasi air/air tanah	L	2	2	4	HREAI	1	3	12	3-LR	Abnormal		V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
27	Mushola	Penggunaan air	Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	3	2	6	SHREAI	2	4	48	3-LR	Normal		V	V	V	7	Project Rainwater Harvesting Program
28			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal		V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
29	Area Pembuangan sampah	Penanganan limbah berbahaya	Bocor/tumpahan sampah kimia	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	2	4	32	3-LR	Abnormal		V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
30		Penanganan limbah tidak berbahaya	Bocor/tumpahan material organik (tepung)	Kontaminasi permukaan tanah/tanah	L	1	2	2	HREAI	2	3	12	3-LR	Abnormal		V	V	V	1,5,6,8	recycle program, prosedur penanganan sampah
31			Bocoran/tumpahan material organik (spt :susu,krim)	Kontaminasi air	L	1	2	2	HREAI	2	3	12	3-LR	Abnormal		V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
32			Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V		7	Project Rainwater Harvesting Program
33	Ruang server	Listrik (termasuk untuk pencahayaan, komputer, printer, peralatan, mesin , charging)	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	2	4	HREAI	4	4	64	3-LR	Normal		V	V		7	Objective & Target, Sustaibility Program (Aii/CBD program)
34			Bocoran/tumpahan material organik (spt :susu,krim)	Kontaminasi tanah	L	1	1	1	HREAI	2	4	8	3-LR	Normal		V	V		3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
35		Makanan	Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V		7	Project Rainwater Harvesting Program
36			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
37			Atmospheric Emissions – ozone depleting gases	Kontaminasi udara/atmosphir	L	2	2	4	HREAI	2	2	16	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
38			limbah padat – glass	Kontaminasi permukaan tanah/tanah	L	1	1	1	HREAI	1	3	3	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
39			limbah padat – kertas	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	2	2	HREAI	2	4	16	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
40			limbah padat- limbah organik (makanan)	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
41			Limbah cair – sanitary	Kontaminasi air/air tanah	L	1	2	2	HREAI	2	4	16	3-LR	Normal	V	V	V	V	3,8	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
42	Umum	Pencucian	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	4	4	16	SHREAI	2	2	64	3-LR	Normal		V	V		7	Objective & Target, Sustaibility Program (Aii/CBD program)
43			Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	1	1	1	HREAI	4	4	16	3-LR	Normal		V	V		7	Project Rainwater Harvesting Program
44			Kebocoran/ tumpahan bahan kimia (ex CIP liquid)	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
45			limbah padat-gelas	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
46			Kebocoran/tumpahan bahan organik (susu,krim,tepung)	Kontaminasi air/air tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal		V	V		1,5,6,8	recycle program, prosedur penanganan sampah
47			limbah padat- limbah toilet	Kontaminasi air/air tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,8	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
48			limbah padat – limbah kain majun yang terkontaminasi /cat,solven,grease,oli.	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
49			limbah padat- limbah organik (makanan)	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
50			Limbah padat – limbah organik (proses penanaman)	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
51			limbah padat – sampah umum	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
52			limbah padat – kayu	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
53			limbah padat - bekas sikat	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
54			Limbah cair – industrial	Kontaminasi tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V		3,8	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
55	Warehouse	Penerimaan dan Penyimpanan Chemical	Kebocoran/Tumpahan Chemical	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	4	16	3-LR	Abnormal		V	V		5,6,8	Prosedur penaganan tumpahan, Monitoring
56			Kebocoran/Tumpahan Chemical	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	2	4	16	3-LR	Abnormal		V	V		5,6,8	Prosedur penaganan tumpahan, Monitoring
57			Emisi ke atmosphir - Bau	Kontaminasi udara	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V		3,8	Filter, maintenance, monitoring
58		Pembongkaran Chemical, dan material di luar dengan menggunakan forklift solar	Emisi ke atmosphir - Bau	Kontaminasi udara	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V		3,8	Filter, maintenance, monitoring
59			Bocor/tumpahan Lem,minyak atau bensin	Kontaminasi permukaan tanah/tanah	L	4	1	4	HREAI	4	4	64	3-LR	Normal		V	V		5,6,8	Prosedur penaganan tumpahan, Monitoring
60			Bocor/tumpahan material organik	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	4	4	32	3-LR	Abnormal		V	V		5,6,8	Prosedur penaganan tumpahan, Monitoring
61		Solid bag (drum, Jerigen, Plastic Material)	Limbah padat - sisa logam	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	4	4	32	3-LR	Normal	V	V	V	V	5,6	recycle program, prosedur penanganan sampah
62			Limbah padat - material	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	4	4	32	3-LR	Normal	V	V	V		5,6	recycle program, prosedur penanganan sampah
63		Penggunaan Blower	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	3	6	SHREAI	4	4	96	2-MR	Normal		V	V		7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
64			Emisi ke atmosphir - ozone depleting gases	Kontaminasi udara	L	2	2	4	HREAI	2	2	16	3-LR	Normal	V	V	V	V	3,8	Filter, maintenance, monitoring
65		Floor Shifting	Solid Waste – organic waste (food)	Contamination of Land / Soil		2	1	2	HREAI	1	3	6	3-LR	Normal	V	V	V	V	5,6	recycle program, prosedur penanganan sampah
66			Solid Waste – paper	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)		1	1	1	HREAI	1	3	3	3-LR	Normal	V	V	V	V	5,6	recycle program, prosedur penanganan sampah
67			Solid Waste – plastic	Contamination of Land / Soil		2	1	2	HREAI	1	3	6	3-LR	Normal	V	V	V	V	5,6	recycle program, prosedur penanganan sampah
68			Atmospheric Emissions – particles (powder / dust)	Distirbunce to the Employees / Neighbourhood / Community (or human)		2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	Filter, maintenance, monitoring
69	**PRODUCTION**																			

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
70	Mixing Room	Mixing Proccess	Kebocoran/ ceceran bahan kimia	Kontaminasi permukaan tanah/tanah	L	2	3	6	SHREAI	4	4	96	2-MR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penanganan tumpahan, Monitoring
71			Material consumption with natural resource usage impact	Reduction of Natural Resources	L	1	2	2	HREAI	3	4	24	3-LR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
72			Atmospheric Emissions	Kontaminasi udara / atmosphir	L	1	1	1	HREAI	4	4	16	3-LR	Normal	v	v	v	v	3,8	Filter, maintenance, monitoring
73			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	3	9	SHREAI	3	4	108	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
74			limbah cair	Gangguan ke lingkungan sekitar, masyarakat dan karyawan	L	2	2	4	HREAI	4	3	48	3-LR	Normal	v	v	v	v	3,5.6	recycle program, prosedur penanganan sampah
75		Mencuci wadah dan alat	Penggunaaan energi - Air	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
76		Water Supply (transferred via liquid handling system)	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)		3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
77			Penggunaan air	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Project Rainwater Harvesting Program
78	Second Proses	Preperation Section	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
79			Atmospheric Emissions – odors	Kontaminasi udara / atmosphir	L	2	2	4	HREAI	4	4	64	3-LR	Normal	v	v	v	v	3,8	Filter, maintenance, monitoring
80			Kebocoran / Tumpahan bahan kimia (e.g.CIP liquid) jatuh ke saluran air	Kontaminasi air / Air tanah	L	3	2	6	SHREAI	4	4	96	2-MR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
81			Kebocoran/ ceceran bahan organik(e.g. milk, cream, whey)	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	2	3	24	3-LR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
82			limbah padat – plastik	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	4	3	24	3-LR	Normal	v	v	v	v	5,6	recycle program, prosedur penanganan sampah
83	Sewing	Penjahitan Material	Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
84			Atmospheric Emissions – odors	Kontaminasi udara / atmosphir	L	2	2	4	HREAI	4	4	64	3-LR	Normal	v	v	v	v	3,8	Filter, maintenance, monitoring
85			Kebocoran / Tumpahan bahan kimia (e.g.CIP liquid) jatuh ke saluran air	Kontaminasi air / Air tanah	L	3	2	6	SHREAI	4	4	96	2-MR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
86			Kebocoran/ ceceran bahan organik(e.g. milk, cream, whey)	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	2	3	24	3-LR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
87			limbah padat – plastik	Kontaminasi permukaan tanah/tanah	L	2	1	2	HREAI	4	3	24	3-LR	Normal	v	v	v	v	5,6	recycle program, prosedur penanganan sampah
88	Assembling	Pengeleman Material	Kebocoran/ ceceran bahan Kimia /Lem	Kontaminasi permukaan tanah/tanah	L	2	3	6	SHREAI	4	3	72	3-LR	Abnormal	v	v	v	v	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
89			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	2	6	SHREAI	4	4	96	2-MR	Normal	v	v	v	v	7	Objective & Target, Sustaibility Program (Aii/CBD program)
90			Kebisingan Emissions	Gangguan ke lingkungan sekitar, masyarakat dan karyawan	L	3	2	6	SHREAI	2	4	48	3-LR	Normal	v	v	v	v	7	Penanaman pohon untuk mengurangi bising lingkungan
91			limbah padat – limbah organik (makanan)	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	4	4	64	3-LR	Normal	v	v	v	v	3,5.6	recycle program, prosedur penanganan sampah
92	Maintenance/Mekanik	Receival equipment and Spareparts	Limbah padat – kayu	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
93			Limbah padat – kertas	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
94			Limbah padat – sampah campuran (metal + plastic)	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	2	4	32	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
95		Spareparts and oil storage	Penggunaan tenaga – listrik	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	4	12	SHREAI	2	2	48	3-LR	Abnormal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
96			Kebocoran / Tumpahan minyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	2	4	32	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
97			Kebocoran / Tumpahan bahan kimia (e.g.CIP liquid) jatuh ke saluran air	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	2	4	32	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
98			Ledakan - Kebakaran	kontaminasi udara / Atmosphere	L	4	4	16	SHREAI	1	2	32	3-LR	Emergency	V	V	V	V	5,6,8	Prosedur penanganan kebakaran, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit
99			Kebocoran / Tumpahan of cat	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	2	4	32	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
100			Limbah padat – batteries	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	3	18	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
101			Limbah padat – sampah campuran (metal + plastic)	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
102			Limbah padat - tidak berbahaya	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
103			Limbah padat - non-ferrous metals	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
104			Limbah padat – kertas	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
105			Limbah padat – kertasboard	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
106			Limbah padat – cat / grease / oil sludge	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	2	4	16	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
107			Limbah padat - karet	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	3	3	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
108			Limbah padat – PVC	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	1	4	16	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
109		Maintenance machine	penggunaan tenaga – listrik	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	1	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
110			Limbah padat – solvents/ink/chemical container	kontaminasi air / air tanah	L	1	2	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
111			limbah cair - Hazardous	kontaminasi air / air tanah	L	3	2	6	SHREAI	2	2	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
112			Limbah padat – batteries	kontaminasi lapisan tanah / tanah	L	3	2	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
113			Limbah padat – sampah campuran (metal + plastic)	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
114			Limbah padat – cat / grease / oil containers	kontaminasi lapisan tanah / tanah	L	3	3	9	SHREAI	1	4	36	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
115			Limbah padat – cat / grease / oil sludge	kontaminasi lapisan tanah / tanah	L	3	3	9	SHREAI	1	4	36	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
116			Limbah padat – contaminated cotton waste / cloth (cats / solvents / grease / oils)	kontaminasi lapisan tanah / tanah	L	3	3	9	SHREAI	1	4	36	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
117			Ledakan - Kebakaran	kontaminasi udara / Atmosphere	L	4	4	16	SHREAI	1	2	32	3-LR	Emergency	V	V	V	V	5,6,8	Prosedur penanganan kebakaran, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
118			Limbah padat – lubricant oil	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	1	4	16	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
119			Kebocoran / Tumpahanminyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	4	4	64	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
120			Limbah padat - karet	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
121			Limbah padat – used brushes	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
122	Workshop	Weld	penggunaan tenaga – listrik	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	1	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
123			Atmospheric Emissions – CO / CO2	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
124			Atmospheric Emissions – acid gases	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
125			penggunaan tenaga – natural gas	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	2	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
126		Operate pipe tapping and cutting machine	penggunaan tenaga – listrik	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	1	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
127			Atmospheric Emissions – CO / CO2	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
128			Atmospheric Emissions – acid gases	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
129			penggunaan tenaga – natural gas	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	2	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
130			penggunaan air	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	2	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	7,8	Project Rainwater Harvesting Program
131			Kebocoran / Tumpahanminyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	1	4	16	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
132			Ledakan - Kebakaran	kontaminasi udara / Atmosphere	L	4	4	16	SHREAI	1	2	32	3-LR	Emergency	V	V	V	V	5,6,8	Prosedur penanganan kebakaran, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit
133			Gas Leaking	kontaminasi udara / Atmosphere	L	2	1	2	HREAI	1	3	6	3-LR	Abnormal	V	V	V	V	5,6,8	Prosedur penanganan kebocoran gas, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit
134			limbah cair - Hazardous	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6	Waste Management
135			Limbah padat – contaminated cotton waste / cloth (cats / solvents / grease / oils)	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
136			Limbah padat – batteries	kontaminasi lapisan tanah / tanah	L	3	3	9	SHREAI	1	4	36	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
137			Limbah padat – lubricant oil	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
138			Limbah padat – cat / grease / oil containers	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
139			Limbah padat – cat / grease / oil sludge	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
140			Limbah padat – kertas	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
141	Utility	Equipment operational (Genset, Compressor, Chiller)	penggunaan tenaga – listrik	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	3	6	SHREAI	4	4	96	2-MR	Normal	V	V	V	V	7,8	Objective & Target, Sustaibility Program (Aii/CBD program)

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
142			Atmospheric Emissions – CO / CO2	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	2	2	16	3-LR	Normal	V	V	V	V	3,8	filter, Monitoring & Measurement/RKL RPL
143			penggunaan tenaga – fuel oil	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	3	1	3	HREAI	1	4	12	3-LR	Normal	V	V	V	V	7	Objective & Target, Sustaibility Program (Aii/CBD program)
144			Ledakan - Kebakaran	kontaminasi udara / Atmosphere	L	4	4	16	SHREAI	2	2	64	3-LR	Emergency	V	V	V	V	5,6,8	Prosedur penanganan kebakaran, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit
145			Gas Leaking	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	1	4	16	3-LR	Emergency	V	V	V	V	5,6,8	Prosedur penanganan kebocoran gas, penyediaan alat pemdam api, ERT team trained person, hazardous chem pros, working permit
146			Kebocoran / Tumpahan cat	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	1	4	8	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
147			Limbah padat – batteries	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	2	4	48	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
148			Kebocoran / Tumpahan minyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	2	4	48	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
149			Limbah padat – lampu TL	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	2	4	48	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
150			Limbah padat – glass	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	4	4	32	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
151		Equipment Cleaning	Limbah padat – sleeve filter / air filter	kontaminasi lapisan tanah / tanah	L	2	2	4	HREAI	4	4	64	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
152			Limbah padat - karet	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
153			Limbah padat – PVC	kontaminasi lapisan tanah / tanah	L	1	2	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
154			Atmospheric Emissions – solvent fumes	kontaminasi udara / Atmosphere	L	2	2	4	HREAI	2	2	16	3-LR	Normal	V	V	V	V	5,6	filter, Monitoring & Measurement/RKL RPL
155			Kebocoran / Tumpahanminyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	1	4	8	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
156			Kebocoran / Tumpahanof cat	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
157			Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	1	1	1	HREAI	4	4	16	3-LR	Normal	V	V	V	V	7,8	Project Rainwater Harvesting Program
158			limbah cair - Hazardous	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
159			Limbah padat – lubricant oil	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
160			Limbah padat – sampah campuran (metal + plastic)	kontaminasi lapisan tanah / tanah	L	2	1	2	HREAI	1	4	8	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
161			Limbah padat – used brushes	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
162			Limbah padat - karet	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
163		Hydran	penggunaan air	Mengurangi atau merusak sumber daya (termasuk hewan dan tumbuhan)	L	2	3	6	SHREAI	4	4	96	2-MR	Normal	V	V	V	V	7,8	Project Rainwater Harvesting Program
164		Maintenance- Forklift	limbah cair - Hazardous	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6	Waste Management

			ENVIRONMENTAL							RISK ASSESSMENT										
No	AREA	PROCESS	HAZARD/ASPEK:	RISK/DAMPAK:	KRITERIA (K3/L)	SEVERITY OF RATING	SENSITIVITY RATING	SIGNIFICANCE SCORE	SIGNIFICANCE RATING (SEI, EI)	CONTROL RATING	PROBABILITY RATING	RISK SCORE	RISK RATING (HR, MR, LR)	CONDITION	LEGAL	Technolgy	Financial, Business & Opr Req	Views of Interested Parties	Action Plan	Remark
165			Limbah padat – contaminated cotton waste / cloth (cats / solvents / grease / oils)	kontaminasi lapisan tanah / tanah	L	1	1	1	HREAI	1	4	4	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
166		Perbaikan Rak	Tumpahan cat	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	3	3	36	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
167			Limbah padat-kaleng cat	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	3	3	36	3-LR	Normal	V	V	V	V	5,6,8	Procedure penanganan limbah berbahaya ,monitoring lingkungan
168			Limbah padat-metal	Kontaminasi permukaan tanah/tanah	L	2	2	4	HREAI	1	4	16	3-LR	Normal	V	V	V	V	3,5.6,8	recycle program, prosedur penanganan sampah, monitoring
169	Clinic	Clinic - Medical handling	Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	2	3	6	SHREAI	2	2	24	3-LR	Normal	V	V	V	V	7	Rainwater Harvesting Program Project
170			Limbah Padat- plastik	Kontaminasi tanah	L	1	3	3	HREAI	3	3	27	3-LR	Normal	V	V	V			recycle program, prosedur penanganan sampah
171			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	1	1	HREAI	4	4	16	3-LR	Normal		V	V		7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
172			limbah padat – kertas	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	2	2	HREAI	2	4	16	3-LR	Normal	V	V	V		1,5,6,8	recycle program, prosedur penanganan sampah
173			Limbah padat berbahaya-Biohazard	Contamination of land / soil	L	3	2	6	SHREAI	2	4	48	3-LR	Normal	V	V	V	V	1, 5,6,8	Send to Hospital (standard Incenerator for biochemical hazard)
174	RMCC	Membawa dan mengangkut limbah dengan menggunakan kendaraan (cator / truk) dari gedung produksi ke RMCC (Transfer Process)	Kebocoran / Tumpahan minyak / bahan bakar	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	2	4	48	3-LR	Abnormal	V	V	V	V	3,5,6,8	Bunding system,Prosedur penaganan tumpahan, Monitoring
175	WWTP	Waste Water Treatment	Konsumsi air	Pengurangan/perusakan sumber daya alam (termasuk tumbuhan dan hewan)	L	2	3	6	SHREAI	2	2	24	3-LR	Normal	V	V	V	V	7	Penyediaan saluran limbah ke WWTP internal, monitoring monthly, ZDHC waste water program
176			Penggunaaan energi - listrik	Mengurangi/merusak sumber daya (termasuk hewan dan tumbuhan)	L	1	1	1	HREAI	4	4	16	3-LR	Normal		V	V		7,8	Objective & Target, Sustaibility Program (Aii/CBD program)
177			limbah cair - Hazardous	kontaminasi lapisan tanah / tanah	L	2	3	6	SHREAI	1	4	24	3-LR	Normal	V	V	V	V	5,6	Waste Management

文件編號 Kode Dokumen : E4-102

Action Plan (Hierarki Kontrol):

1 Eliminasi
2 Substitusi
3 Re-engineering
4 Safety & Environment Sign
5 Dibuat Procedure/WI
6 Training/Socialization
7 Objective & Program
8 Monitoring & Measurement
9 PPE

PENGESAHAN & EVALUASI		
Tanggal :		
DIBUAT OLEH	DIPERIKSA	DISETUJUI OLEH
Nama :	Nama :	Nama :
Paraf :	Paraf :	Paraf :