


Nama : Muhammad Ivan


NIM : 09030582226013

Prodi : Teknik Komputer



Gambar 1

Tampilan awal cisco



Gambar 2

Lakukan simulasi LAN serta masukkan alamat IP

```

Packet Tracer PC Command Line 1.0
C:\>ping 198.160.10.1

Pinging 198.160.10.1 with 32 bytes of data:
Reply from 198.160.10.1: bytes=32 time=4ms TTL=128
Reply from 198.160.10.1: bytes=32 time=4ms TTL=128
Reply from 198.160.10.1: bytes=32 time=3ms TTL=128
Reply from 198.160.10.1: bytes=32 time=3ms TTL=128

Ping statistics for 198.160.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 4ms, Average = 3ms

C:\>
C:\>ping 198.160.10.2

Pinging 198.160.10.2 with 32 bytes of data:
Reply from 198.160.10.2: bytes=32 time<1ms TTL=128
Reply from 198.160.10.2: bytes=32 time<1ms TTL=128
Reply from 198.160.10.2: bytes=32 time<1ms TTL=128
Reply from 198.160.10.2: bytes=32 time=1ms TTL=128

Ping statistics for 198.160.10.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>

```

Gambar 3

Terakhir Setelah dilakukan simulasi kita akan mengecek ping dengan cara memasukkan alamat IP nya