













# DIY Smart Switches






NEW

Cod e	Product	Features	Price
1133	<div>Mini-D</div> <div></div> <div></div>	<p>【Matter Compatible】 SONOFF MINI-D is a Matter-certified device, it can be integrated into Matter-enabled platforms, such as Alexa, Apple Home, Google Home, Home Assistant, etc. Allowing you to work with other brands of Matter devices and build a unified smart home setup.</p> <p>【AC/DC Power Supply】 Compatible with AC and DC power sources, ensuring flexible installation in various environments.</p> <p>【Dry Contact Support】 Perfect for controlling dry contact input devices, such as motors, garage doors, gates, and other specialized equipment.</p> <p>【DC Low-Power Motor Load (Max 8W)】 Specifically engineered to control DC low-power solenoid valves/motors loads up to 8W, making it a perfectly smart control for DC low-power systems.</p> <p>【For Contactor Control】 When integrated with the contactor, a low-power control circuit can safely and efficiently manage high-power systems without direct user intervention, which enhances safety, reduces power consumption in control circuits, and provides precise control over larger loads.</p>	900
1029	<div>Mini R3</div> <div></div> <div></div>	<p>【Max. 16A Load Current】 The maximum load current of MINI R3 can be up to 16A that making it a powerful solution to smarten your appliances.</p> <p>【Open Device REST API】 Connect and control the MINI R3 with your existing home automation system like Home Assistant via LAN.</p> <p>【“eWeLink-Remote” Control】 MINI R3 is a smart switch with the gateway function of “eWeLink-Remote”. If you want to use the “eWeLink-Remote” control function, you need to use it with the <a href="#">S-MATE</a> or scene switch <a href="#">R5</a>.</p> <p>【No Neutral Wire Required Solution】 If your switch box does not have a neutral wire, a collocation of MINI R3 and S-MATE can be installed and used.</p> <p>【Safe And Reliable】 TÜV, CE, and FCC certifications ensure a safer and more reliable product</p>	800
1200	<div>Mini R4M</div> <div></div> <div></div>	<p>【Matter Compatible】 SONOFF MINIR4M is a Matter-certified device, it can work with other brands of Matter end devices and integrate into Matter-enabled platforms, such as Alexa, Apple Home, Google Home, etc. Controlling all smart devices through one app is no longer a fantasy.</p> <p>【Mini Size】 MINIR4M’s mini size fits in various mounting boxes, including the smallest 86/EU type.</p> <p>【External Switch Control】 MINIR4M can easily connect to the momentary switch, door exit switch, SPDT switch, latching switch.</p> <p>【Detach Relay Mode】 MINIR4M has “detach relay” mode, which means the states of external switches and relay are separated, so operating the external switch button won’t affect the relay state.</p> <p>【Safe &amp; Reliable】 MINIR4M has obtained TÜV, CE, and FCC certifications, ensuring enhanced safety and reliability for your use.</p>	1,200
1091	<div>S-MATE</div> <div></div> <div></div>	<p>【“eWeLink-Remote” Control】 Use it with the MINIR4 or other smart switch with the gateway function of “eWeLink-Remote”, it can achieve “eWeLink-Remote” control.</p> <p>【Control Ways】 Control built-in “eWeLink-Remote gateway” devices when no Internet is available, and it can trigger other smart devices in the smart scene when there is a network connection.</p> <p>【Compatible With Switch Types】 S-MATE is fit for almost any switch type, like, pulse switch, rocker switch, change your existing switch into a smart one.</p>	350



# DIY Smart Switches



Code	Product	Features	Price
1026	<div>4CH R3</div>  <div>WiFi</div>	SONOFF 4CHR3 is 4-gang Wifi Smart Switch designed to give you the ability to integrate smart control into your existing home to enable a smart home. Each smart switch has 4 gangs that can be used to control lights and other home appliances at the same time in four areas of your home. There is a major difference between 4CHR3 and 4CHPROR3, which is 4CHPROR3 is designed with an additional function for RF control. The function is purposely adopted to make you turn on/off the device connected with 4CHPROR3 via the RM433 remote controller.	1,800
1025	<div>4CH PRO R3</div>  <div>WiFi 433 MHz</div>	<p>【Independently/Mutual Control 4 Devices】 Turn on/off the 4 connected devices separately in self-locking mode. Turn on 1 device but turn off the other 3 devices at the same time in interlock mode. Turn on the connected devices but automatically switch off after 0.5-3600s later in inching mode.</p> <p>【Dry Contact】 If your device does not need to be powered through the output of the 4CHPROR3, but only needs to use it as a smart switch to control the line on and off, the 4CHPROR3 is your best choice.</p> <p>【With 433MHz RF Control】 Use your common 433MHz remote control to turn on/off the device without internet.</p> <p>【Easy To Out-of-Reach Devices】 Mounted on the guide rail, convenient to connect and control devices far from the switch.</p>	2,500
<div>NEW</div> 1124	<div>Dual R3 Lite</div>  <div>WiFi</div>	<p>【Roller Shades Motor Control】 Let your electric curtains, roller blinds, etc become smart immediately.</p> <p>【External Switch Two-Way Control】 DUALR3 has 6 types of external switch detection mechanisms, making it suitable for most physical switch control.</p> <p>【With The Most Features】 DUALR3 has three working modes that meet the needs of different application scenarios. Remote, timing, voice control, smart scenes, and other functions are all available.</p> <p>【Safe And Reliable】 TUV, CE, FCC, and RoHS certifications ensure a safer and more reliable product.</p>	1,400
1079	<div>Dual R3</div>  <div>WiFi</div>	<p>【Roller Shades Motor Control】 Let your electric curtains, roller blinds, etc become smart immediately.</p> <p>【External Switch Two-Way Control】 DUALR3 has 6 types of external switch detection mechanisms, making it suitable for most physical switch control.</p> <p>【Power Metering】 The 2-Gang detects voltage, current, and power values and counts the power consumption for you independently to allow for reasonable energy consumption control. Not available for DUALR3 Lite.</p> <p>【With The Most Features】 DUALR3 has three working modes that meet the needs of different application scenarios. Remote, timing, voice control, smart scenes, and other functions are all available.</p> <p>【Safe And Reliable】 TUV, CE, FCC, and RoHS certifications ensure a safer and more reliable product.</p>	1,500
1100	<div>THR316D</div>  <div>WiFi</div>	<p>【16A Max &amp; Dry Contact Output】 Support to connect 20A Max high load, dry contact output.</p> <p>【LCD Screen】 Real-time monitoring of temperature and humidity data, the screen refreshed every 5S.</p> <p>【6-Month Temp &amp; Humi Historical Data by Hours】 Support to review the temp &amp; hum history data by hour, day and month. Past 6-month history data can be exported in .xlsx format and accurate to hour.</p> <p>【Local Automatic Control】 Support LAN control, automatic control is more reliable. You can set 8 automatic control programs for you to save electricity bills and create comfortable surroundings.</p>	1,500



# DIY Smart Switches












Code	Product	Features	Price
1117	<div>POW CT</div> <div></div> <div></div>	<p>【Split Core Current Transformer Clamp】Transformer current detection up to 100 A. No physical contact with live wires, eliminating the risk of electric shock. Just release or close the latches on the side of the sensor to open and close the CT sensor.</p> <p>【Energy Monitor】Install in the electrical circuit panel of your home to monitor the power consumption of household appliances or rooms.</p> <p>【6-month Historical Data Hold】Automatically save your electricity usage data when you remove appliances or have a power outage. The data can be saved for up to 6 months and exported to a file for viewing.</p> <p>【Support Contactor Control】POWCT has a dry contact relay with a rated current output of 2A which is used with a contactor to realize switching control of the load.</p> <p>【Safe &amp; Reliable】Go through various rigorous tests, including lightning and surge tests, short circuit tests, drop tests, salt spray tests, tests in extremely harsh environments, etc. Products you can 100% trust.</p>	2,000
1034	<div>POW Elite</div> <div></div> <div></div>	<p>【LCD Screen】Track of power, current, voltage, and cumulative power consumption of your appliances in real-time on the LCD screen.</p> <p>【20A Max Load】Support maximum 20A load, POW Elite compatible with more home appliances.</p> <p>【6-Month Consumption History Data by Hour】Power consumption data (accurate to hours) can be kept for up to 6 months which can be exported to excel on your phone.</p> <p>【Overload Protection】You can set power, current, and voltage threshold. Once any condition is met, the POW Elite will be turned off to protect your appliances.</p> <p>【Fully Functional】POW Elite has all the most basic functions, like App control, voice control, LAN control, timing schedule, inching setting, power on state, etc.</p>	1,500
1111	<div>POW R3</div> <div></div> <div></div>	<p>【25A/5500W Highest Output Power】POWR3 has the highest output power to make your high-powered devices smart, or as a single room-meter to measure power consumption.</p> <p>【Measuring Power Consumption】Keep track of active power, current and voltage of your appliances on App</p> <p>【Overload protection】Once an abnormality was detected, the power will be cut off to avoid device damage and danger.</p> <p>【One-tap switch on/off remotely】POWR3 can cut off power wherever you are that can ensure the safety of your appliances and save on hidden electricity bills</p>	1,200
1083	<div>SPM-Main</div> <div></div> <div></div>	<p>【Connect up to 32 SPM-4Relays】One SPM-Main can be connected 32 SPM-4Relays. Each SPM-4Relay has 4 isolated channels to help you manage devices more conveniently.</p> <p>【Max. 20A/Gang】Each channel can support maximum current of 20A, no fear of high power load.</p> <p>【Overload Protection】Once the overload protection is enabled, it can protect your devices from burning out.</p> <p>【Micro SD】SD card plays a more significant role, like export electricity consumption data quickly, store more than 20 years of historical electricity consumption and each meter relay can save 20,000 operation logs.</p>	3,200
1082	<div>SPM-4Relay</div> <div></div> <div></div>	<p>【Power metering】Obtaining current, voltage, and power easily. You can monitor the consumption statistics of 4-Relay by checking eWeLink App on your mobile phone.</p> <p>Note : The Main Unit and 4-Relay of the Stackable Power Meter need to be used together. The Main Unit is connected to at least one 4-Relay to function.</p> <p>Note 2: The Main Unit capacity supported 8-32GB SDHC card.</p>	4,200



# DIY Smart Switches



Code	Product	Features	Price
<div>NEW</div> <div>1119</div>	<div>Basic R4</div> <div></div> <div></div>	<p>【ESP32 Chip】 Newly upgrade the chip, enhance the basic function, and increase the performance while keeping a reasonable price.</p> <p>【Magic Switch Mode】 You can still control the light switch through the app even turning off a traditional wall switch. No matter the wall switch or app remote control, you can enjoy the smart world.</p> <p>【“eWeLink-Remote” Control】 BASICR4 is a smart switch with the gateway function of “eWeLink-Remote”. You can add “eWeLink-Remote” sub-devices, use S-Mate2 or R5 to pair with BASICR4, and then set the scene, you can reach the two-way control and local control.</p> <p>【Group Control】 You can set groups to control multiple devices at the same time for convenience.</p> <p>【Safe and Reliable】 With the product’s built-in temperature sensor, the real-time maximum temperature of the entire product can be detected and speculated, which prevents the product from deformation, melting, fire, or live devices from exposure in case of over-temperature. BASICR4 has obtained CE, FCC, ETL etc certifications.</p>	800
1030	<div>Basic RFR3</div> <div></div> <div>433 MHz</div>	<p>Open Device REST API】 Connect and control the RFR3 with your existing home automation system like Home Assistant via LAN.</p> <p>【With 433MHz RF Control】 Use your common 433MHz remote control to turn on/off the device without Internet.</p> <p>【Easily DIY Your Smart Home Appliances】 Connect RFR3 directly to the middle of the power supply and the appliance to quickly make your ordinary appliances smart without buying a new smart one.</p> <p>【Fully Functional】 RFR3 has all the most basic functions, like remote APP control, LAN control, smart scenes, timing schedule, share control, etc. Your best choice for the DIY switch.</p>	750
1036	<div>iFan03</div> <div></div> <div>433 MHz</div>	<p>iFan03 WiFi ceiling fan and light controller supported to control the ceiling fan with light using your phone wherever you are. Voice control is designed to make you easily command iFan03 to turn on or off the fan and light, no need any manual operation. Supplied with a RM433 remote controller where you can adjust the fan among the low, medium and high speed for getting different levels of cool feeling. The scenes feature in the app allows you to control one or multiple SONOFF devices, quickly and simultaneously with a single tap.</p> <p>Wishlist</p>	450

