HW 5

Max Horowitz-Gelb

Q1

For a two state THMC with transitions probabilities,

$$\begin{bmatrix} 1-a & a \\ b & 1-b \end{bmatrix}$$

Our stationary distribution is simply,

$$[\frac{b}{a+b},\frac{a}{a+b}]=[\frac{1}{7},\frac{6}{7}]$$

$\mathbf{Q2}$

We must solve for

$$\pi p = p$$

This gives us the set of equations

$$\pi_1 = \pi_1$$

$$0.4\pi_2 + 0.1\pi_3 = \pi_2$$

$$0.6\pi_2 + 0.9\pi_3 = \pi_3$$

$$\pi_1 + \pi_2 + \pi_3 = 1$$

$$\pi_1, \pi_1, \pi_3 \in [0, 1]$$

Solving for these equations you get that π_1 is free $\pi_2 = (1/7)(1 - \pi_1)$ and $\pi_3 = (6/7)(1 - \pi_1)$. So the the staitionary distributions are

$$[\pi_1, (1/7)(1-\pi_1), (6/7)(1-\pi_1)]$$
 for any $\pi_1 \in \mathbb{R}$

 $\mathbf{Q3}$

If

$$v = vp$$

then,

$$(-1/10)v = -(1/10)vp$$

therefore

is also a stationary measure, and since its elements sum to 1 and are positive then it is a stationary distribution.

 $\mathbf{Q4}$

 \mathbf{a}

For a single step it is simply,

		R	S
	RR	0.6	0.4
7,	RS	0.6	0.4
	SR	0.6	0.4
	SS	0.3	0.7

b

For two steps we must calculate two transitions which gives us

		RR	RS	SR	SS
	RR	0.6*0.6	0.6*0.4	0.4 * 0.6	0.4 * 0
s	RS	0.6* 0.6	0.6 * 0.4	0.4* 0.3	0.4 * 0
	SR	0.6 * 0.6	0.6 * 0.4	0.4 * 0.6	0.4 * 0.
	SS	0.3*0.6	0.3 * 0.4	0.7 * 0.3	0.7*0

which is,

		KK	RS	SR	SS
	RR	0.36	0.24	0.24	0.16
3,	RS	0.36	0.24	0.12	0.28
	SR	0.36	0.24	0.24	0.16
	SS	0.18	0.12	0.21	0.49

 \mathbf{c}

The probability it will rain on Wednesday given it did not rain on Sunday or Monday is equal to

$$P(SS \to RR) + P(SS \to SR) = 0.18 + 21 = 0.39$$

$\mathbf{Q5}$

Let our set of states be 1,2 with tranition probability matrix $\begin{bmatrix} 0 & 1 \\ 0 & 1 \end{bmatrix}$. Then state 1 is transient and state 2 is recurrent. Clearly state 1 is transient since with probability 1 it will transition from state 1 to 2, and there is no way to transition back to 1. Clearly state 2 is recurrent since it will always transition back to itself with proability 1.