






ISOMETRIC VIEW
FOR REFERENCE ONLY



SECTION A-A

1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ | 0.010 | A | B ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: PTFE
3. FINISH: AS MACHINED
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-03-21

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .005

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009


THIRD ANGLE PROJECTION


DRAWN	M. MCNABB	DATE	2025-03-21

TITLE: SAMPLE SEAT


SIZE	DWG NO
B	AE-01003-000-A


DO NOT SCALE DWG | SCALE 1:1 | SHEET 1 OF 1





ISOMETRIC VIEW
FOR REFERENCE ONLY





SECTION A-A

1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ | 0.010 | A | B | ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: COPPER
3. FINISH: AS MACHINED
   BREAK SHARP EDGES
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)


REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-14
B	DRAWING TWEAKS	2025-04-15

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009

THIRD ANGLE PROJECTION





DRAWN	M. MCNABB	DATE	2025-04-15

TITLE:
WAFER CONTACT PAD


SIZE	DWG NO
B	AE-01004-000-B


DO NOT SCALE DWG | SCALE 5:1 | SHEET 1 OF 1





ISOMETRIC VIEW
FOR REFERENCE ONLY





1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   0.010 A B C ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: PEEK (POLYETHERETHERKETONE) NATURAL
3. FINISH: AS MACHINED
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-14
B	DRAWING TWEAKS	2025-04-15

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009


THIRD ANGLE PROJECTION

DRAWN	M. MCNABB	DATE	2025-04-15


TITLE:
DROPLET END EFFECTOR BODY

SIZE	DWG NO
B	AE-01005-010-B

DO NOT SCALE DWG | SCALE 1:1 | SHEET 1 OF 2



SECTION A-A



DETAIL B

UNLESS OTHERWISE SPECIFIED:	DRAWN	M. MCNABB	DATE 2025-04-15

DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009


THIRD ANGLE PROJECTION


TITLE: DROPLET END EFFECTOR BODY

SIZE B | DWG NO AE-01005-010-B


DO NOT SCALE DWG | SCALE 1:1 | SHEET 2 OF 2

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.





ISOMETRIC VIEW
FOR REFERENCE ONLY




1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ 0.010 A B ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: PTFE
3. FINISH: AS MACHINED
   DEBURR EDGES
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-14

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002
INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009
THIRD ANGLE PROJECTION





DRAWN	M. MCNABB	DATE	2025-04-14

TITLE: O-RING SPACER

SIZE	DWG NO
B	AE-01006-010-A


DO NOT SCALE DWG | SCALE 8:1 | SHEET 1 OF 1





SECTION A-A

⌴ ∅.338±.005↧.750±.005
⌴ ∅.563±.003↧.538±.005
∅.584±.005↧0.30
5/8-24 UNF-2B ↧.194 MIN FULL THREAD
↧.223 MAX THREAD DEPTH



ISOMETRIC VIEW
FOR REFERENCE ONLY

1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ | 0.010 | A | B | ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: PTFE
3. FINISH: AS MACHINED
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-14


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.


UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002
INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009
THIRD ANGLE PROJECTION

DRAWN	M. MCNABB	DATE	2025-04-14


TITLE: .4MM NOZZLE CAP

SIZE	DWG NO	
B	AE-01007-010-B	
DO NOT SCALE DWG	SCALE 1:1	SHEET 1 OF 1





ISOMETRIC VIEW
FOR REFERENCE ONLY



TAG	X LOC	Y LOC	SIZE
A1	.391	2.000	M3X0.5
A2	1.675	.232	M3X0.5
A3	1.675	3.768	M3X0.5
A4	3.754	.907	M3X0.5
A5	3.754	3.093	M3X0.5
B1	1.368	.806	M4X0.7
B2	3.236	3.404	M4X0.7

ALL HOLES:
⌖ ∅.005Ⓜ A B
THRU ALL
DEBURR NEAR AND FAR SIDES

1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ 0.010 A B C ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: ALUMINUM 6061-T6 OR MIC-6
3. FINISH: AS MACHINED
   BREAK SHARP EDGES
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-03-19

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.


UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .005
INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009
THIRD ANGLE PROJECTION


DRAWN	M. MCNABB	DATE	2025-03-19


TITLE:
RADIAL BLOWER FAN MOUNTING PLATE

SIZE	DWG NO
B	AE-01012-000-A

DO NOT SCALE DWG | SCALE 1:1 | SHEET 1 OF 1







ISOMETRIC VIEW
FOR REFERENCE ONLY

1. CAD MODEL IS THE MASTER FOR THIS PART. UNLESS OTHERWISE SPECIFIED:
   ⌓ | 0.010 ALL SURFACES
   SURFACE FINISHES Ra63 OR BETTER
2. MATERIAL: POLYCARBONATE PLASTIC TUBING
3. FINISH: AS MACHINED
   DEBURR SHARP EDGES
4. INDIVIDUALLY PACKAGE PER AS478-35D (BAG & TAG)

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-14

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009


THIRD ANGLE PROJECTION


DRAWN	M. MCNABB	DATE	2025-04-14

TITLE:
ELECTRODE COVER

SIZE	DWG NO
B	AE-01013-000-A

DO NOT SCALE DWG | SCALE 1:1 | SHEET 1 OF 1





ISOMETRIC VIEW

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	AE-01004-000-A	WAFER CONTACT PAD	1
2	AE-01003-000-A	PTFE O-RING SEAT	1
3	AE-01011-010-A	FAN INTAKE SHIELD	1
4	AE-01012-000-A	BASE PLATE	1
5	AE-01014-000-A	WAFER HARD-STOP	2
6	1170N98	SQUARE PROFILE VITON O-RING	1
7	9263K557	21 X 23mm VITON O-RING	1
8	1986K81	STAINLESS COMPRESSION SPRING	1
9	90334A115	PTFE PLASTIC RING SHIMS	5
10	91292A024	18-8 SHCS - M3 X 40mm	5
11	91292A131	18-8 SHCS - M4 X 35mm	2
12	91292A111	18-8 SHCS - M3 X 6mm	2
13	98689A113	STAINLESS STEEL WASHER - M4	4
14	UW-3105_Wafer	500µm SILICON WAFER	1
15	CBM-7530BF-160-540	RADIAL BLOWER FAN	1

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-15

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002

INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009


THIRD ANGLE PROJECTION

DRAWN	M. MCNABB	DATE	2025-04-15


TITLE:
RETENTION ASSEMBLY

SIZE	DWG NO
B	AEA-01001-000-A

DO NOT SCALE DWG | SCALE 4:5 | SHEET 1 OF 1



ISOMETRIC VIEW



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	AE-01005-010-B	END EFFECTOR BODY	1
2	AE-01006-010-A	O-RING SPACER	2
3	AE-01007-010-B	END EFFECTOR NOZZLE	1
4	AE-01008-020-A	GANTRY MOUNTING BRACKET	1
5	AE-01013-000-A	ELECTRODE COVER	1
6	9263K573	VITON O-RING - 11.5 X 14.5mm	1
7	1295N115	VITON O-RING - 3.5 X 5.5mm	2
8	92605A514	18-8 SET SCREW - M3 X 6mm	1
9	91292A020	18-8 SHCS - M3 X 29m	2
10	3761N115	CLAMPING SHAFT COLLAR - 3mm [1]	1
11	91292A111	18-8 SHCS - M3 X 6mm	2
12	CALOMELELECTRODE	CALOMEL ELECTRODE	1
13	IDEX ETFE FERRULE	FERRULE - 1/16"	1
14	IDEX PEEK FITTING	FLANGELESS FITTING	1

1. DRILL OUT 3mm SHAFT COLLAR TO 3.5mm HOLE

REV	DESCRIPTION	DATE
A	INITIAL RELEASE	2025-04-15

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ALMANAC ENGINEERING. ANY REPRODUCTION IN WHOLE OR IN PART WITHOUT PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
DEFAULT TOLERANCES:
ANGULAR ± 1°
TWO PLACE DECIMAL: ± .01
THREE PLACE DECIMAL: ± .002
INTERPRET GEOMETRIC TOLERANCING PER:
ASME Y14.5 2009
THIRD ANGLE PROJECTION

DRAWN	M. MCNABB	DATE	2025-04-15

TITLE:
END EFFECTOR ASSEMBLY

SIZE	DWG NO
B	AEA-01002-000-A

DO NOT SCALE DWG | SCALE 1:1 | SHEET 1 OF 1