




F1 -- Certified deficit vs γ at low τ
(no noise traders; deficit > 0 and $\rightarrow 0$ as $\gamma \rightarrow \infty$)




F2 -- Certified deficit at $\tau=0.2$, 20 cells, $\gamma \in [0.05, 30.0]$




F3 -- Certified deficit at $\tau=0.1$, 20 cells, $\gamma \in [0.05, 30.0]$




F4 -- Certified deficit at $\tau=0.05$, 20 cells, $\gamma \in [0.05, 30.0]$




F5 -- Log-odds slope (dotted = revealing τ)




F6 -- Certification: all cells under the 10^{-15} bar




F7 -- Deficit map (60 certified cells)




F8 -- Certified equilibrium P slice $u_3 = 0$ at $(\tau, \gamma) = (0.1, 0.05)$
deficit = 1.331e-01




F9 -- Certified equilibrium P slice $u_3 = 0$ at $(\tau, \gamma) = (0.1, 1.035)$
deficit = $1.734\text{e-}05$



F10 -- Certified equilibrium P slice $u_3 = 0$ at $(\tau, \gamma) = (0.1, 30.0)$
deficit = 3.165e-08



F11 -- $\text{logit } P$ vs $\sum u$ at $(\tau, \gamma) = (0.1, 0.05)$
deficit = $1.331\text{e-}01$ = the unexplained scatter



F12 -- Asymptotic $1/\gamma^p$ scaling of the deficit
(theory: $p = 1$ from the Jensen wedge)

