

Report from Aug 19, 2026, 5:55:45 PM

https://staging.caicaramarketing.com.br/sobre

Analyze



Mobile



Desktop



Discover what your real users are experiencing

ⓘ No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49

■ 50–89

● 90–100



METRICS

Expand view

▲ First Contentful Paint
5.9 s

▲ Largest Contentful Paint
6.4 s

● Total Blocking Time
10 ms


● Cumulative Layout Shift
0.027

▲ Speed Index
18.2 s

📅 Captured at Aug 19, 2026, 5:55 PM GMT-3
🕒 Initial page load

🖥️ Emulated Moto G Power with Lighthouse 13.4.1
🔌 Slow 4G throttling

👤 Single page session
🔗 Using HeadlessChromium 151.0.7922.71 with Ir



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Font display — Est savings of 60 ms

Consider setting `font-display` to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with `font metric overrides`. FCP Unscored




...files/montserrat-latin-400-normal.woff2 (fonts.bunny.net)	60 ms
...files/montserrat-latin-700-normal.woff2 (fonts.bunny.net)	40 ms

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	10 ms
Element render delay	11,270 ms



Nasceu em Santos, em 2024, com a missão de elevar marcas responsáveis que entre...
`<p style="margin: 0px; font-size: var(--fs-lg); line-height: var(--lh-body);">`

▲ Network dependency tree


Warnings: More than 4 `preconnect` connections were found. These should be used sparingly and only to the most important origins.


[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Unscored

Maximum critical path latency: **11,268 ms**

Initial Navigation





Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.gstatic.com/	head > link <link rel="preconnect" href="https://fonts.gstatic.com/" crossorigin="anonymous">
https://backend.leadconnectorhq.com/	head > link <link rel="preconnect" href="https://backend.leadconnectorhq.com" crossorigin="anonymous">
Unused preconnect. Check that the `crossorigin` attribute is used properly.	
https://images.leadconnectorhq.com/	head > link <link rel="preconnect" href="https://images.leadconnectorhq.com" crossorigin="anonymous">
https://cdn.filesafe.space/	head > link

```
crossorigin="anonymous">
```

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

<https://fonts.googleapis.com/>

<https://fonts.gstatic.com/>

<https://cdn.jsdelivr.net/>

<https://unpkg.com/>

```
head > link
```

```
<link rel="preconnect"
```

```
href="https://fonts.googleapis.com">
```

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

```
head > link
```

```
<link rel="preconnect"
```

```
href="https://fonts.gstatic.com"
```

```
crossorigin="">
```

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

```
head > link
```

```
<link rel="preconnect"
```

```
href="https://cdn.jsdelivr.net"
```

```
crossorigin="">
```

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

```
head > link
```

```
<link rel="preconnect"
```

```
href="https://unpkg.com" crossorigin="">
```

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin

Est LCP savings

<https://backend.leadconnectorhq.com>

320 ms

<https://stcdn.leadconnectorhq.com>


300 ms

Request	Cache TTL	Transfer Size
leadconnectorhq.com		106 KiB
/chat-widget/p-5ff9a208.entry.js (widgets.leadconnectorhq.com)	4h	51 KiB
/chat-widget/p-BmGdPIUL.js (widgets.leadconnectorhq.com)	4h	26 KiB
/chat-widget/p-Do7bswAW.js (widgets.leadconnectorhq.com)	4h	16 KiB
/chat-widget/p-Bck6bG0u.js (widgets.leadconnectorhq.com)	4h	8 KiB
/chat-widget/p-CbVA63cT.js (widgets.leadconnectorhq.com)	4h	4 KiB
Cloudflare Utility		11 KiB
/beacon.min.js/v4513226... (static.cloudflareinsights.com)	1d	11 KiB

Improve image delivery — Est savings of 4,909 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP.

[Learn more about optimizing image size](#) LCP FCP Unscored

URL	Resource Size	Est Savings
JSDelivr CDN Cdn	5,276.2 KiB	4,899.8 KiB
 Camila Prol 	...imagery/camila-caicara.png (cdn.jsdelivr.net) 2,952.2 KiB	2,877.9 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		2,814.0 KiB
This image file is larger than it needs to be (1280x663) for its displayed dimensions (676x676). Use responsive images to reduce the image download size.		1,365.3 KiB

	div#card-ra-page > div > section.on-n-deep >			
img				
	...photography/embarcacoes-marina.webp (cdn.jsdelivr.net)	1,583.1 KiB	1,488.9 KiB	
	Increasing the image compression factor could improve this image's download size.		4.8 KiB	
	This image file is larger than it needs to be (3000x3232) for its displayed dimensions (679x852). Use responsive images to reduce the image download size.		1,488.6 KiB	
	Farol na costa			
	...photography/farol-na-costa.webp (cdn.jsdelivr.net)	505.5 KiB	373.6 KiB	
	Increasing the image compression factor could improve this image's download size.		73.0 KiB	
	This image file is larger than it needs to be (1567x1696) for its displayed dimensions (1103x735). Use responsive images to reduce the image download size.		351.3 KiB	
	Ca ...logo/caicara-horizontal-ica-preto.png (cdn.jsdelivr.net)	114.7 KiB	113.0 KiB	
keting Digital Estratégico				
<img src="https://cdn.jsdelivr.net/gh/mhprol/caicara-site@v1.0.5/assets/logo/cai"				


```
Marketing Digital
Estratégico" height="34"
loading="lazy"
decoding="async"
style="height: 34px; width:
auto; max-width: 240px;
display: block;">
```

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

36.6 KiB

This image file is larger than it needs to be (1200x400) for its displayed dimensions (179x60). Use responsive images to reduce the image download size.

112.2 KiB



Matheu
s Prol

```

...imagery/matheus-  
caicara.webp (cdn.jsdelivr.net)

120.7 KiB

46.4 KiB

Increasing the image compression factor could improve this image's download size.

36.4 KiB


This image file is larger than it needs to be (1000x518) for its displayed dimensions (676x676). Use responsive images to reduce the image download size.

14.4 KiB

leadconnectorhq.com

10.3 KiB

9.5 KiB



Av ...  
at media/67d87ed....png (images.leadconnectorhq.  
ar com)  
<i  
mg

10.3 KiB

9.5 KiB

```
alt="Avatar"
src="https://images.leadcon
nectorhq.com/image/f_webp/q
_100/r_180/u_https://asse..."
class="lc_text-
```

```
circular-image" width="48"
height="48"
decoding="async">
|
```

Increasing the image compression factor could improve this image's download size.

5.0 KiB

This image file is larger than it needs to be (180x180) for its displayed dimensions (70x70). Use responsive images to reduce the image download size.

8.7 KiB

## Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads.

CLS Unscored

| Element                                                                                                                                                                                                                                                                   | Layout shift score |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| Total                                                                                                                                                                                                                                                                     | 0.027              |
|  <p>PROPÓSITO Ser o farol que guia PMEs pelo oceano digital<br/>Nasceu em Santos, em 2...</p> <pre>&lt;section style="padding: var(--section-y) 0; background: transparent;"&gt;</pre> | 0.027              |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com)                                                                                                                                                                                                                             | Web font           |
| ...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)                                                                                                                                                                                                                             | Web font           |
| ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)                                                                                                                                                                                                                             | Web font           |

## 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

| 3rd party                                      | Transfer size | Main thread time |
|------------------------------------------------|---------------|------------------|
| Unpkg Cdn                                      | 159 KiB       | 84 ms            |
| ...umd/lucide.js (unpkg.com)                   | 0 KiB         | 51 ms            |
| ...umd/react.production.min.js (unpkg.com)     | 5 KiB         | 18 ms            |
| ...umd/react-dom.production.min.js (unpkg.com) | 43 KiB        | 16 ms            |
| ...umd/lucide.js (unpkg.com)                   | 111 KiB       | 0 ms             |
| leadconnectorhq.com                            | 556 KiB       | 55 ms            |



|                                                                        |         |       |
|------------------------------------------------------------------------|---------|-------|
| .../1.12.47/mobphonenumber.js.min.js (stcdn.leadconnectorhq.com)       | 44 KiB  | 10 ms |
| /chat-widget/p-Do7bswAW.js (widgets.leadconnectorhq.com)               | 16 KiB  | 15 ms |
| /_preview/DhW2dj7h.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 8 ms  |
| /_preview/K173kSil.js (stcdn.leadconnectorhq.com)                      | 4 KiB   | 5 ms  |
| /_preview/C4ACQlpL.js (stcdn.leadconnectorhq.com)                      | 251 KiB | 3 ms  |
| /loader.js (widgets.leadconnectorhq.com)                               | 5 KiB   | 3 ms  |
| /_preview/CARYgN5e.js (stcdn.leadconnectorhq.com)                      | 33 KiB  | 1 ms  |
| /chat-widget/p-5ff9a208.entry.js (widgets.leadconnectorhq.com)         | 51 KiB  | 1 ms  |
| /_preview/KX5VUmMt.js (stcdn.leadconnectorhq.com)                      | 7 KiB   | 1 ms  |
| /chat-widget/p-BmGdPIUL.js (widgets.leadconnectorhq.com)               | 26 KiB  | 0 ms  |
| /intl-tel-input/intlTelInput.min.js (stcdn.leadconnectorhq.com)        | 12 KiB  | 0 ms  |
| /_preview/VD5aPYdC.js (stcdn.leadconnectorhq.com)                      | 12 KiB  | 0 ms  |
| ...media/67d87ed....png (images.leadconnectorhq.com)                   | 11 KiB  | 0 ms  |
| /chat-widget/chat-widget.esm.js?v=178... (widgets.leadconnectorhq.com) | 10 KiB  | 0 ms  |
| /_preview/DQgH0pQF.js (stcdn.leadconnectorhq.com)                      | 9 KiB   | 0 ms  |
| /chat-widget/p-Bck6bG0u.js (widgets.leadconnectorhq.com)               | 8 KiB   | 0 ms  |
| ...css/intlTelInput.min.css (stcdn.leadconnectorhq.com)                | 4 KiB   | 0 ms  |
| /chat-widget/p-CbVA63cT.js (widgets.leadconnectorhq.com)               | 4 KiB   | 0 ms  |
| ...i18n/pt-br.json (widgets.leadconnectorhq.com)                       | 4 KiB   | 0 ms  |
| /_preview/D2DDdfSB.js (stcdn.leadconnectorhq.com)                      | 4 KiB   | 0 ms  |
| ...js/user-session.js (services.leadconnectorhq.com)                   | 3 KiB   | 0 ms  |
| ...config/695b0d8... (services.leadconnectorhq.com)                    | 3 KiB   | 0 ms  |
| /_preview/N56-QG5g.js (stcdn.leadconnectorhq.com)                      | 3 KiB   | 0 ms  |
| /_preview/3TEz45HA.js (stcdn.leadconnectorhq.com)                      | 3 KiB   | 0 ms  |
| /_preview/CkXAAIF5.js (stcdn.leadconnectorhq.com)                      | 3 KiB   | 0 ms  |
| /_preview/C_S8erRp.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/COX0IYg-.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/BsjK_CC5.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/BFL-3nHk.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/D2BSxoql.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/CtHFj8xl.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/TestimonialModal.DVJfVerF.css (stcdn.leadconnectorhq.com)    | 2 KiB   | 0 ms  |
| /_preview/DJojPFiR.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |
| /_preview/DRNkrJGC.js (stcdn.leadconnectorhq.com)                      | 2 KiB   | 0 ms  |



|                                                                                      |                  |              |
|--------------------------------------------------------------------------------------|------------------|--------------|
| ...meta/CB2E0033-1B7A-4B3A-8B0A-762f48ea02a3.json (stcdn.leadconnectorhq.com)        | 1 KiB            | 0 ms         |
| /_preview/C17z7VQ0.js (stcdn.leadconnectorhq.com)                                    | 1 KiB            | 0 ms         |
| /stats/event (backend.leadconnectorhq.com)                                           | 1 KiB            | 0 ms         |
| ...user_session_v3/create_session (backend.leadconnectorhq.com)                      | 1 KiB            | 0 ms         |
| ...update_session/72427731-f149-420a-9b0f-9226667ce6eb (backend.leadconnectorhq.com) | 1 KiB            | 0 ms         |
| ...funnel/geo-location (services.leadconnectorhq.com)                                | 1 KiB            | 0 ms         |
| <b>JSDelivr CDN</b> <span>Cdn</span>                                                 | <b>5,339 KiB</b> | <b>13 ms</b> |
| ...dist/ds-bundle.js (cdn.jsdelivr.net)                                              | 30 KiB           | 9 ms         |
| ...dist/site.js (cdn.jsdelivr.net)                                                   | 21 KiB           | 4 ms         |
| ...imagery/camila-caicara.png (cdn.jsdelivr.net)                                     | 2,953 KiB        | 0 ms         |
| ...photography/embarcacoes-marina.webp (cdn.jsdelivr.net)                            | 1,584 KiB        | 0 ms         |
| ...photography/farol-na-costa.webp (cdn.jsdelivr.net)                                | 507 KiB          | 0 ms         |
| ...imagery/matheus-caicara.webp (cdn.jsdelivr.net)                                   | 121 KiB          | 0 ms         |
| ...logo/caicara-horizontal-preto.png (cdn.jsdelivr.net)                              | 116 KiB          | 0 ms         |
| ...dist/site.css (cdn.jsdelivr.net)                                                  | 7 KiB            | 0 ms         |
| <b>Cloudflare</b> <span>Utility</span>                                               | <b>11 KiB</b>    | <b>6 ms</b>  |
| /beacon.min.js/v4513226... (static.cloudflareinsights.com)                           | 11 KiB           | 6 ms         |
| <b>Google Fonts</b> <span>Cdn</span>                                                 | <b>57 KiB</b>    | <b>0 ms</b>  |
| ...v40/nuFiD-vYS....woff2 (fonts.gstatic.com)                                        | 38 KiB           | 0 ms         |
| ...v24/pxiByp8kv....woff2 (fonts.gstatic.com)                                        | 9 KiB            | 0 ms         |
| ...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)                                        | 9 KiB            | 0 ms         |
| /css2?family=... (fonts.googleapis.com)                                              | 2 KiB            | 0 ms         |
| <b>bunny.net</b>                                                                     | <b>41 KiB</b>    | <b>0 ms</b>  |
| ...files/montserrat-latin-700-normal.woff2 (fonts.bunny.net)                         | 19 KiB           | 0 ms         |
| ...files/montserrat-latin-400-normal.woff2 (fonts.bunny.net)                         | 19 KiB           | 0 ms         |
| /css?family=Montserrat (fonts.bunny.net)                                             | 1 KiB            | 0 ms         |
| /css?family=Montserrat:bold (fonts.bunny.net)                                        | 1 KiB            | 0 ms         |

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

## DIAGNOSTICS

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP FCP Unscored



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

| URL                                                            | Transfer Size    | Est Savings      |
|----------------------------------------------------------------|------------------|------------------|
| leadconnectorhq.com                                            | <b>299.4 KiB</b> | <b>179.3 KiB</b> |
| /_preview/C4ACQlpL.js (stcdn.leadconnectorhq.com)              | 249.4 KiB        | 157.1 KiB        |
| /chat-widget/p-5ff9a208.entry.js (widgets.leadconnectorhq.com) | 50.0 KiB         | 22.3 KiB         |
| JSDelivr CDN <span>Cdn</span>                                  | <b>29.1 KiB</b>  | <b>22.9 KiB</b>  |
| ...dist/ds-bundle.js (cdn.jsdelivr.net)                        | 29.1 KiB         | 22.9 KiB         |

#### Image elements do not have explicit [width](#) and [height](#)

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

| URL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JSDelivr CDN <span>Cdn</span>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <div>  <div> <p>Caiçara Marketing Digital<br/>Estratégico</p> <pre>&lt;img src="https://cdn.jsdelivr.net/gh/mhprol/caicara-...logo/caicara-horizontal-preto.png (cdn.jsdelivr.net) site@v1.0.5/assets/logo/caicara..." alt="Caiçara Marketing Digital Estratégico" height="34" loading="lazy" decoding="async" style="height: 34px; width: auto; max-width: 240px; display: block;"&gt;</pre> </div> </div> |

#### Minify JavaScript — Est savings of 39 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). LCP FCP Unscored

extension. [Learn more.](#)

| URL                                     | Transfer Size    | Est Savings     |
|-----------------------------------------|------------------|-----------------|
| Unpkg <span>Cdn</span>                  | <b>110.4 KiB</b> | <b>23.8 KiB</b> |
| ...umd/lucide.js (unpkg.com)            | 110.4 KiB        | 23.8 KiB        |
| JSDelivr CDN <span>Cdn</span>           | <b>48.9 KiB</b>  | <b>15.3 KiB</b> |
| ...dist/ds-bundle.js (cdn.jsdelivr.net) | 29.2 KiB         | 9.3 KiB         |
| ...dist/site.js (cdn.jsdelivr.net)      | 19.7 KiB         | 6.0 KiB         |

### Reduce unused CSS — Est savings of 17 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP

Unscored

| URL                                                                                                           | Transfer Size | Est Savings |
|---------------------------------------------------------------------------------------------------------------|---------------|-------------|
| html.ios { --ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue", "Roboto", sans-s... } ... | 17.5 KiB      | 16.8 KiB    |

### Avoid enormous network payloads — Total size was 6,198 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

| URL                                                       | Transfer Size      |
|-----------------------------------------------------------|--------------------|
| JSDelivr CDN <span>Cdn</span>                             | <b>5,281.1 KiB</b> |
| ...imagery/camila-caicara.png (cdn.jsdelivr.net)          | 2,953.2 KiB        |
| ...photography/embarcacoes-marina.webp (cdn.jsdelivr.net) | 1,584.2 KiB        |
| ...photography/farol-na-costa.webp (cdn.jsdelivr.net)     | 506.5 KiB          |
| ...imagery/matheus-caicara.webp (cdn.jsdelivr.net)        | 121.4 KiB          |
| ...logo/caicara-horizontal-preto.png (cdn.jsdelivr.net)   | 115.8 KiB          |
| leadconnectorhq.com                                       | <b>346.5 KiB</b>   |

|                                                                 |                  |
|-----------------------------------------------------------------|------------------|
| /chat-widget/p-5ff9a208.entry.js (widgets.leadconnectorhq.com)  | 51.4 KiB         |
| ...1.12.41/libphonenumber-js.min.js (stcdn.leadconnectorhq.com) | 43.8 KiB         |
| Unpkg <span>Cdn</span>                                          | <b>154.0 KiB</b> |
| ...umd/lucide.js (unpkg.com)                                    | 111.3 KiB        |
| ...umd/react-dom.production.min.js (unpkg.com)                  | 42.7 KiB         |

### ○ Avoid long main-thread tasks — 2 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (1)

| URL                          | Start Time | Duration     |
|------------------------------|------------|--------------|
| Unattributable               |            | <b>69 ms</b> |
| Unattributable               | 5,266 ms   | 69 ms        |
| Unpkg <span>Cdn</span>       |            | <b>62 ms</b> |
| ...umd/lucide.js (unpkg.com) | 6,261 ms   | 62 ms        |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

[Show](#)



Accessibility


encouraged.

## CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

### Failing Elements



Agendar diagnóstico

```
<button style="font-family: var(--font-sans); font-weight: var(--fw-semibold);">
```

These are opportunities to improve the legibility of your content.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) Unscored

- ☐ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

Unscored

- ☐ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) Unscored

- ☐ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) Unscored



Users can tab into and out of any control or region without accidentally trapping their focus.

[Learn how to avoid focus traps.](#) Unscored

- ☐ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) Unscored

- ☐ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) Unscored

- ☐ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) Unscored

- ☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) Unscored

- ☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

## PASSED AUDITS (22)

[Hide](#)

- ☒ [aria-\*] attributes match their roles ^

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

- ☒ [aria-hidden="true"] is not present on the document <body> ^

● `[role]`s have all required `[aria-*) attributes ^`

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

● `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

● `[aria-*) attributes have valid values ^`

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

● `[aria-*) attributes are valid and not misspelled ^`

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

● Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

● Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

● `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

● ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

● `[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

● Elements use only permitted ARIA attributes ^

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

● `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute.](#)



Link text (and alternate text for images, when used as links) that is concise, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

## ● No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

## ● Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

## ● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

## ● Document has a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

## ● Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

## ● Elements with `role="none"` or `role="presentation"` do not have conflicts ^

There are certain cases where the semantic role of an element with `role="none"` or `role="presentation"` does not resolve to none or presentation. To ensure the element remains removed from the accessibility tree, you should not add any global ARIA attributes to the element or make it focusable. [Learn more about presentation role conflict.](#)

NOT APPLICABLE (40)

Hide

☐ [\[accesskey\]](#) values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) Unscored

☐ [button](#), [link](#), and [menuitem](#) elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#) Unscored

☐ Elements with [role="dialog"](#) or [role="alertdialog"](#) have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#) Unscored

☐ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) Unscored

☐ ARIA [meter](#) elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) Unscored

☐ ARIA [progressbar](#) elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) Unscored

☐ Elements with an ARIA [\[role\]](#) that require children to contain a specific [\[role\]](#) have all required children. ^

☐ [role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

Unscored

☐ Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

Unscored

☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

Unscored

☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

Unscored

☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

Unscored

☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

Unscored

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

Unscored



Definition lists (`<dl>` and `<dt>`) must be wrapped in a parent `<div>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

Unscored

## ☐ ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

Unscored

## ☐ No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

Unscored

## ☐ `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

Unscored

## ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

Unscored

## ☐ Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

Unscored

## ☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

Unscored

## ☐ Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

Unscored

## ☐ Links are distinguishable without relying on color.

Unscored

- ☐ Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#) Unscored

- ☐ List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#) Unscored

- ☐ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) Unscored

- ☐ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) Unscored

- ☐ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) Unscored

- ☐ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) Unscored

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) Unscored

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) Unscored

☐ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) Unscored

☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) Unscored

☐ `autocomplete` attributes are used correctly ^

The `autocomplete` attribute values must be valid and correctly applied for screen readers to function correctly. [Learn more about valid autocomplete values.](#) Unscored

☐ SVG elements with an `img` role have an accessible text alternative ^

Ensures SVG elements with an `img`, `graphics-document` or `graphics-symbol` role have an accessible text alternative. [Learn more about SVG alt text.](#) Unscored

☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) Unscored

☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) Unscored

☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

Unscored

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



## Best Practices

### TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored



☐ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

☐ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

BROWSER COMPATIBILITY

☐ Baseline Features ^

Lists web features used on the page and their Baseline status as of 2026-07-15. [Learn more about Baseline.](#) Unscored

background-clip-text	 Limited Availability	/sobre:-1:-2 (staging.caicaramarketing.com.br)
text-wrap-pretty	 Limited Availability	/sobre:-1:-2 (staging.caicaramarketing.com.br)
backdrop-filter	 Newly Available (2024-09-16)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
registered-custom-properties	 Newly Available (2024-07-09)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
text-wrap-balance	 Newly Available (2024-05-13)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
has	 Widely Available (2023-12-19)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
color-mix	 Widely Available (2023-05-09)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
outline	 Widely Available (2023-03-27)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
forced-colors	 Widely Available (2022-09-12)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
individual-transforms	 Widely Available (2022-08-05)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
cascade-layers	 Widely Available (2022-03-14)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
appearance	 Widely Available (2022-03-14)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
focus-visible	 Widely Available (2022-03-14)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
logical-properties	 Widely Available (2021-09-20)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
aspect-ratio	 Widely Available (2021-09-20)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
file-selector-button	 Widely Available (2021-04-26)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
where	 Widely Available (2021-01-21)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
is	 Widely Available (2021-01-21)	/sobre:-1:-2 (staging.caicaramarketing.com.br)

not	✓	(2021-01-21)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
clip-path	✓	Widely Available (2021-01-21)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
text-underline-offset	✓	Widely Available (2020-11-19)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
nullish-coalescing	✓	Widely Available (2020-09-16)	/sobre:1:0 (staging.caicaramarketing.com.br)
logical-assignments	✓	Widely Available (2020-09-16)	/sobre:1:0 (staging.caicaramarketing.com.br)
webp	✓	Widely Available (2020-09-16)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
js-modules	✓	Widely Available (2018-05-09)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
grid	✓	Widely Available (2017-10-17)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
flexbox	✓	Widely Available (2015-09-30)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
text-indent	✓	Widely Available (2015-07-29)	/sobre:-1:-2 (staging.caicaramarketing.com.br)
Cloudflare <span>Utility</span>			
long-animation-frames	✗	Limited Availability	/beacon.min.js/v4513226....:1:2023 (static.cloudflareinsights.com)
layout-instability	✗	Limited Availability	/beacon.min.js/v4513226....:1:2023 (static.cloudflareinsights.com)
Unattributable			
requestidlecallback	✗	Limited Availability	_lighthouse-eval.js:9:109
leadconnectorhq.com			
beforeunload	✗	Limited Availability	/_preview/CARYgN5e.js:83:17045 (stcdn.leadconnectorhq.com)
cookie-store	✗	Limited Availability	/_preview/C4ACQlpL.js:6:14153 (stcdn.leadconnectorhq.com)



<a href="#">display-mode</a>	Limited Availability	Do7bswAW.js:4:1616 (widgets.leadconnectorhq.com)
<a href="#">abortsignal-any</a>	Newly Available (2024-03-19)	/_preview/C4ACQlpL.js:6:7328 (stcdn.leadconnectorhq.com)
<a href="#">dir-pseudo</a>	Widely Available (2023-12-07)	/chat-widget/p-Do7bswAW.js:8:3348 (widgets.leadconnectorhq.com)
<a href="#">constructed-stylesheets</a>	Widely Available (2023-03-27)	/chat-widget/p-Do7bswAW.js:8:2160 (widgets.leadconnectorhq.com)
<a href="#">intersection-observer</a>	Widely Available (2019-03-25)	/_preview/C4ACQlpL.js:66:21011 (stcdn.leadconnectorhq.com)
<a href="#">aborting</a>	Widely Available (2019-03-25)	/_preview/C4ACQlpL.js:6:5626 (stcdn.leadconnectorhq.com)
<a href="#">template</a>	Widely Available (2015-11-12)	/_preview/C4ACQlpL.js:3:44617 (stcdn.leadconnectorhq.com)
<a href="#">request-animation-frame</a>	Widely Available (2015-07-29)	/chat-widget/p-5ff9a208.entry.js:1:76945 (widgets.leadconnectorhq.com)
Unpkg  Cdn		
<a href="#">text-wrap</a>	Newly Available (2024-10-17)	...umd/react-dom.production.min.js:30:468 (unpkg.com)

GENERAL

☐ Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
React	18.3.1

- Avoids deprecated APIs ▼
- Avoids third-party cookies ▼
- Allows users to paste into input fields ▼
- Avoids requesting the geolocation permission on page load ▼
- Avoids requesting the notification permission on page load ▼
- Displays images with correct aspect ratio ▼
- Serves images with appropriate resolution ▼
- Page has the HTML doctype ▼
- Properly defines charset ▼
- No browser errors logged to the console ▼
- No issues in the [Issues](#) panel in Chrome Devtools ▼
- Page has valid source maps ▼

NOT APPLICABLE (1)

[Hide](#)

- Redirects HTTP traffic to HTTPS ^

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#) Unscored



optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Hide](#)

##### ☐ Structured data is valid [^](#)

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (10)

[Show](#)

■ 2/3

## Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

#### AGENT ACCESSIBILITY

##### ▲ llms.txt does not follow recommendations [^](#)

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The [llms.txt](#) file should be a Markdown file containing at least one H1 header. [Learn more about the llms.txt audit](#).

These audits highlight best practices for improving the accessibility of the website for AI agents.

#### PASSED AUDITS (2)

[Hide](#)

- Accessibility tree is well-formed — All audits passed ^

A well-formed [accessibility tree](#) helps AI agents to navigate and interact with the page.

- Cumulative Layout Shift — 0.027 ^

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

#### NOT APPLICABLE (3)

[Hide](#)

- WebMCP form coverage ^

Consider adding [WebMCP](#) annotations to the forms listed below. This helps AI agents identify and interact with these forms more reliably. Unscored

- WebMCP tools registered ^

Lists the [WebMCP tools](#) registered at the time of analysis. Unscored

- WebMCP schemas are valid ^

Valid [WebMCP schemas](#) are required for AI agents to understand and interact with tools correctly. Please fix any errors or warnings reported by the browser. Unscored

### More on PageSpeed Insights

[What's new](#)
[Documentation](#)

### Related Content

[Updates](#)
[Web Fundamentals](#)

### Connect

[Twitter](#)
[Youtube](#)

Mailing list

---

 for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

---

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).