Assignment 4

Due date: Sunday, April 9, 11:59 pm Submission via Git only

Programming environment

For this assignment you must ensure your work executes correctly on the virtual machines (i.e., Senjhalla or its analogous environment for students with M1 MacBooks) you installed/configured as part of Assignment 0 as this is our "reference platform". This same environment will be used by the teaching team when grading the work submitted by the SENG 265 students. Submitted assignment that don't execute correctly on the required environment will receive a failing grade or be subject to heavy penalties.

The sample code for Part 1 of this assignment is available on Brightspace as well as on the UVic SENG server in /seng265work/2023-spring/a4/

Use the following scp command to download these files from the UVic SENG server to your computer:

scp NETLINKID@seng265.seng.uvic.ca:/seng265work/2023-spring/a4/* .

Make sure that your submitted files are inside of your a4 folder of your cloned Git repository.

Hint: To verify whether you uploaded the files properly, simply clone the git repository to a new directory on your computer and check that the desired files are placed properly.

Individual work

This assignment is to be completed by each individual student (i.e., no group work). Naturally you will want to discuss aspects of the problem with fellow students, and such discussion is encouraged. However, sharing of code fragments is strictly forbidden. Code-similarity analysis tools are used to check submitted work for plagiarism.

Learning objectives

- I. Learn how to generate web pages or how to generate programs using Python generate HTML and SVG code programmatically.
- II. Learn object-oriented design with PART-OF or aggregation hierarchies using Python classes, objects, and attributes (methods and data).
- III. Appreciate the concepts of abstraction and encapsulation.
- IV. Learn how to structure Python projects into multiple files modules.
- V. Learn and appreciate Python type hinting.
- VI. Learn how to understand application programmer interfaces (APIs).
- VII. Learn how to generate random numbers in Python random numbers are frequently employed in algorithms, simulations, and quantum computing.
- VIII. Learn how to manage sequential text files using the Python file I/O API.
- IX. Learn to write Pythonic code using *namedtuple*.
- X. Practice incremental software development.
- XI. Use Git to manage changes in your source code and annotate the evolution of your solution with messages provided during commits. Update your git repository after every major editing session to make sure that you don't lose your work.

Instructions

Assignment 4 consists of three (3) separate Python projects. The idea is to develop the famous SENG 265 Python Arts program incrementally. All three parts are required. The first two parts are worth 20% each and Part 3 is worth 60%. Store the three different Python projects in three subdirectories called a41, a42, a43 of the a4 directory. This assignment should be a lot of fun. Show your generated art to your family and friends.

Experienced Python developers write *Pythonic code* which is a core skill for Python developers. In this assignment, you will level up that skill using *namedtuple*. With the factory namedtuple(), you can create immutable sequence types that allow you to access their values using descriptive field names and the **dot notation** instead of unclear integer indices.

Core components of this assignment are *incremental development* and *Git version control*. These software engineering skills are critical for substantial software projects and distributed development in teams.

Part 1

For Part 1 develop an *object-oriented* Python project to generate an HTML-SVG document (i.e., a web page) as depicted in Figure 1 below. The generated file can be viewed using your favorite web browser by rendering the SVG drawing depicted in Figure 2 below.

A starter program is provided for Part 1. However, this program is not written in an object-oriented style. So, a first step is to decompose the problem into classes including attributes (i.e., instance variables and methods). Please note that there are many different solutions to writing Part 1 in object-oriented style. The following class decomposition is one viable approach. Practice incremental development from the start and use Git for managing the incremental development.

- Develop a Python class called HtmlDoc to generate an HTML page consisting of a header and a body as shown in Fig. 1 below. Design methods to write text lines for HTML tags html, head, head, <a href="he
- Develop a Python class called SvgCanvas to generate the <svg>, </svg> tags for the SVG drawing in an SVG canvas or viewport (cf. Fig. 1). This class should include a method called gen_art to generate the art (i.e., circles) in the SVG canvas.
- Develop Python classes called Circle, Rectangle, Ellipse to draw circles, rectangles, and ellipses using the SVG
 <circle>, <rect> and <ellipse> tag, respectively, as depicted in Fig. 1 (only circles are depicted in this figure).
 Thus, these classes include circle, rectangle, and ellipse instance attributes and methods to draw these SVG shapes.
- 4. Write the HTML and SVG code to **standard output** redirect standard output to a file when you invoke the Python interpreter in a terminal window. For example, % **python part1.py** > **part1.html**
- 5. Then view the generated HTML page (e.g., part1.html) using your favorite web browser.
- 6. Use named tuples as discussed in the course.

```
<html>
<head>
   <title>My Art</title>
</head>
<body>
   <!--Define SVG drawing box-->
   <svg width="500" height="300">
      <circle cx="50" cy="50" r="50" fill="rgb(255, 0, 0)" fill-opacity="1.0"></circle>
      <circle cx="150" cy="50" r="50" fill="rgb(255, 0, 0)" fill-opacity="1.0"></circle>
      <circle cx="250" cy="50" r="50" fill="rgb(255, 0, 0)" fill-opacity="1.0"></circle>
      <circle cx="350" cy="50" r="50" fill="rgb(255, 0, 0)" fill-opacity="1.0"></circle>
      <circle cx="450" cy="50" r="50" fill="rgb(255, 0, 0)" fill-opacity="1.0"></circle>
      <circle cx="50" cy="250" r="50" fill="rgb(0, 0, 255)" fill-opacity="1.0"></circle>
      <circle cx="150" cy="250" r="50" fill="rgb(0, 0, 255)" fill-opacity="1.0"></circle>
      <circle cx="250" cy="250" r="50" fill="rgb(0, 0, 255)" fill-opacity="1.0"></circle>
      <circle cx="350" cy="250" r="50" fill="rgb(0, 0, 255)" fill-opacity="1.0"></circle>
      <circle cx="450" cy="250" r="50" fill="rgb(0, 0, 255)" fill-opacity="1.0"></circle>
   </svg>
</body>
</html>
```

Figure 1: Generated HTML/SVG code




Figure 2: Sample HTML/SVG page

Part 2

Part 2 generates a table of *random numbers* as depicted in Table 1 below. The idea is to generate random numbers to produce random art. The hardwired numbers for the circle center, radius, and color in Fig. 1 will be replaced by random numbers in Part 3 of this assignment. Table 2 contains a set of ranges for random number generation for the different variables (e.g., radius, width, height, color, or opacity).

- Develop a Python class called ArtConfig to define ranges for the different parameters of the generated random
 art. For example, generate art with big or small circles and rectangles; or art with certain color shades (see
 images below). Use default values and keyword arguments in the __init__ constructor of ArtConfig. Define the
 default ranges (e.g., minimum and maximum color values) as class variables in the ArtConfig class.
- 2. The output of Part 2 must be a table of random numbers as depicted in Table 1 below. Please note that not all columns are required for Part 3 but are required for Part 2. Also note that the random numbers you generate will of course be different than the numbers in Table 1. However, the random numbers should be within the ranges specified in Table 2 below. Use f-strings to generate each row in nicely aligned (right-justified) columns.

Table 1: Random numbers for 10 sample geometric shapes

CNT	SHA	X	Y	RAD	RX	RY	M	Н	R	G	В	OP
0	2	431	13	24	27	26	18	11	82	144	73	0.1
1	1	294	28	50	23	24	32	21	135	12	62	0.2
2	1	358	264	30	30	18	32	36	179	18	77	0.9
3	2	247	179	23	27	28	22	25	9	56	37	0.7
4	2	355	263	20	17	28	21	35	19	13	137	0.8
5	1	29	217	48	25	23	29	24	64	120	54	0.8
6	2	216	290	26	22	10	37	24	173	79	20	0.9
7	0	317	150	47	18	26	28	23	50	59	161	0.5
8	2	78	53	28	13	24	30	32	176	202	153	0.3
9	2	342	205	14	12	14	18	11	153	213	233	0.5

Table 2: Random numbers for 10 sample geometric shapes

VAR	Description and Range					
CNT	Shape counter					
SHA	Kind of shape: 0 for circle, 1 for rectangle, 3 for ellipse					
х	X-coordinate of shape (e.g., circle or ellipse center,					
X	rectangle top-left corner) in viewport range					
Υ	Y-coordinate of shape (e.g., circle or ellipse center,					
T	rectangle top-left corner) in viewport range					
RAD	Circle radius with small range 0 100					
RX	Ellipse radius small range 1030					
RY	Ellipse radius 1030					
w	Rectangle width small range 10 100					
Н	Rectangle height small range 10 100					
R	Red color of RGB in range 0 255					
G	Green color of RGB in range 0 255					
В	Blue color of RGB in range 0 255					
ОР	Shape opacity in range 0.0 1.0					

Part 3

The goal of Part 3 is to integrate the classes developed for Parts 1 and 2 into a third Python project and generate some beautiful greeting cards for your friends and family in the form of HTML-SVG pages. That is, Projects 1 and 2 are test programs for the various classes required for Part 3. Instantiate at least three configuration class objects to generate different art types as depicted in Figure 3 below. Show your artistic side. Image titles and captions r postcard greetings are optional.




Figure 3: SENG 265 ART

Important requirements for grading

- The most important requirement is effective object-oriented design and effective program decomposition for the three parts.
- You must use classes and objects for geometric objects (i.e., Circle, Rectangle), art configuration (i.e., ArtConfig) as well as HTML-SVG prologue and epilogue (i.e., ProEpilogue)
- To facilitate automated grading

- the following call names are required for the required classes: Circle, Rectangle, ProEpilogue,
 ArtConfig, and GenRandom
- each class and each method must have a docstring containing the class or method name (e.g.,
 "Circle class" or "'drawCircle method") right below the class or function header
- o all three projects must have a main() function
- o for Projects 1 and 3, generate valid, multi-line, and indented HTML-SVG files
- o all three projects must use **Python type hints**.
- For all three projects, global, program-scope, or file/module-scope variables must not be used.

What to submit

- Submit all three parts in separate directories/folders to your a4 folder of your Git repository as follows.
- The three different Python projects must be stored in three subdirectories/folders called a41, a42, a43 that are in your a4 directory.
- **Hint:** To verify whether you uploaded the files properly, simply clone the git repository to a new directory on your computer and check that the desired files have been placed properly.
- Part 1: Submit your Python program (a41.py) as well as the generated HTML file (a41.html)
- Part 2: Submit your Python program (a42.py) as well as a screenshot of your random table (a42.jpg)
- Part 3: Submit your Python program (a43.py) as well as three screenshots of your art (a431.jpg, a432.jpg, and a433.jpg)

Grading assessment

- The first two parts are worth 20% each and Part 3 is worth 60%.
- Straying from the assignment requirements will result in zero marks due to automated grading.

Additional Criteria for Qualitative Assessment

- **Documentation and commenting:** the purpose of documentation and commenting is to write information so that anyone other than yourself (with knowledge of coding) can review your program and quickly understand how it works. In terms of marking, documentation is not a large mark, but it will be part of the quality assessment.
- **Proper naming conventions:** You must use proper names for functions and variables. Using random or single character variables is considered improper coding and significantly reduces code readability. Single character variables as loop variables is fine.
- **Debugging/Comment artifacts:** You must submit a clean file with no residual commented lines of code or unintended text
- Quality of solution: marker will access the submission for logical and functional quality of the solution. Some examples that would result in a reduction of marks.