

AUDSPECT

Breach & Attack Simulation Platform

Adversary Simulation Assessment Report

Full Security Posture Scan

RISK: MEDIUM RISK

Prepared for	DESKTOP-5TVEBSI
Endpoint	Windows/amd64 (10.0.19045)
Environment	Production
Assessment date	10 June 2026, 11:37 UTC
Report generated	10 June 2026, 11:39 UTC
Run reference	18b7b540

1. Executive Summary

This report presents the results of an automated breach & attack simulation executed against DESKTOP-5TVEBSI (Windows/amd64 (10.0.19045)) on 10 June 2026. The assessment ran 25 MITRE ATT&CK-aligned techniques to measure how effectively the endpoint's security controls prevent real adversary behaviour.

Of the techniques executed, 17 were prevented or blocked by a security control and 8 executed successfully without being stopped. This yields a prevention effectiveness of 70% and an overall risk classification of Medium Risk (risk score 54/100). Consecutive failures across adjacent kill-chain phases amplified exposure by 1.8×, indicating an attacker could chain multiple steps with limited resistance.

8 critical or high-severity technique(s) were not prevented and require prioritised remediation (see Key Findings). Testing exercised 50% of the ATT&CK enterprise kill chain; broadening scenario coverage in future runs will increase assurance. Prioritised recommendations are provided in section 7.

Overall posture: Medium Risk (risk score 54 / 100, Baseline)

25 techniques · 17 prevented · 8 succeeded · 0 errored · 0 skipped · 8 critical/high finding(s)

2. Assessment Scorecard



3. Methodology & Scope

Framework	MITRE ATT&CK (Enterprise)
Engines	Custom checks
Target endpoint	DESKTOP-5TVEBSI — Windows/amd64 (10.0.19045)
Environment	Production
Techniques executed	25
Tactics exercised	7 of 14 ATT&CK tactics
Window	10 Jun 2026 11:37 UTC

Each technique is scored as PASS when a security control prevented or blocked it, FAIL when it executed without being stopped, ERROR when the test itself could not execute correctly (malformed content, timeout, missing prerequisite, scheduler contention), or SKIPPED when it was not run. Only PASS and FAIL count toward the score: a FAIL is a finding — the simulated adversary behaviour succeeded against this endpoint — while ERROR and SKIPPED are excluded because they reflect a test-execution problem, not the endpoint's defences.

4. ATT&CK Tactic Breakdown

Execution		100%	4 pass · 0 fail
Persistence		0%	0 pass · 3 fail

Privilege Escalation		66%	2 pass · 1 fail
Defense Evasion		60%	3 pass · 2 fail
Credential Access		100%	6 pass · 0 fail
Lateral Movement		66%	2 pass · 1 fail
Impact		0%	0 pass · 1 fail

5. Key Findings

HIGH

F-01 T1562.001 — Impair Defenses: Disable or Modify Tools

Defense Evasion

- What happened** Step failed (exit 1): The string is missing the terminator: "."
- Remediation**
- 1) Enable tamper protection on all EDR/AV solutions; alert on protection disablement.
 - 2) Restrict PowerShell to ConstrainedLanguageMode and enable AMSI.
 - 3) Enable Script Block Logging (Event ID 4104) and forward to SIEM.
 - 4) Monitor for security service termination and log clearing events.

HIGH

F-02 T1547.001 — Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder

Persistence

- What happened** Step failed (exit 1): The string is missing the terminator: "."
- Remediation**
- 1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions.
 - 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms.
 - 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints.
 - 4) Audit and remediate all startup entries against a known-good baseline.

HIGH

F-03 T1547.001 — Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder

Persistence

- What happened** Step failed (exit 1): s : The term 's' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the
- Remediation**
- 1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions.
 - 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms.
 - 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints.
 - 4) Audit and remediate all startup entries against a known-good baseline.

HIGH

F-04 T1543.003 — Create or Modify System Process: Windows Service

Persistence

- What happened** Step failed (exit 1): The string is missing the terminator: "."
- Remediation**
- 1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions.
 - 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms.
 - 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints.
 - 4) Audit and remediate all startup entries against a known-good baseline.

CRITICAL

F-05 T1548.002 — Abuse Elevation Control Mechanism: Bypass User Account Control

Privilege Escalation

- What happened** Step failed (exit 1): The string is missing the terminator: "."
- Remediation**
- 1) Enforce least-privilege; audit and remove unnecessary local admin memberships.
 - 2) Enable UAC at highest level; require elevation approval for all admin actions.
 - 3) Patch known privilege escalation CVEs — cross-reference CISA KEV catalogue.
 - 4) Monitor for token manipulation events (Windows Event IDs 4672, 4673, 4674).

CRITICAL

F-06 T1021.001 — Remote Services: Remote Desktop Protocol

Lateral Movement

- What happened** Step failed (exit 1): The string is missing the terminator: "."
- Remediation**
- 1) Disable SMBv1 and restrict NTLM; enforce Kerberos with AES encryption.
 - 2) Implement network micro-segmentation between business units and payment systems.
 - 3) Enable Windows Firewall rules blocking lateral movement ports (445, 135, 5985).
 - 4) Deploy EDR with lateral movement detection and automated isolation capability.

HIGH

Confidential — F-07 T1562.004 — Impair Defenses: Disable or Modify System Firewall

Full Security Posture Scan

Defense Evasion

- What happened** Step failed (exit 1): The string is missing the terminator: ".
- Remediation**
- 1) Enable tamper protection on all EDR/AV solutions; alert on protection disablement.
 - 2) Restrict PowerShell to ConstrainedLanguageMode and enable AMSI.
 - 3) Enable Script Block Logging (Event ID 4104) and forward to SIEM.
 - 4) Monitor for security service termination and log clearing events.

HIGH

F-08 T1486 — Data Encrypted for Impact

Impact

- What happened** Step failed (exit 1): The string is missing the terminator: ".
- Remediation**
- 1) Implement and test offline backup strategy (3-2-1 rule) per RBI/SEBI BCP guidelines.
 - 2) Enable VSS protection and restrict shadow copy deletion to admin-only with MFA.
 - 3) Deploy ransomware-specific EDR detection rules and automated isolation playbooks.
 - 4) Maintain and regularly test DR and incident response plans per CSCRf requirements.

6. Detailed Technique Results

PASS

T1003.001 — OS Credential Dumping: LSASS Memory

Credential Access · Critical

- Details** Step completed:
- Threat impact** OS Credential Dumping: LSASS Memory (T1003.001): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.
- Remediation** Control validated: OS Credential Dumping: LSASS Memory (T1003.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1003.001 — OS Credential Dumping: LSASS Memory

Credential Access · Critical

- Details** WDigest disabled .?
- Threat impact** OS Credential Dumping: LSASS Memory (T1003.001): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.
- Remediation** Control validated: OS Credential Dumping: LSASS Memory (T1003.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1003.001 — OS Credential Dumping: LSASS Memory

Credential Access · Critical

- Details** Step completed:
- Threat impact** OS Credential Dumping: LSASS Memory (T1003.001): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.
- Remediation** Control validated: OS Credential Dumping: LSASS Memory (T1003.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1552.002 — AutoLogon Credentials in Registry

Credential Access · Critical

- Details** AutoLogon disabled .?
- Threat impact** AutoLogon Credentials in Registry (T1552.002): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.
- Remediation** Control validated: AutoLogon Credentials in Registry (T1552.002) was blocked. Maintain current security posture and continue monitoring.

PASS

T1558.004 — Steal or Forge Kerberos Tickets: AS-REP Roasting

Credential Access · Critical

- Details** Step completed:
- Threat impact** Steal or Forge Kerberos Tickets: AS-REP Roasting (T1558.004): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.

Remediation - Confirmed - Control validated: Steal or Forge Kerberos Tickets: AS-REP Roasting (T1558.004) was blocked. Maintain current security posture and continue monitoring.

PASS

T1562.001 — Impair Defenses: Disable or Modify Tools

Defense Evasion · High

Details Defender Real-Time Protection enabled

Threat impact Impair Defenses: Disable or Modify Tools (T1562.001): Attacker disables or bypasses security controls allowing subsequent techniques to execute undetected, defeating SIEM/SOAR alerting and EDR coverage.

Remediation Control validated: Impair Defenses: Disable or Modify Tools (T1562.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1562.001 — Impair Defenses: Disable or Modify Tools

Defense Evasion · High

Details Tamper Protection enabled .?

Threat impact Impair Defenses: Disable or Modify Tools (T1562.001): Attacker disables or bypasses security controls allowing subsequent techniques to execute undetected, defeating SIEM/SOAR alerting and EDR coverage.

Remediation Control validated: Impair Defenses: Disable or Modify Tools (T1562.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1070.001 — Indicator Removal: Clear Windows Event Logs

Defense Evasion · High

Details EventLog service running .?

Threat impact Indicator Removal: Clear Windows Event Logs (T1070.001): Attacker disables or bypasses security controls allowing subsequent techniques to execute undetected, defeating SIEM/SOAR alerting and EDR coverage.

Remediation Control validated: Indicator Removal: Clear Windows Event Logs (T1070.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1059.001 — Command and Scripting Interpreter: PowerShell

Execution · High

Details Step completed:

Threat impact Command and Scripting Interpreter: PowerShell (T1059.001): Attacker executes arbitrary code on the endpoint enabling full control of the compromised system and all data accessible from it.

Remediation Control validated: Command and Scripting Interpreter: PowerShell (T1059.001) was blocked. Maintain current security posture and continue monitoring.

FAIL

T1562.001 — Impair Defenses: Disable or Modify Tools

Defense Evasion · High

Details Step failed (exit 1): The string is missing the terminator: ".

Threat impact Impair Defenses: Disable or Modify Tools (T1562.001): Attacker disables or bypasses security controls allowing subsequent techniques to execute undetected, defeating SIEM/SOAR alerting and EDR coverage.

Remediation 1) Enable tamper protection on all EDR/AV solutions; alert on protection disablement.
2) Restrict PowerShell to ConstrainedLanguageMode and enable AMSI.
3) Enable Script Block Logging (Event ID 4104) and forward to SIEM.
4) Monitor for security service termination and log clearing events.

PASS

T1059.001 — Command and Scripting Interpreter: PowerShell

Execution · High

Details ExecutionPolicy=Restricted .?

Threat impact Command and Scripting Interpreter: PowerShell (T1059.001): Attacker executes arbitrary code on the endpoint enabling full control of the compromised system and all data accessible from it.

Remediation Control validated: Command and Scripting Interpreter: PowerShell (T1059.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1059.001 — Command and Scripting Interpreter: PowerShell

Execution · High

Details Step completed:

Threat impact Command and Scripting Interpreter: PowerShell (T1059.001): Attacker executes arbitrary code on the endpoint enabling full control of the compromised system and all data accessible from it.

Remediation Control validated: Command and Scripting Interpreter: PowerShell (T1059.001) was blocked. Maintain current security posture and continue monitoring.

PASS

T1059 — Command and Scripting Interpreter

Full Security Posture Scan

Execution · High

Details	Step completed:
Threat impact	Command and Scripting Interpreter (T1059): Attacker executes arbitrary code on the endpoint enabling full control of the compromised system and all data accessible from it.
Remediation	Control validated: Command and Scripting Interpreter (T1059) was blocked. Maintain current security posture and continue monitoring.

PASS

T1021.006 — Remote Services: Windows Remote Management

Lateral Movement · Critical

Details	Step completed:
Threat impact	Remote Services: Windows Remote Management (T1021.006): Attacker moves to adjacent systems expanding compromise blast radius. In BFSI this can reach treasury, trading, or inter-bank settlement infrastructure.
Remediation	Control validated: Remote Services: Windows Remote Management (T1021.006) was blocked. Maintain current security posture and continue monitoring.

FAIL

T1547.001 — Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder

Persistence · High

Details	Step failed (exit 1): The string is missing the terminator: ".
Threat impact	Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder (T1547.001): Attacker maintains long-term access surviving reboots and credential rotations, enabling sustained espionage or pre-positioned ransomware in RBI-regulated environments.
Remediation	1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions. 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms. 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints. 4) Audit and remediate all startup entries against a known-good baseline.

FAIL

T1547.001 — Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder

Persistence · High

Details	Step failed (exit 1): s : The term 's' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the
Threat impact	Boot or Logon Autostart Execution: Registry Run Keys / Startup Folder (T1547.001): Attacker maintains long-term access surviving reboots and credential rotations, enabling sustained espionage or pre-positioned ransomware in RBI-regulated environments.
Remediation	1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions. 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms. 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints. 4) Audit and remediate all startup entries against a known-good baseline.

FAIL

T1543.003 — Create or Modify System Process: Windows Service

Persistence · High

Details	Step failed (exit 1): The string is missing the terminator: ".
Threat impact	Create or Modify System Process: Windows Service (T1543.003): Attacker maintains long-term access surviving reboots and credential rotations, enabling sustained espionage or pre-positioned ransomware in RBI-regulated environments.
Remediation	1) Monitor autorun locations: Run keys, scheduled tasks, services, WMI subscriptions. 2) Enable Autoruns/Sysmon monitoring with alerts on new persistence mechanisms. 3) Implement application allowlisting (WDAC or AppLocker) on all endpoints. 4) Audit and remediate all startup entries against a known-good baseline.

FAIL

T1548.002 — Abuse Elevation Control Mechanism: Bypass User Account Control

Privilege Escalation · Critical

Details	Step failed (exit 1): The string is missing the terminator: ".
Threat impact	Abuse Elevation Control Mechanism: Bypass User Account Control (T1548.002): Attacker elevates to SYSTEM or Domain Admin enabling unrestricted access to all local and domain resources including AD, GPO, and privileged service accounts.
Remediation	1) Enforce least-privilege; audit and remove unnecessary local admin memberships. 2) Enable UAC at highest level; require elevation approval for all admin actions. 3) Patch known privilege escalation CVEs — cross-reference CISA KEV catalogue. 4) Monitor for token manipulation events (Windows Event IDs 4672, 4673, 4674).

PASS	T1548.002 — Abuse Elevation Control Mechanism: Bypass User Account Control		Privilege Escalation · Critical
	Details	Step completed:	
	Threat impact	Abuse Elevation Control Mechanism: Bypass User Account Control (T1548.002): Attacker elevates to SYSTEM or Domain Admin enabling unrestricted access to all local and domain resources including AD, GPO, and privileged service accounts.	
	Remediation	Control validated: Abuse Elevation Control Mechanism: Bypass User Account Control (T1548.002) was blocked. Maintain current security posture and continue monitoring.	
PASS	T1548.002 — Abuse Elevation Control Mechanism: Bypass User Account Control		Privilege Escalation · Critical
	Details	Step completed:	
	Threat impact	Abuse Elevation Control Mechanism: Bypass User Account Control (T1548.002): Attacker elevates to SYSTEM or Domain Admin enabling unrestricted access to all local and domain resources including AD, GPO, and privileged service accounts.	
	Remediation	Control validated: Abuse Elevation Control Mechanism: Bypass User Account Control (T1548.002) was blocked. Maintain current security posture and continue monitoring.	
PASS	T1021.002 — Remote Services: SMB/Windows Admin Shares		Lateral Movement · Critical
	Details	Step completed:	
	Threat impact	Remote Services: SMB/Windows Admin Shares (T1021.002): Attacker moves to adjacent systems expanding compromise blast radius. In BFSI this can reach treasury, trading, or inter-bank settlement infrastructure.	
	Remediation	Control validated: Remote Services: SMB/Windows Admin Shares (T1021.002) was blocked. Maintain current security posture and continue monitoring.	
FAIL	T1021.001 — Remote Services: Remote Desktop Protocol		Lateral Movement · Critical
	Details	Step failed (exit 1): The string is missing the terminator: ".	
	Threat impact	Remote Services: Remote Desktop Protocol (T1021.001): Attacker moves to adjacent systems expanding compromise blast radius. In BFSI this can reach treasury, trading, or inter-bank settlement infrastructure.	
	Remediation	1) Disable SMBv1 and restrict NTLM; enforce Kerberos with AES encryption. 2) Implement network micro-segmentation between business units and payment systems. 3) Enable Windows Firewall rules blocking lateral movement ports (445, 135, 5985). 4) Deploy EDR with lateral movement detection and automated isolation capability.	
FAIL	T1562.004 — Impair Defenses: Disable or Modify System Firewall		Defense Evasion · High
	Details	Step failed (exit 1): The string is missing the terminator: ".	
	Threat impact	Impair Defenses: Disable or Modify System Firewall (T1562.004): Attacker disables or bypasses security controls allowing subsequent techniques to execute undetected, defeating SIEM/SOAR alerting and EDR coverage.	
	Remediation	1) Enable tamper protection on all EDR/AV solutions; alert on protection disablement. 2) Restrict PowerShell to ConstrainedLanguageMode and enable AMSI. 3) Enable Script Block Logging (Event ID 4104) and forward to SIEM. 4) Monitor for security service termination and log clearing events.	
PASS	T1557.001 — LLMNR / NetBIOS Poisoning Prevention		Credential Access · Critical
	Details	Step completed:	
	Threat impact	LLMNR / NetBIOS Poisoning Prevention (T1557.001): Attacker obtains valid credentials enabling lateral movement, privilege escalation, and persistent access. In BFSI environments this risks access to core banking, SWIFT, or payment switch systems.	
	Remediation	Control validated: LLMNR / NetBIOS Poisoning Prevention (T1557.001) was blocked. Maintain current security posture and continue monitoring.	
FAIL	T1486 — Data Encrypted for Impact		Impact · High
	Details	Step failed (exit 1): The string is missing the terminator: ".	

Threat Impact	Data Encrypted for Impact (T1486): Attacker disrupts, destroys, or manipulates data — ransomware encryption, wiper deployment, or transaction manipulation affecting business continuity and SEBI/RBI obligations.	Full system posture scan
Remediation	1) Implement and test offline backup strategy (3-2-1 rule) per RBI/SEBI BCP guidelines. 2) Enable VSS protection and restrict shadow copy deletion to admin-only with MFA. 3) Deploy ransomware-specific EDR detection rules and automated isolation playbooks. 4) Maintain and regularly test DR and incident response plans per CSCRf requirements.	

7. Prioritised Recommendations

- 1 Critical tactic 'privilege-escalation' has 1 failing technique(s). Address immediately — this tactic has the highest attacker value in BFSI environments.
- 2 Critical tactic 'lateral-movement' has 1 failing technique(s). Address immediately — this tactic has the highest attacker value in BFSI environments.
- 3 Kill-chain amplifier is 1.8× — an attacker can traverse multiple consecutive kill-chain phases unimpeded. Implement network segmentation and lateral movement controls.

8. Appendix — Metric Definitions

PASS	A security control prevented or blocked the simulated technique. More passes is better.
FAIL	The technique executed successfully without being stopped — a finding requiring attention.
ERROR	The test could not execute correctly (malformed content, timeout, missing prerequisite, scheduler contention). A BAS execution problem, not a security outcome — excluded from scoring.
SKIPPED	The technique was deliberately not run (e.g. external payload not shipped) and was excluded from scoring.
Prevention	Severity-weighted percentage of techniques that were prevented. Higher is better.
Exposure	Tactic-weighted failure rate, amplified by consecutive kill-chain failures. Lower is better.
Tactic Coverage	Breadth of testing: how many of the 14 MITRE ATT&CK Enterprise tactics this run exercised.
Defense Rate	Share of tested tactics in which every technique was blocked (zero failures).
Kill-chain amplifier	Multiplier (1.0–2.5×) reflecting consecutive unprevented kill-chain phases.
Risk classification	Overall posture band derived from the amplified exposure score.