


Executive Summary



Data Exfiltration

Last assessment performed on: 20/10/2022 15:20:07

Last target: DESKTOP-8NF63EA (Logged-In User)

Last template name: Cymulate Best Practice

Last status: Completed - assessment completed successfully

[Generated full Data Exfiltration report with the latest results.](#)

Cymulate Demo (Default Environment)

There is an increasing number of laws that are being implemented which are forcing enterprises to better safeguard their data. Data breaches also have a huge financial impact on a company and its reputation. Organizations rely on Data Loss Prevention products to ensure that no one can extract critical information outside the organization's walls. Our assessment allows you to test your outbound flow to validate that your main assets stay inside and safe.

How could data be leaked outside to the internet?

Transfer Data to Cloud Account

Exfiltration Over Physical Medium

Archive Collected Data

Exfiltration Over Alternative Protocol

Exfiltration Over C2 Channel

Assessment Summary

Cymulate Score

87/100

Exfiltration Ratio

5035/5427

Attack Type Summary

Score breakdown by exfiltration methods

	Browser HTTP	100%		33/33	20/10/2022 15:20:07
	Browser HTTPS	100%		33/33	20/10/2022 15:20:07
	Google Storage	100%		298/298	20/10/2022 15:20:07
	MS Teams	100%		298/298	20/10/2022 15:20:07
	Slack	100%		298/298	20/10/2022 15:20:07
	One Drive	72%		190/265	20/10/2022 15:20:07
	Gitlab	100%		298/298	20/10/2022 15:20:07
	Github	100%		298/298	20/10/2022 15:20:07
	AWS S3 Bucket	100%		298/298	20/10/2022 15:20:07
	Azure Blob	100%		298/298	20/10/2022 15:20:07
	Google Drive	100%		265/265	20/10/2022 15:20:07
	Removable Device	100%		265/265	20/10/2022 15:20:07
	Open Ports	100%		33/33	20/10/2022 15:20:07
	Gmail + Append	0%		0/33	20/10/2022 15:20:07
	SFTP	100%		265/265	20/10/2022 15:20:07

	Telnet	100%		298/298	20/10/2022 15:20:07
	E-Mail	0%		0/298	20/10/2022 15:20:07
	ICMP Tunneling	100%		298/298	20/10/2022 15:20:07
	DNS Tunneling	100%		33/33	20/10/2022 15:20:07
	DNS	100%		298/298	20/10/2022 15:20:07
	HTTPS Exfiltration	100%		462/462	20/10/2022 15:20:07
	HTTP Exfiltration	100%		462/462	20/10/2022 15:20:07

Data Exfiltration Assessment Insights



You are least protected from **AWS S3 Bucket**

aws_s3_bucket

100%



You are most protected from **Gmail + Append**

Using enterprise email to transmit sensitive data.

0%



Business Confidential

Business confidentiality includes your brand, competitive advantage and products and services designed and offerings

24%



Financial

Financial records of the financial activities and position of a business, person, or other entity.

31%



Medical

Medical information refers to maintaining the integrity of electronic medical information, and ensuring availability only to those who need access and are authorized to use such data.

12%



PII

Personally identifiable information, is information that can be used on its own or with other information to identify, contact, or locate a single person, or to identify an individual in context.

32%


Benchmark - Financial Services

This graph represents your organization exposure score compared with other organizations (Company A, Company B, You, Company D, Company E) in your industry globally.

The average score in your industry is: 43


Your score is: 87

*Benchmark was calculated as of 20/10/2022



Performance

This graph represents your performance in each Attack Type over the last 10 assessments



Appendix A

Attack Types



HTTP Exfiltration

Data exchange over HTTP by Injecting sensitive data into an HTTP request headers sent to a remote server. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file



HTTPS Exfiltration

Data exchange over HTTPS by Injecting sensitive data into an HTTPS (encrypted) request headers sent to a remote server. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file



DNS

Data exchange over DNS Protocol (controlled DNS server) Injecting sensitive data into a DNS request sent to a dedicated remote server. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file



DNS Tunneling

Data exchange over DNS Protocol (Tunneling through public DNS servers) Injecting sensitive data into a DNS request sent to public DNS servers. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file



Email

Using enterprise email to transmit sensitive data. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

ICMP Tunneling

Data exchange over ICMP headers Injecting sensitive data into an echo packet sent to a remote computer. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

Removable devices

Copying sensitive data to removable media devices, such as USB flash drives. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

Telnet

Data exchange over Telnet protocol Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

SFTP

Data exchange over SFTP protocol Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

One Drive

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Plain text
- Office documents
- PNG images (Steganography)
- PDF file

Slack

Sending sensitive data via Slack chat app. Data is be transmitted as:

- Plain text
- Office documents
- Screenshot
- PNG images (Steganography)
- PDF file

MS Teams

Sending sensitive data via Teams chat app. Data is be transmitted as:

- Plain text
- Office documents
- Screenshot
- PNG images (Steganography)
- PDF file

Open Ports

Data exchange over external open ports (TCP Protocol). Data is be transmitted as:

- Plain text

Gmail + Append

Using enterprise email to transmit sensitive data. Data is be transmitted as:

- Plain text

AWS S3 Bucket

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Screenshot
- Office documents
- PNG images (Steganography)
- PDF file

Azure Blob

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Screenshot
- Office documents
- PNG images (Steganography)
- PDF file

Gitlab

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Screenshot
- Office documents
- PNG images (Steganography)
- PDF file

Github

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Screenshot
- Office documents
- PNG images (Steganography)
- PDF file

Google Storage

Uploading sensitive data to external file hosting service. Data is be transmitted as:

- Screenshot
- Office documents
- PNG images (Steganography)
- PDF file



Browser HTTP

Cymulate will try to exfiltrate data using one of the locally existing browsers. Cymulate agent will use the browser's command-line interface to create an HTTP GET response which will exfiltrate data to a remote Cymulate server



Browser HTTPS

Cymulate will try to exfiltrate data using one of the locally existing browsers. Cymulate agent will use the browser's command-line interface to create an HTTPS GET response which will exfiltrate data to a remote Cymulate server

Appendix B

The Cymulate Score

How is it Calculated?

The Cymulate platform is intended to provide your organization with a quantifiable risk score in order to understand your cyber security risk posture at any time based on the security solutions and capabilities at your disposal.

The following risk rating methods, models, assessments, and methodologies are used for calculating Cymulate assessments risk score:

NIST risk assessment (Special Publication 800-30)

- Threat Likelihood
- Impact

CVSS v3

- Confidentiality
- Integrity
- Availability
- Attack Vector
- Attack complexity
- Privileges Required
- User Interaction
- Remediation Level

DREAD

- Damage
- Reproducibility
- Exploitability
- Affected users
- Discoverability

The algorithm calculates the above factors, also takes into consideration MITRE's ATT&CK framework knowledge base of cyber adversary behavior and taxonomy for adversarial actions across their lifecycle. The result is a number score describing the total exposure level:

Minimal Risk
0-10

Low Risk
11-33

Medium Risk
34-67

High Risk
68-100

***The lower your score, the lower your cyber security risk.**