



Pilot SFH-selected progenitor-analogue sequence


Descendant 2763283538658028988
 $\log M^*=10.25$, $z=0.380$, $\log \text{sSFR}=-10.01$
 PHZ $\Delta\text{MS}=+0.54$
 SFH-100Myr $\Delta\text{MS}=-\text{inf}$ (zero) dex



Analogue positions and fixed SFH-cluster regions




Descendant SFH and earlier-state checkpoints




f	L	logM	T	N	zmed
0.99	1.27	10.25	2.00	2,024	0.53
0.98	1.80	10.24	2.00	2,016	0.53
0.97	2.29	10.24	2.00	2,011	0.53
0.96	2.65	10.23	2.00	2,024	0.53
0.95	2.83	10.23	2.00	2,022	0.53
0.90	3.38	10.21	2.00	2,006	0.53
0.85	3.85	10.18	2.00	1,982	0.53
0.80	4.19	10.16	2.00	2,001	0.52
0.60	5.22	10.03	2.00	2,053	0.48
0.40	6.08	9.85	2.00	2,004	0.43
0.20	6.84	9.55	2.00	1,698	0.36
0.10	7.26	9.25	2.00	1,373	0.30

PHZ versus reconstructed-SFH recent activity



Morphology of selected analogues



Selection variables

- predicted stellar mass, within ± 0.15 dex
- cumulative SFH before each descendant state
- 2 Gyr physical-time comparison when available

Candidate redshift, morphology, ΔMS , image embedding, and UMAP position are outcomes, not selection variables. The dashed path joins ensemble medians, not one galaxy's orbit.

Earlier state $f=0.99$: lookback=1.27 Gyr, predicted $\log M^*=10.25$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)





rank 1: 2749282110659311027
 $\log M^*=10.33 (+0.08)$ $z=0.518$
 PHZ $\Delta MS=-0.94$; SFH-100Myr $\Delta MS=-\text{inf}$ (zero) $D=0.003$

rank 2: 2693741834646048150
 $\log M^*=10.29 (+0.04)$ $z=0.506$
 PHZ $\Delta MS=+0.13$; SFH-100Myr $\Delta MS=-1.57$ $D=0.003$


rank 3: 2731809014668317097
 $\log M^*=10.27 (+0.02)$ $z=0.566$
 PHZ $\Delta MS=-1.07$; SFH-100Myr $\Delta MS=-\text{inf}$ (zero) $D=0.003$

rank 4: 2738819469684773691
 $\log M^*=10.33 (+0.08)$ $z=0.516$
 PHZ $\Delta MS=-0.26$; SFH-100Myr $\Delta MS=-\text{inf}$ (zero) $D=0.003$


rank 5: 2702593798682616794
 $\log M^*=10.38 (+0.14)$ $z=0.508$
 PHZ $\Delta MS=-0.48$; SFH-100Myr $\Delta MS=-\text{inf}$ (zero) $D=0.003$




Complete candidate SFH




Complete candidate SFH




Complete candidate SFH



Complete candidate SFH



Complete candidate SFH








Fractional lookback time

Fractional lookback time

Fractional lookback time

Fractional lookback time

Fractional lookback time



Time before compared epoch [Gyr]

Time before compared epoch [Gyr]


Time before compared epoch [Gyr]

Time before compared epoch [Gyr]



Time before compared epoch [Gyr]

Earlier state $f=0.98$: lookback=1.80 Gyr, predicted $\log M^*=10.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2704871067684064328
 $\log M^*=10.32 (+0.08)$ $z=0.506$
 PHZ $\Delta MS=+0.14$; SFH-100Myr $\Delta MS=-0.69$
 $D=0.004$





Complete candidate SFH



rank 2: 2736498588639086075
 $\log M^*=10.31 (+0.07)$ $z=0.518$
 PHZ $\Delta MS=+0.55$; SFH-100Myr $\Delta MS=-1.50$
 $D=0.005$





Complete candidate SFH




rank 3: 2736826729657222153
 $\log M^*=10.31 (+0.07)$ $z=0.580$
 PHZ $\Delta MS=+0.40$; SFH-100Myr $\Delta MS=-0.56$
 $D=0.006$





Complete candidate SFH




rank 4: 2746934514679339656
 $\log M^*=10.38 (+0.13)$ $z=0.590$
 PHZ $\Delta MS=+0.13$; SFH-100Myr $\Delta MS=-0.45$
 $D=0.007$





Complete candidate SFH



rank 5: 2638168019677528596
 $\log M^*=10.37 (+0.13)$ $z=0.688$
 PHZ $\Delta MS=+1.22$; SFH-100Myr $\Delta MS=-0.5$
 $D=0.007$



Complete candidate SFH





Earlier state $f=0.97$: lookback=2.29 Gyr, predicted $\log M^*=10.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2707787764688983512
 $\log M^*=10.38$ (+0.14) $z=0.796$
 PHZ $\Delta MS=+0.97$; SFH-100Myr $\Delta MS=-0.24$
 $D=0.005$





Complete candidate SFH




rank 2: 2730287830684892203
 $\log M^*=10.13$ (-0.11) $z=0.498$
 PHZ $\Delta MS=+0.50$; SFH-100Myr $\Delta MS=-0.04$
 $D=0.005$





Complete candidate SFH




rank 3: 2659258445679596065
 $\log M^*=10.35$ (+0.11) $z=0.710$
 PHZ $\Delta MS=+1.87$; SFH-100Myr $\Delta MS=-0.22$
 $D=0.005$





Complete candidate SFH




rank 4: 2695096547651392084
 $\log M^*=10.37$ (+0.13) $z=0.794$
 PHZ $\Delta MS=+0.95$; SFH-100Myr $\Delta MS=-0.22$
 $D=0.005$





Complete candidate SFH



rank 5: 2768897270667593065
 $\log M^*=10.14$ (-0.10) $z=0.736$
 PHZ $\Delta MS=+1.83$; SFH-100Myr $\Delta MS=-0.3$
 $D=0.006$




Complete candidate SFH





Earlier state $f=0.96$: lookback=2.65 Gyr, predicted $\log M^*=10.23$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2691938015669129864
 $\log M^*=10.29 (+0.06)$ $z=0.870$
 PHZ $\Delta MS=+0.99$; SFH-100Myr $\Delta MS=-0.09$
 $D=0.003$





Complete candidate SFH




rank 2: 2736881428684070683
 $\log M^*=10.22 (-0.01)$ $z=0.830$
 PHZ $\Delta MS=+1.12$; SFH-100Myr $\Delta MS=-0.01$
 $D=0.003$





Complete candidate SFH




rank 3: 2653826875667003456
 $\log M^*=10.17 (-0.07)$ $z=0.652$
 PHZ $\Delta MS=+0.32$; SFH-100Myr $\Delta MS=+0.07$
 $D=0.004$





Complete candidate SFH




rank 4: 2748288169645427586
 $\log M^*=10.09 (-0.15)$ $z=0.800$
 PHZ $\Delta MS=+1.65$; SFH-100Myr $\Delta MS=-0.10$
 $D=0.004$





Complete candidate SFH



rank 5: 2673670178678175402
 $\log M^*=10.38 (+0.15)$ $z=0.780$
 PHZ $\Delta MS=+0.99$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.004$




Complete candidate SFH





Earlier state $f=0.95$: lookback=2.83 Gyr, predicted $\log M^*=10.23$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2712600669640126278
 $\log M^*=10.15$ (-0.08) $z=0.932$
 PHZ $\Delta MS=+2.06$; SFH-100Myr $\Delta MS=-0.09$
 $D=0.004$





Complete candidate SFH




rank 2: 2633286603668260470
 $\log M^*=10.32$ (+0.09) $z=0.738$
 PHZ $\Delta MS=+0.99$; SFH-100Myr $\Delta MS=+0.18$
 $D=0.005$





Complete candidate SFH




rank 3: 2659398307678321082
 $\log M^*=10.37$ (+0.14) $z=0.884$
 PHZ $\Delta MS=+1.60$; SFH-100Myr $\Delta MS=+0.04$
 $D=0.005$





Complete candidate SFH




rank 4: 2629898765674391199
 $\log M^*=10.34$ (+0.11) $z=0.710$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=-0.01$
 $D=0.005$





Complete candidate SFH



rank 5: 2648387510661046359
 $\log M^*=10.26$ (+0.03) $z=0.760$
 PHZ $\Delta MS=+0.89$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.005$



Complete candidate SFH



Earlier state $f=0.90$: lookback=3.38 Gyr, predicted $\log M^*=10.21$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2665034043668981542
 $\log M^*=10.34$ (+0.13) $z=0.860$
 PHZ $\Delta MS=+1.00$; SFH-100Myr $\Delta MS=+0.12$
 $D=0.003$

rank 2: 2757235934679374411
 $\log M^*=10.08$ (-0.13) $z=0.766$
 PHZ $\Delta MS=+1.21$; SFH-100Myr $\Delta MS=+0.17$
 $D=0.005$


rank 3: 2727579410637599231
 $\log M^*=10.29$ (+0.09) $z=0.726$
 PHZ $\Delta MS=+1.14$; SFH-100Myr $\Delta MS=+0.24$
 $D=0.006$

rank 4: 2629667783659961275
 $\log M^*=10.22$ (+0.01) $z=0.834$
 PHZ $\Delta MS=+0.69$; SFH-100Myr $\Delta MS=+0.17$
 $D=0.007$



rank 5: 2720345603668220499
 $\log M^*=10.07$ (-0.13) $z=0.574$
 PHZ $\Delta MS=+0.41$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.007$




Complete candidate SFH





Fractional lookback time




Complete candidate SFH





Fractional lookback time




Complete candidate SFH





Fractional lookback time




Complete candidate SFH




Fractional lookback time



Complete candidate SFH




Fractional lookback time





Earlier state $f=0.85$: lookback=3.85 Gyr, predicted $\log M^*=10.18$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2734093125661705642
 $\log M^*=10.21 (+0.03)$ $z=0.796$
 PHZ $\Delta MS=+1.23$; SFH-100Myr $\Delta MS=+0.31$
 $D=0.004$





Complete candidate SFH




rank 2: 2770931031674918766
 $\log M^*=10.20 (+0.02)$ $z=0.778$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.30$
 $D=0.005$





Complete candidate SFH




rank 3: 2762798877673117355
 $\log M^*=10.16 (-0.02)$ $z=0.798$
 PHZ $\Delta MS=+1.42$; SFH-100Myr $\Delta MS=+0.28$
 $D=0.005$





Complete candidate SFH




rank 4: 2676133738661852882
 $\log M^*=10.18 (-0.00)$ $z=0.770$
 PHZ $\Delta MS=+1.07$; SFH-100Myr $\Delta MS=+0.37$
 $D=0.006$





Complete candidate SFH



rank 5: 2686015407655559375
 $\log M^*=10.23 (+0.05)$ $z=0.850$
 PHZ $\Delta MS=+1.51$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.007$




Complete candidate SFH





Earlier state $f=0.80$: lookback=4.19 Gyr, predicted $\log M^*=10.16$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)



rank 1: 2638529012665704771 log $M^*=10.13$ (-0.03) $z=0.930$ PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=+0.24$ D=0.003	rank 2: 2719975428650465420 log $M^*=10.27$ (+0.12) $z=0.834$ PHZ $\Delta MS=+1.17$; SFH-100Myr $\Delta MS=+0.49$ D=0.006	rank 3: 2662140856652304755 log $M^*=10.24$ (+0.08) $z=0.918$ PHZ $\Delta MS=+0.92$; SFH-100Myr $\Delta MS=+0.40$ D=0.008	rank 4: 2728457088649568411 log $M^*=10.07$ (-0.09) $z=0.852$ PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=+0.32$ D=0.009	rank 5: 2655200288679618340 log $M^*=10.26$ (+0.10) $z=0.902$ PHZ $\Delta MS=+1.25$; SFH-100Myr $\Delta MS=+0.0$ D=0.009
---	---	---	---	--





Complete candidate SFH





Complete candidate SFH









Complete candidate SFH



Complete candidate SFH




Complete candidate SFH





Earlier state $f=0.60$: lookback=5.22 Gyr, predicted $\log M^*=10.03$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2691025900648883627
 $\log M^*=10.15 (+0.12)$ $z=1.182$
 PHZ $\Delta MS=+1.66$; SFH-100Myr $\Delta MS=+0.49$
 $D=0.036$





Complete candidate SFH




rank 2: 2689545645661527879
 $\log M^*=10.07 (+0.04)$ $z=0.964$
 PHZ $\Delta MS=+1.41$; SFH-100Myr $\Delta MS=+0.52$
 $D=0.040$





Complete candidate SFH




rank 3: 2649029123653292699
 $\log M^*=9.97 (-0.06)$ $z=1.062$
 PHZ $\Delta MS=+1.62$; SFH-100Myr $\Delta MS=+0.61$
 $D=0.047$





Complete candidate SFH




rank 4: 2671692305653190716
 $\log M^*=10.03 (-0.00)$ $z=0.958$
 PHZ $\Delta MS=+1.33$; SFH-100Myr $\Delta MS=+0.67$
 $D=0.048$





Complete candidate SFH



rank 5: 2658189408677769790
 $\log M^*=10.07 (+0.04)$ $z=1.464$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.67$
 $D=0.048$




Complete candidate SFH





Earlier state $f=0.40$: lookback=6.08 Gyr, predicted $\log M^*=9.85$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2645606478643808588
 $\log M^*=9.72$ (-0.13) $z=1.116$
 PHZ $\Delta MS=+1.67$; SFH-100Myr $\Delta MS=+0.83$
 $D=0.105$



P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 2: 2766281064676170516
 $\log M^*=9.85$ (-0.01) $z=1.138$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.111$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 3: 2733550546657853038
 $\log M^*=9.76$ (-0.10) $z=0.760$
 PHZ $\Delta MS=+1.25$; SFH-100Myr $\Delta MS=+0.97$
 $D=0.134$




P(smooth)=0.08 P(spiral)=0.25
 P(merger)=0.61

Complete candidate SFH





rank 4: 2650234495658951302
 $\log M^*=9.93$ (+0.08) $z=1.010$
 PHZ $\Delta MS=+1.36$; SFH-100Myr $\Delta MS=+0.74$
 $D=0.136$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 5: 2708364677681344616
 $\log M^*=9.82$ (-0.03) $z=0.920$
 PHZ $\Delta MS=+1.38$; SFH-100Myr $\Delta MS=+0.74$
 $D=0.147$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH




Earlier state $f=0.20$: lookback=6.84 Gyr, predicted $\log M^*=9.55$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2647975483685285807
 $\log M^*=9.44$ (-0.12) $z=0.510$
 PHZ $\Delta MS=+1.34$; SFH-100Myr $\Delta MS=+1.07$
 $D=0.249$




$P(\text{smooth})=n/a$ $P(\text{spiral})=n/a$
 $P(\text{merger})=n/a$


Complete candidate SFH



Fractional lookback time




rank 2: 2744318378668883710
 $\log M^*=9.65$ (+0.09) $z=0.770$
 PHZ $\Delta MS=+1.31$; SFH-100Myr $\Delta MS=+0.98$
 $D=0.252$




$P(\text{smooth})=n/a$ $P(\text{spiral})=n/a$
 $P(\text{merger})=n/a$


Complete candidate SFH



Fractional lookback time




rank 3: 2740268308665100250
 $\log M^*=9.47$ (-0.09) $z=0.760$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.276$




$P(\text{smooth})=n/a$ $P(\text{spiral})=n/a$
 $P(\text{merger})=n/a$


Complete candidate SFH



Fractional lookback time




rank 4: 2695901997638798783
 $\log M^*=9.55$ (-0.01) $z=1.234$
 PHZ $\Delta MS=+1.48$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.279$




$P(\text{smooth})=0.76$ $P(\text{spiral})=0.37$
 $P(\text{merger})=0.22$


Complete candidate SFH



Fractional lookback time




rank 5: 2729264667640595011
 $\log M^*=9.49$ (-0.06) $z=0.760$
 PHZ $\Delta MS=+1.78$; SFH-100Myr $\Delta MS=+0.8$
 $D=0.290$




$P(\text{smooth})=n/a$ $P(\text{spiral})=n/a$
 $P(\text{merger})=n/a$

Complete candidate SFH




Fractional lookback time




Earlier state $f=0.10$: lookback=7.26 Gyr, predicted $\log M^*=9.25$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2648545772681764910
 $\log M^*=9.39 (+0.14)$ $z=0.994$
 PHZ $\Delta MS=+1.79$; SFH-100Myr $\Delta MS=+0.90$
 $D=0.280$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH




Fractional lookback time




Time before compared epoch [Gyr]

rank 2: 2758021642653704394
 $\log M^*=9.38 (+0.13)$ $z=0.950$
 PHZ $\Delta MS=+1.81$; SFH-100Myr $\Delta MS=+0.73$
 $D=0.385$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH




Fractional lookback time




Time before compared epoch [Gyr]

rank 3: 2657573134652992420
 $\log M^*=9.35 (+0.10)$ $z=0.560$
 PHZ $\Delta MS=+1.13$; SFH-100Myr $\Delta MS=+0.86$
 $D=0.416$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH




Fractional lookback time




Time before compared epoch [Gyr]

rank 4: 2660165531665312424
 $\log M^*=9.30 (+0.05)$ $z=0.560$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.434$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH




Fractional lookback time




Time before compared epoch [Gyr]

rank 5: 2741240803677937125
 $\log M^*=9.37 (+0.12)$ $z=0.510$
 PHZ $\Delta MS=+1.04$; SFH-100Myr $\Delta MS=+0.8$
 $D=0.458$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH



Fractional lookback time



Time before compared epoch [Gyr]