



Pilot Quenched-descendant progenitor-analogue sequence


Descendant 2753746377651000618
 $\log M^*=11.24$, $z=0.860$, $\log \text{sSFR}=-12.55$
 PHZ $\Delta\text{MS}=-2.15$
 SFH-100Myr $\Delta\text{MS}=-\text{inf}$ (zero) dex



Descendant SFH and earlier-state checkpoints




Analogue positions and fixed SFH-cluster regions




f	L	logM	T	N	zmed
0.99	2.79	11.24	2.00	540	0.83
0.98	2.84	11.23	2.00	551	0.83
0.97	2.89	11.23	2.00	560	0.83
0.96	2.94	11.22	2.00	565	0.82
0.95	3.00	11.22	2.00	574	0.82
0.90	3.24	11.20	2.00	618	0.82
0.85	3.39	11.17	2.00	678	0.80
0.80	3.57	11.14	2.00	733	0.79
0.60	4.23	11.02	2.00	1,030	0.72
0.40	4.74	10.84	1.61	1,520	0.66
0.20	5.16	10.54	1.19	1,905	0.59
0.10	5.46	10.24	0.89	2,016	0.53
0.03	5.83	9.72	0.52	1,820	0.39
0.01	6.07	9.24	0.28	1,373	0.30

PHZ versus reconstructed-SFH recent activity



Morphology of selected analogues




Selection variables

- predicted stellar mass, within ± 0.15 dex
- cumulative SFH before each descendant state
- 2 Gyr physical-time comparison when available



Candidate redshift, morphology, ΔMS , image embedding, and UMAP position are outcomes, not selection variables. The dashed path joins ensemble medians, not one galaxy's orbit.

Earlier state $f=0.99$: lookback=2.79 Gyr, predicted $\log M^*=11.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2752932503672282693
 $\log M^*=11.23$ (-0.01) $z=1.420$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$
 $D=0.064$





Complete candidate SFH




rank 2: 2729616490656652562
 $\log M^*=11.16$ (-0.07) $z=1.380$
 PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.084$





Complete candidate SFH




rank 3: 2687172945690876494
 $\log M^*=11.20$ (-0.03) $z=1.332$
 PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.087$





Complete candidate SFH




rank 4: 2719221791646863654
 $\log M^*=11.11$ (-0.13) $z=1.118$
 PHZ $\Delta MS=+1.55$; SFH-100Myr $\Delta MS=-0.01$
 $D=0.127$





Complete candidate SFH



rank 5: 2625516708652182031
 $\log M^*=11.16$ (-0.08) $z=1.418$
 PHZ $\Delta MS=+1.90$; SFH-100Myr $\Delta MS=-0.06$
 $D=0.152$




Complete candidate SFH





Earlier state $f=0.98$: lookback=2.84 Gyr, predicted $\log M^*=11.23$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2752932503672282693
 $\log M^*=11.23$ (-0.00) $z=1.420$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$
 $D=0.071$





Complete candidate SFH




rank 2: 2729616490656652562
 $\log M^*=11.16$ (-0.07) $z=1.380$
 PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.091$





Complete candidate SFH




rank 3: 2687172945690876494
 $\log M^*=11.20$ (-0.03) $z=1.332$
 PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.094$





Complete candidate SFH




rank 4: 2719221791646863654
 $\log M^*=11.11$ (-0.13) $z=1.118$
 PHZ $\Delta MS=+1.55$; SFH-100Myr $\Delta MS=-0.01$
 $D=0.134$





Complete candidate SFH



rank 5: 2625516708652182031
 $\log M^*=11.16$ (-0.08) $z=1.418$
 PHZ $\Delta MS=+1.90$; SFH-100Myr $\Delta MS=-0.06$
 $D=0.159$




Complete candidate SFH





Earlier state $f=0.97$: lookback=2.89 Gyr, predicted $\log M^*=11.23$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2752932503672282693
 $\log M^*=11.23$ (+0.00) $z=1.420$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$
 $D=0.080$





Complete candidate SFH




rank 2: 2729616490656652562
 $\log M^*=11.16$ (-0.06) $z=1.380$
 PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.100$





Complete candidate SFH




rank 3: 2687172945690876494
 $\log M^*=11.20$ (-0.03) $z=1.332$
 PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.102$





Complete candidate SFH




rank 4: 2719221791646863654
 $\log M^*=11.11$ (-0.12) $z=1.118$
 PHZ $\Delta MS=+1.55$; SFH-100Myr $\Delta MS=-0.01$
 $D=0.143$





Complete candidate SFH



rank 5: 2669631927653827681
 $\log M^*=11.08$ (-0.15) $z=0.994$
 PHZ $\Delta MS=+0.38$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.146$




Complete candidate SFH





Earlier state $f=0.96$: lookback=2.94 Gyr, predicted $\log M^*=11.22$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)



rank 1: 2753316360680891979 log $M^*=11.08$ (-0.15) $z=1.472$ PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$ D=0.021	rank 2: 2752932503672282693 log $M^*=11.23$ (+0.01) $z=1.420$ PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$ D=0.090	rank 3: 2729616490656652562 log $M^*=11.16$ (-0.06) $z=1.380$ PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$ D=0.110	rank 4: 2687172945690876494 log $M^*=11.20$ (-0.02) $z=1.332$ PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$ D=0.112	rank 5: 2719221791646863654 log $M^*=11.11$ (-0.12) $z=1.118$ PHZ $\Delta MS=+1.55$; SFH-100Myr $\Delta MS=-0.02$ D=0.153
---	---	---	---	---





Complete candidate SFH





Complete candidate SFH









Complete candidate SFH



Complete candidate SFH




Complete candidate SFH




Earlier state $f=0.95$: lookback=3.00 Gyr, predicted $\log M^*=11.22$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2753316360680891979 log $M^*=11.08$ (-0.14) $z=1.472$ PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$ D=0.034	rank 2: 2752932503672282693 log $M^*=11.23$ (+0.01) $z=1.420$ PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$ D=0.103	rank 3: 2729616490656652562 log $M^*=11.16$ (-0.06) $z=1.380$ PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$ D=0.122	rank 4: 2687172945690876494 log $M^*=11.20$ (-0.02) $z=1.332$ PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$ D=0.125	rank 5: 2719221791646863654 log $M^*=11.11$ (-0.11) $z=1.118$ PHZ $\Delta MS=+1.55$; SFH-100Myr $\Delta MS=-0.02$ D=0.166
---	---	---	---	---




Complete candidate SFH




Complete candidate SFH













Complete candidate SFH



Complete candidate SFH




Complete candidate SFH






Earlier state $f=0.90$: lookback=3.24 Gyr, predicted $\log M^*=11.20$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)




rank 1: 2753316360680891979 log $M^*=11.08$ (-0.12) $z=1.472$ PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$ D=0.090	rank 2: 2634119826667500832 log $M^*=11.05$ (-0.15) $z=1.336$ PHZ $\Delta MS=+1.56$; SFH-100Myr $\Delta MS=+0.06$ D=0.153	rank 3: 2752932503672282693 log $M^*=11.23$ (+0.03) $z=1.420$ PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$ D=0.158	rank 4: 2729616490656652562 log $M^*=11.16$ (-0.03) $z=1.380$ PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$ D=0.178	rank 5: 2687172945690876494 log $M^*=11.20$ (+0.01) $z=1.332$ PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$ D=0.181
---	---	---	---	---






Complete candidate SFH






Complete candidate SFH





Complete candidate SFH



Complete candidate SFH



Complete candidate SFH



Earlier state $f=0.85$: lookback=3.39 Gyr, predicted $\log M^*=11.17$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2753316360680891979
 $\log M^*=11.08$ (-0.10) $z=1.472$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$
 $D=0.120$

rank 2: 2634119826667500832
 $\log M^*=11.05$ (-0.12) $z=1.336$
 PHZ $\Delta MS=+1.56$; SFH-100Myr $\Delta MS=+0.06$
 $D=0.184$




rank 3: 2752932503672282693
 $\log M^*=11.23$ (+0.06) $z=1.420$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$
 $D=0.189$

rank 4: 2729616490656652562
 $\log M^*=11.16$ (-0.01) $z=1.380$
 PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.209$




rank 5: 2687172945690876494
 $\log M^*=11.20$ (+0.03) $z=1.332$
 PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.211$






Complete candidate SFH






Complete candidate SFH





Complete candidate SFH



Complete candidate SFH




Complete candidate SFH






Earlier state $f=0.80$: lookback=3.57 Gyr, predicted $\log M^*=11.14$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)




rank 1: 2753316360680891979 log $M^*=11.08$ (-0.07) $z=1.472$ PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$ D=0.162	rank 2: 2634119826667500832 log $M^*=11.05$ (-0.09) $z=1.336$ PHZ $\Delta MS=+1.56$; SFH-100Myr $\Delta MS=+0.06$ D=0.226	rank 3: 2752932503672282693 log $M^*=11.23$ (+0.09) $z=1.420$ PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.09$ D=0.231	rank 4: 2729616490656652562 log $M^*=11.16$ (+0.02) $z=1.380$ PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$ D=0.251	rank 5: 2687172945690876494 log $M^*=11.20$ (+0.06) $z=1.332$ PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$ D=0.253
---	---	---	---	---






Complete candidate SFH






Complete candidate SFH





Complete candidate SFH



Complete candidate SFH



Complete candidate SFH



Earlier state $f=0.60$: lookback=4.23 Gyr, predicted $\log M^*=11.02$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)






rank 1: 2659854720684798410
 $\log M^*=10.93$ (-0.09) $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.301$

rank 2: 2753316360680891979
 $\log M^*=11.08$ (+0.06) $z=1.472$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.18$
 $D=0.346$

rank 3: 2634119826667500832
 $\log M^*=11.05$ (+0.03) $z=1.336$
 PHZ $\Delta MS=+1.56$; SFH-100Myr $\Delta MS=+0.06$
 $D=0.409$

rank 4: 2729616490656652562
 $\log M^*=11.16$ (+0.14) $z=1.380$
 PHZ $\Delta MS=+1.68$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.434$

rank 5: 2733922492661538209
 $\log M^*=10.90$ (-0.12) $z=1.172$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.441$













Complete candidate SFH

Complete candidate SFH

Complete candidate SFH


Complete candidate SFH

Complete candidate SFH




Earlier state $f=0.40$: lookback=4.74 Gyr, predicted $\log M^*=10.84$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2678711556674304258
 $\log M^*=10.83$ (-0.01) $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.43$
 $D=0.404$




Complete candidate SFH




Fractional lookback time




rank 2: 2741447642657085578
 $\log M^*=10.70$ (-0.15) $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.425$




Complete candidate SFH




Fractional lookback time




rank 3: 2703488790670980759
 $\log M^*=10.80$ (-0.05) $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.432$




Complete candidate SFH




Fractional lookback time




rank 4: 2659854720684798410
 $\log M^*=10.93$ (+0.08) $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.445$




Complete candidate SFH




Fractional lookback time




rank 5: 2649173403675031662
 $\log M^*=10.77$ (-0.08) $z=0.832$
 PHZ $\Delta MS=+0.66$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.490$



Complete candidate SFH




Fractional lookback time




Earlier state $f=0.20$: lookback=5.16 Gyr, predicted $\log M^*=10.54$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2716117201644464606
 $\log M^*=10.58 (+0.03)$ $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.391$




Complete candidate SFH




Fractional lookback time




rank 2: 2754251518642661053
 $\log M^*=10.53 (-0.01)$ $z=1.250$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.469$




Complete candidate SFH




Fractional lookback time




rank 3: 2735200012646842655
 $\log M^*=10.42 (-0.12)$ $z=1.124$
 PHZ $\Delta MS=+1.52$; SFH-100Myr $\Delta MS=+0.45$
 $D=0.470$




Complete candidate SFH




Fractional lookback time




rank 4: 2748216818639415066
 $\log M^*=10.54 (-0.00)$ $z=1.266$
 PHZ $\Delta MS=+1.89$; SFH-100Myr $\Delta MS=+0.52$
 $D=0.479$




Complete candidate SFH




Fractional lookback time




rank 5: 2674024524656252959
 $\log M^*=10.49 (-0.05)$ $z=1.118$
 PHZ $\Delta MS=+1.43$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.497$



Complete candidate SFH




Fractional lookback time





Earlier state $f=0.10$: lookback=5.46 Gyr, predicted $\log M^*=10.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2741023943678283074
 $\log M^*=10.26 (+0.02)$ $z=1.194$
 PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=+0.85$
 $D=0.411$





Complete candidate SFH




rank 2: 2656685702653947484
 $\log M^*=10.28 (+0.04)$ $z=1.122$
 PHZ $\Delta MS=+1.26$; SFH-100Myr $\Delta MS=+0.69$
 $D=0.446$





Complete candidate SFH




rank 3: 2640109785664925808
 $\log M^*=10.35 (+0.11)$ $z=1.478$
 PHZ $\Delta MS=+1.75$; SFH-100Myr $\Delta MS=+0.56$
 $D=0.468$





Complete candidate SFH




rank 4: 2717353722653902287
 $\log M^*=10.23 (-0.01)$ $z=1.198$
 PHZ $\Delta MS=+1.81$; SFH-100Myr $\Delta MS=+0.49$
 $D=0.493$





Complete candidate SFH



rank 5: 2691025900648883627
 $\log M^*=10.15 (-0.09)$ $z=1.182$
 PHZ $\Delta MS=+1.66$; SFH-100Myr $\Delta MS=+0.40$
 $D=0.496$



Complete candidate SFH



Earlier state $f=0.03$: lookback=5.83 Gyr, predicted $\log M^*=9.72$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2645606478643808588
 $\log M^*=9.72$ (+0.00) $z=1.116$
 PHZ $\Delta MS=+1.67$; SFH-100Myr $\Delta MS=+0.83$
 $D=0.421$

rank 2: 2744318378668883710
 $\log M^*=9.65$ (-0.07) $z=0.770$
 PHZ $\Delta MS=+1.31$; SFH-100Myr $\Delta MS=+0.98$
 $D=0.428$




rank 3: 2733550546657853038
 $\log M^*=9.76$ (+0.04) $z=0.760$
 PHZ $\Delta MS=+1.25$; SFH-100Myr $\Delta MS=+0.97$
 $D=0.448$

rank 4: 2766281064676170516
 $\log M^*=9.85$ (+0.13) $z=1.138$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.465$




rank 5: 2759068256676309755
 $\log M^*=9.65$ (-0.07) $z=0.944$
 PHZ $\Delta MS=+1.45$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.481$






Complete candidate SFH






Complete candidate SFH





Complete candidate SFH



Complete candidate SFH




Complete candidate SFH





Earlier state $f=0.01$: lookback=6.07 Gyr, predicted $\log M^*=9.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)
CAUTION: only 0.28 Gyr of pre-state history exists; treat this checkpoint as weakly constrained

rank 1: 2758021642653704394
 $\log M^*=9.38$ (+0.14) $z=0.950$
 PHZ $\Delta MS=+1.81$; SFH-100Myr $\Delta MS=+0.73$
 $D=0.611$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 2: 2674598393649348048
 $\log M^*=9.10$ (-0.14) $z=0.848$
 PHZ $\Delta MS=+1.80$; SFH-100Myr $\Delta MS=+0.62$
 $D=0.632$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 3: 2657573134652992420
 $\log M^*=9.35$ (+0.11) $z=0.560$
 PHZ $\Delta MS=+1.13$; SFH-100Myr $\Delta MS=+0.86$
 $D=0.633$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH





rank 4: 2660165531665312424
 $\log M^*=9.30$ (+0.06) $z=0.560$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.634$




P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH



rank 5: 2765951524658897054
 $\log M^*=9.10$ (-0.14) $z=0.580$
 PHZ $\Delta MS=+1.72$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.644$



P(smooth)=n/a P(spiral)=n/a
 P(merger)=n/a

Complete candidate SFH

