





Pilot SFH-selected progenitor-analogue sequence

Descendant 2697467918685275892
 log M*=10.94, z=0.848, log sSFR=-9.92
 PHZ deltaMS=+0.39; SFH-100Myr deltaMS=-0.85 dex



f	L	logM	T	N	zmed
0.95	1.74	10.92	2.00	1,340	0.68
0.90	2.49	10.89	2.00	1,414	0.67
0.85	2.86	10.87	2.00	1,469	0.67
0.80	3.14	10.84	2.00	1,522	0.66
0.60	3.90	10.72	2.00	1,787	0.61
0.40	4.47	10.54	1.94	1,899	0.59
0.20	4.94	10.24	1.47	2,013	0.53
0.10	5.22	9.94	1.19	2,060	0.45
0.03	5.58	9.42	0.83	1,631	0.33




Selection variables

- predicted stellar mass, within +/-0.15 dex
- cumulative SFH before each descendant state
- 2 Gyr physical-time comparison when available



Candidate redshift, morphology, deltaMS, image embedding, and UMAP position are outcomes, not selection variables. The dashed path joins ensemble medians, not one galaxy's orbit.

Earlier state $f=0.95$: lookback=1.74 Gyr, predicted $\log M^*=10.92$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2660081178659323771
 $\log M^*=10.99$ (+0.07) $z=1.108$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=-0.31$
 $D=0.004$





Complete candidate SFH




rank 2: 2741142906641231164
 $\log M^*=10.77$ (-0.15) $z=0.930$
 PHZ $\Delta MS=+1.87$; SFH-100Myr $\Delta MS=-0.06$
 $D=0.009$





Complete candidate SFH




rank 3: 2746673600660615781
 $\log M^*=10.88$ (-0.03) $z=0.970$
 PHZ $\Delta MS=+0.99$; SFH-100Myr $\Delta MS=-0.09$
 $D=0.010$





Complete candidate SFH




rank 4: 2739479407646710297
 $\log M^*=10.99$ (+0.07) $z=1.152$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=-0.28$
 $D=0.010$





Complete candidate SFH



rank 5: 2714071861665017987
 $\log M^*=10.85$ (-0.07) $z=1.038$
 PHZ $\Delta MS=+0.96$; SFH-100Myr $\Delta MS=-0.1$
 $D=0.011$




Complete candidate SFH





Earlier state $f=0.90$: lookback=2.49 Gyr, predicted $\log M^*=10.89$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2675195668637612508
 $\log M^*=10.83$ (-0.06) $z=0.976$
 PHZ $\Delta MS=+1.70$; SFH-100Myr $\Delta MS=+0.26$
 $D=0.023$





Complete candidate SFH




rank 2: 2752524161681122296
 $\log M^*=10.75$ (-0.15) $z=1.250$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.28$
 $D=0.027$





Complete candidate SFH




rank 3: 2634913015652100575
 $\log M^*=10.77$ (-0.13) $z=0.930$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.33$
 $D=0.030$





Complete candidate SFH




rank 4: 2759635543654599959
 $\log M^*=10.86$ (-0.04) $z=1.272$
 PHZ $\Delta MS=+1.93$; SFH-100Myr $\Delta MS=+0.08$
 $D=0.031$





Complete candidate SFH



rank 5: 2649173403675031662
 $\log M^*=10.77$ (-0.13) $z=0.832$
 PHZ $\Delta MS=+0.66$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.038$




Complete candidate SFH





Earlier state $f=0.85$: lookback=2.86 Gyr, predicted $\log M^*=10.87$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2659854720684798410
 $\log M^*=10.93$ (+0.06) $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.021$





Complete candidate SFH




rank 2: 2703488790670980759
 $\log M^*=10.80$ (-0.07) $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.034$





Complete candidate SFH




rank 3: 2752524161681122296
 $\log M^*=10.75$ (-0.12) $z=1.250$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.28$
 $D=0.052$





Complete candidate SFH




rank 4: 2717164221659400875
 $\log M^*=10.72$ (-0.15) $z=1.114$
 PHZ $\Delta MS=+1.48$; SFH-100Myr $\Delta MS=+0.17$
 $D=0.054$





Complete candidate SFH



rank 5: 2678711556674304258
 $\log M^*=10.83$ (-0.04) $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.055$




Complete candidate SFH





Earlier state $f=0.80$: lookback=3.14 Gyr, predicted $\log M^*=10.84$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2678711556674304258
 $\log M^*=10.83$ (-0.01) $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.43$
 $D=0.036$





Complete candidate SFH




rank 2: 2703488790670980759
 $\log M^*=10.80$ (-0.05) $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.053$





Complete candidate SFH




rank 3: 2741447642657085578
 $\log M^*=10.70$ (-0.14) $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.057$





Complete candidate SFH




rank 4: 2659854720684798410
 $\log M^*=10.93$ (+0.09) $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.060$





Complete candidate SFH



rank 5: 2752524161681122296
 $\log M^*=10.75$ (-0.10) $z=1.250$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.125$



Complete candidate SFH



Earlier state $f=0.60$: lookback=3.90 Gyr, predicted $\log M^*=10.72$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)






rank 1: 2716117201644464606
 $\log M^*=10.58$ (-0.14) $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.110$

rank 2: 2678711556674304258
 $\log M^*=10.83$ (+0.11) $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.43$
 $D=0.225$


rank 3: 2741447642657085578
 $\log M^*=10.70$ (-0.02) $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.254$

rank 4: 2629425863659052113
 $\log M^*=10.63$ (-0.09) $z=1.184$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.47$
 $D=0.256$


rank 5: 2703488790670980759
 $\log M^*=10.80$ (+0.08) $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.259$




Complete candidate SFH




Complete candidate SFH




Complete candidate SFH



Complete candidate SFH



Complete candidate SFH








Fractional lookback time

Fractional lookback time

Fractional lookback time

Fractional lookback time

Fractional lookback time



Time before compared epoch [Gyr]

Time before compared epoch [Gyr]


Time before compared epoch [Gyr]

Time before compared epoch [Gyr]



Time before compared epoch [Gyr]

Earlier state $f=0.40$: lookback=4.47 Gyr, predicted $\log M^*=10.54$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2716117201644464606
 $\log M^*=10.58 (+0.04)$ $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.266$





Complete candidate SFH




rank 2: 2735200012646842655
 $\log M^*=10.42 (-0.12)$ $z=1.124$
 PHZ $\Delta MS=+1.52$; SFH-100Myr $\Delta MS=+0.45$
 $D=0.369$





Complete candidate SFH




rank 3: 2754251518642661053
 $\log M^*=10.53 (-0.01)$ $z=1.250$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.374$





Complete candidate SFH




rank 4: 2700862331672375126
 $\log M^*=10.39 (-0.15)$ $z=1.268$
 PHZ $\Delta MS=+1.30$; SFH-100Myr $\Delta MS=+0.56$
 $D=0.376$





Complete candidate SFH



rank 5: 2748216818639415066
 $\log M^*=10.54 (+0.00)$ $z=1.266$
 PHZ $\Delta MS=+1.89$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.387$




Complete candidate SFH





Earlier state $f=0.20$: lookback=4.94 Gyr, predicted $\log M^*=10.24$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2741023943678283074
 $\log M^*=10.26 (+0.02)$ $z=1.194$
 PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=+0.85$
 $D=0.379$





Complete candidate SFH




rank 2: 2656685702653947484
 $\log M^*=10.28 (+0.04)$ $z=1.122$
 PHZ $\Delta MS=+1.26$; SFH-100Myr $\Delta MS=+0.69$
 $D=0.420$





Complete candidate SFH




rank 3: 2640109785664925808
 $\log M^*=10.35 (+0.11)$ $z=1.478$
 PHZ $\Delta MS=+1.75$; SFH-100Myr $\Delta MS=+0.56$
 $D=0.429$





Complete candidate SFH




rank 4: 2717353722653902287
 $\log M^*=10.23 (-0.01)$ $z=1.198$
 PHZ $\Delta MS=+1.81$; SFH-100Myr $\Delta MS=+0.49$
 $D=0.462$





Complete candidate SFH



rank 5: 2691025900648883627
 $\log M^*=10.15 (-0.09)$ $z=1.182$
 PHZ $\Delta MS=+1.66$; SFH-100Myr $\Delta MS=+0.40$
 $D=0.468$




Complete candidate SFH





Earlier state $f=0.10$: lookback=5.22 Gyr, predicted $\log M^*=9.94$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2647131718660160391
 $\log M^*=10.03 (+0.09)$ $z=1.170$
 PHZ $\Delta MS=+1.63$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.410$





Complete candidate SFH




rank 2: 2766281064676170516
 $\log M^*=9.85 (-0.09)$ $z=1.138$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.426$





Complete candidate SFH




rank 3: 2650234495658951302
 $\log M^*=9.93 (-0.01)$ $z=1.010$
 PHZ $\Delta MS=+1.36$; SFH-100Myr $\Delta MS=+0.74$
 $D=0.449$





Complete candidate SFH




rank 4: 2647176063640000279
 $\log M^*=9.95 (+0.01)$ $z=1.240$
 PHZ $\Delta MS=+1.62$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.460$





Complete candidate SFH



rank 5: 2708364677681344616
 $\log M^*=9.82 (-0.12)$ $z=0.920$
 PHZ $\Delta MS=+1.38$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.464$



Complete candidate SFH





Earlier state $f=0.03$: lookback=5.58 Gyr, predicted $\log M^*=9.42$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2648545772681764910
 $\log M^*=9.39$ (-0.02) $z=0.994$
 PHZ $\Delta MS=+1.79$; SFH-100Myr $\Delta MS=+0.90$
 $D=0.466$





Complete candidate SFH




rank 2: 2647975483685285807
 $\log M^*=9.44$ (+0.02) $z=0.510$
 PHZ $\Delta MS=+1.34$; SFH-100Myr $\Delta MS=+1.07$
 $D=0.473$





Complete candidate SFH




rank 3: 2740268308665100250
 $\log M^*=9.47$ (+0.05) $z=0.760$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.520$





Complete candidate SFH



rank 4: 2729264667640595011
 $\log M^*=9.49$ (+0.07) $z=0.760$
 PHZ $\Delta MS=+1.78$; SFH-100Myr $\Delta MS=+0.86$
 $D=0.534$





Complete candidate SFH



rank 5: 2753054265674679912
 $\log M^*=9.50$ (+0.08) $z=0.560$
 PHZ $\Delta MS=+1.19$; SFH-100Myr $\Delta MS=+1.0$
 $D=0.543$






Complete candidate SFH




Pilot SFH-selected progenitor-analogue sequence

Descendant 2754811443675276593
 $\log M^*=10.88$, $z=0.640$, $\log \text{sSFR}=-9.52$
 PHZ $\text{deltaMS}=+0.96$; SFH-100Myr $\text{deltaMS}=-0.21$ dex



f	L	logM	T	N	zmed
0.95	1.29	10.86	2.00	1,487	0.66
0.90	2.04	10.83	2.00	1,555	0.66
0.85	2.55	10.81	2.00	1,601	0.65
0.80	2.93	10.78	2.00	1,659	0.63
0.60	4.08	10.66	2.00	1,832	0.60
0.40	4.92	10.48	2.00	1,946	0.58
0.20	5.60	10.18	1.91	1,990	0.53
0.10	5.97	9.88	1.54	2,025	0.44
0.03	6.47	9.36	1.05	1,549	0.33




Selection variables

- predicted stellar mass, within ± 0.15 dex
- cumulative SFH before each descendant state
- 2 Gyr physical-time comparison when available



Candidate redshift, morphology, deltaMS , image embedding, and UMAP position are outcomes, not selection variables. The dashed path joins ensemble medians, not one galaxy's orbit.

Earlier state $f=0.95$: lookback=1.29 Gyr, predicted $\log M^*=10.86$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2732895607651139168
 $\log M^*=10.83$ (-0.03) $z=0.936$
 PHZ $\Delta MS=+0.38$; SFH-100Myr $\Delta MS=-0.21$
 $D=0.003$





Complete candidate SFH




rank 2: 2760526987648418617
 $\log M^*=10.80$ (-0.06) $z=0.708$
 PHZ $\Delta MS=+2.02$; SFH-100Myr $\Delta MS=-0.04$
 $D=0.003$





Complete candidate SFH




rank 3: 2628688221656787190
 $\log M^*=10.92$ (+0.07) $z=1.010$
 PHZ $\Delta MS=+1.07$; SFH-100Myr $\Delta MS=-0.05$
 $D=0.005$





Complete candidate SFH




rank 4: 2717298513648451794
 $\log M^*=10.94$ (+0.09) $z=0.940$
 PHZ $\Delta MS=+0.14$; SFH-100Myr $\Delta MS=-0.23$
 $D=0.005$





Complete candidate SFH



rank 5: 2679684946673254786
 $\log M^*=10.85$ (-0.01) $z=0.902$
 PHZ $\Delta MS=+1.10$; SFH-100Myr $\Delta MS=-0.1$
 $D=0.006$




Complete candidate SFH





Earlier state $f=0.90$: lookback=2.04 Gyr, predicted $\log M^*=10.83$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2733713913642289891
 $\log M^*=10.73$ (-0.10) $z=1.020$
 PHZ $\Delta MS=+1.23$; SFH-100Myr $\Delta MS=+0.12$
 $D=0.002$





Complete candidate SFH




rank 2: 2677419727656956088
 $\log M^*=10.71$ (-0.12) $z=1.002$
 PHZ $\Delta MS=+1.49$; SFH-100Myr $\Delta MS=-0.02$
 $D=0.005$





Complete candidate SFH




rank 3: 2692489776679883769
 $\log M^*=10.76$ (-0.07) $z=0.992$
 PHZ $\Delta MS=+1.02$; SFH-100Myr $\Delta MS=+0.16$
 $D=0.007$





Complete candidate SFH




rank 4: 2663992397684132796
 $\log M^*=10.78$ (-0.05) $z=1.038$
 PHZ $\Delta MS=+0.94$; SFH-100Myr $\Delta MS=+0.03$
 $D=0.007$





Complete candidate SFH



rank 5: 2726563309669845346
 $\log M^*=10.91$ (+0.08) $z=1.246$
 PHZ $\Delta MS=+1.84$; SFH-100Myr $\Delta MS=-0.1$
 $D=0.008$




Complete candidate SFH





Earlier state $f=0.85$: lookback=2.55 Gyr, predicted $\log M^*=10.81$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2685458456650089872
 $\log M^*=10.75$ (-0.06) $z=0.978$
 PHZ $\Delta MS=+1.43$; SFH-100Myr $\Delta MS=+0.26$
 $D=0.004$





Complete candidate SFH




rank 2: 2733922492661538209
 $\log M^*=10.90$ (+0.09) $z=1.172$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.04$
 $D=0.005$





Complete candidate SFH




rank 3: 2734658301652561453
 $\log M^*=10.94$ (+0.13) $z=1.148$
 PHZ $\Delta MS=+0.90$; SFH-100Myr $\Delta MS=+0.03$
 $D=0.010$





Complete candidate SFH




rank 4: 2721131894651126261
 $\log M^*=10.71$ (-0.10) $z=1.042$
 PHZ $\Delta MS=+1.67$; SFH-100Myr $\Delta MS=+0.07$
 $D=0.011$





Complete candidate SFH



rank 5: 2625523938660230733
 $\log M^*=10.78$ (-0.03) $z=0.920$
 PHZ $\Delta MS=+1.07$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.011$




Complete candidate SFH





Earlier state $f=0.80$: lookback=2.93 Gyr, predicted $\log M^*=10.78$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)



rank 1: 2715879659653380442 log $M^*=10.68$ (-0.11) $z=1.104$ PHZ $\Delta MS=+1.75$; SFH-100Myr $\Delta MS=+0.15$ D=0.004	rank 2: 2741819226657720293 log $M^*=10.71$ (-0.08) $z=1.158$ PHZ $\Delta MS=+1.82$; SFH-100Myr $\Delta MS=+0.14$ D=0.004	rank 3: 2760162973672441694 log $M^*=10.65$ (-0.13) $z=1.156$ PHZ $\Delta MS=+1.67$; SFH-100Myr $\Delta MS=+0.11$ D=0.006	rank 4: 2655018433679658390 log $M^*=10.67$ (-0.11) $z=0.992$ PHZ $\Delta MS=+1.30$; SFH-100Myr $\Delta MS=+0.24$ D=0.012	rank 5: 2675195668637612508 log $M^*=10.83$ (+0.05) $z=0.976$ PHZ $\Delta MS=+1.70$; SFH-100Myr $\Delta MS=+0.0$ D=0.013
---	---	---	---	--





Complete candidate SFH





Complete candidate SFH









Complete candidate SFH



Complete candidate SFH




Complete candidate SFH





Earlier state $f=0.60$: lookback=4.08 Gyr, predicted $\log M^*=10.66$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2716117201644464606
 $\log M^*=10.58$ (-0.08) $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.054$





Complete candidate SFH




rank 2: 2754251518642661053
 $\log M^*=10.53$ (-0.13) $z=1.250$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.062$





Complete candidate SFH




rank 3: 2748216818639415066
 $\log M^*=10.54$ (-0.12) $z=1.266$
 PHZ $\Delta MS=+1.89$; SFH-100Myr $\Delta MS=+0.52$
 $D=0.074$





Complete candidate SFH




rank 4: 2741447642657085578
 $\log M^*=10.70$ (+0.04) $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.093$





Complete candidate SFH



rank 5: 2629425863659052113
 $\log M^*=10.63$ (-0.03) $z=1.184$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.094$




Complete candidate SFH





Earlier state $f=0.40$: lookback=4.92 Gyr, predicted $\log M^*=10.48$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2716117201644464606
 $\log M^*=10.58 (+0.10)$ $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.156$





Complete candidate SFH




rank 2: 2640109785664925808
 $\log M^*=10.35 (-0.13)$ $z=1.478$
 PHZ $\Delta MS=+1.75$; SFH-100Myr $\Delta MS=+0.56$
 $D=0.189$





Complete candidate SFH




rank 3: 2735200012646842655
 $\log M^*=10.42 (-0.06)$ $z=1.124$
 PHZ $\Delta MS=+1.52$; SFH-100Myr $\Delta MS=+0.45$
 $D=0.262$





Complete candidate SFH




rank 4: 2754251518642661053
 $\log M^*=10.53 (+0.05)$ $z=1.250$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.266$





Complete candidate SFH



rank 5: 2635350471674992895
 $\log M^*=10.33 (-0.15)$ $z=1.142$
 PHZ $\Delta MS=+1.79$; SFH-100Myr $\Delta MS=+0.48$
 $D=0.267$




Complete candidate SFH





Earlier state $f=0.20$: lookback=5.60 Gyr, predicted $\log M^*=10.18$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2647131718660160391
 $\log M^*=10.03$ (-0.15) $z=1.170$
 PHZ $\Delta MS=+1.63$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.266$





Complete candidate SFH




rank 2: 2741023943678283074
 $\log M^*=10.26$ (+0.08) $z=1.194$
 PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=+0.85$
 $D=0.299$





Complete candidate SFH




rank 3: 2658189408677769790
 $\log M^*=10.07$ (-0.11) $z=1.464$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.54$
 $D=0.335$





Complete candidate SFH




rank 4: 2656685702653947484
 $\log M^*=10.28$ (+0.10) $z=1.122$
 PHZ $\Delta MS=+1.26$; SFH-100Myr $\Delta MS=+0.69$
 $D=0.343$





Complete candidate SFH



rank 5: 2684931694682266433
 $\log M^*=10.09$ (-0.09) $z=0.984$
 PHZ $\Delta MS=+1.06$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.349$




Complete candidate SFH




Earlier state $f=0.10$: lookback=5.97 Gyr, predicted $\log M^*=9.88$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2733550546657853038
 $\log M^*=9.76$ (-0.12) $z=0.760$
 PHZ $\Delta MS=+1.25$; SFH-100Myr $\Delta MS=+0.97$
 $D=0.350$




Complete candidate SFH




rank 2: 2766281064676170516
 $\log M^*=9.85$ (-0.03) $z=1.138$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.352$




Complete candidate SFH




rank 3: 2650234495658951302
 $\log M^*=9.93$ (+0.05) $z=1.010$
 PHZ $\Delta MS=+1.36$; SFH-100Myr $\Delta MS=+0.74$
 $D=0.379$




Complete candidate SFH




rank 4: 2708364677681344616
 $\log M^*=9.82$ (-0.05) $z=0.920$
 PHZ $\Delta MS=+1.38$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.393$









Complete candidate SFH



rank 5: 2647176063640000279
 $\log M^*=9.95$ (+0.07) $z=1.240$
 PHZ $\Delta MS=+1.62$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.393$



Complete candidate SFH





Earlier state $f=0.03$: lookback=6.47 Gyr, predicted $\log M^*=9.36$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2648545772681764910
 $\log M^*=9.39 (+0.04)$ $z=0.994$
 PHZ $\Delta MS=+1.79$; SFH-100Myr $\Delta MS=+0.90$
 $D=0.414$





Complete candidate SFH




rank 2: 2647975483685285807
 $\log M^*=9.44 (+0.08)$ $z=0.510$
 PHZ $\Delta MS=+1.34$; SFH-100Myr $\Delta MS=+1.07$
 $D=0.426$





Complete candidate SFH




rank 3: 2740268308665100250
 $\log M^*=9.47 (+0.11)$ $z=0.760$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.470$





Complete candidate SFH




rank 4: 2729264667640595011
 $\log M^*=9.49 (+0.13)$ $z=0.760$
 PHZ $\Delta MS=+1.78$; SFH-100Myr $\Delta MS=+0.86$
 $D=0.486$





Complete candidate SFH



rank 5: 2753054265674679912
 $\log M^*=9.50 (+0.14)$ $z=0.560$
 PHZ $\Delta MS=+1.19$; SFH-100Myr $\Delta MS=+1.0$
 $D=0.500$






Complete candidate SFH




Pilot SFH-selected progenitor-analogue sequence

Descendant 2722018820686215292
 log M*=10.92, z=1.004, log sSFR=-8.42
 PHZ deltaMS=+1.76; SFH-100Myr deltaMS=-1.94 dex



f	L	logM	T	N	zmed
0.95	1.38	10.89	2.00	1,414	0.67
0.90	2.06	10.87	2.00	1,466	0.67
0.85	2.54	10.84	2.00	1,516	0.66
0.80	2.85	10.82	2.00	1,580	0.65
0.60	3.62	10.69	2.00	1,810	0.61
0.40	4.14	10.52	1.59	1,923	0.58
0.20	4.65	10.22	1.09	1,993	0.53
0.10	4.94	9.92	0.80	2,044	0.44
0.03	5.30	9.39	0.44	1,580	0.33




Selection variables

- predicted stellar mass, within +/-0.15 dex
- cumulative SFH before each descendant state
- 2 Gyr physical-time comparison when available



Candidate redshift, morphology, deltaMS, image embedding, and UMAP position are outcomes, not selection variables. The dashed path joins ensemble medians, not one galaxy's orbit.

Earlier state $f=0.95$: lookback=1.38 Gyr, predicted $\log M^*=10.89$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2648877261670572303
 $\log M^*=10.90$ (+0.01) $z=1.148$
 PHZ $\Delta MS=+0.88$; SFH-100Myr $\Delta MS=-0.15$
 $D=0.003$





Complete candidate SFH




rank 2: 2739479407646710297
 $\log M^*=10.99$ (+0.09) $z=1.152$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=-0.28$
 $D=0.004$





Complete candidate SFH




rank 3: 2751025717641166180
 $\log M^*=11.02$ (+0.13) $z=1.120$
 PHZ $\Delta MS=+1.84$; SFH-100Myr $\Delta MS=-0.22$
 $D=0.004$





Complete candidate SFH




rank 4: 2733185372680607009
 $\log M^*=10.94$ (+0.05) $z=0.932$
 PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=-0.10$
 $D=0.007$





Complete candidate SFH



rank 5: 2712339651656077356
 $\log M^*=10.74$ (-0.15) $z=0.930$
 PHZ $\Delta MS=+2.05$; SFH-100Myr $\Delta MS=-0.1$
 $D=0.007$




Complete candidate SFH





Earlier state $f=0.90$: lookback=2.06 Gyr, predicted $\log M^*=10.87$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2634543024650423260
 $\log M^*=10.90 (+0.03)$ $z=1.142$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.04$
 $D=0.019$





Complete candidate SFH




rank 2: 2734658301652561453
 $\log M^*=10.94 (+0.07)$ $z=1.148$
 PHZ $\Delta MS=+0.90$; SFH-100Myr $\Delta MS=+0.03$
 $D=0.020$





Complete candidate SFH




rank 3: 2733922492661538209
 $\log M^*=10.90 (+0.03)$ $z=1.172$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.04$
 $D=0.021$





Complete candidate SFH




rank 4: 2759635543654599959
 $\log M^*=10.86 (-0.01)$ $z=1.272$
 PHZ $\Delta MS=+1.93$; SFH-100Myr $\Delta MS=+0.08$
 $D=0.021$





Complete candidate SFH



rank 5: 2685458456650089872
 $\log M^*=10.75 (-0.12)$ $z=0.978$
 PHZ $\Delta MS=+1.43$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.023$




Complete candidate SFH





Earlier state $f=0.85$: lookback=2.54 Gyr, predicted $\log M^*=10.84$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2659854720684798410
 $\log M^*=10.93 (+0.08)$ $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.028$





Complete candidate SFH




rank 2: 2703488790670980759
 $\log M^*=10.80 (-0.05)$ $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.041$





Complete candidate SFH




rank 3: 2717164221659400875
 $\log M^*=10.72 (-0.12)$ $z=1.114$
 PHZ $\Delta MS=+1.48$; SFH-100Myr $\Delta MS=+0.17$
 $D=0.045$





Complete candidate SFH




rank 4: 2752524161681122296
 $\log M^*=10.75 (-0.10)$ $z=1.250$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.28$
 $D=0.047$





Complete candidate SFH



rank 5: 2741447642657085578
 $\log M^*=10.70 (-0.15)$ $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.048$




Complete candidate SFH





Earlier state $f=0.80$: lookback=2.85 Gyr, predicted $\log M^*=10.82$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2678711556674304258
 $\log M^*=10.83 (+0.01)$ $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.43$
 $D=0.041$





Complete candidate SFH




rank 2: 2703488790670980759
 $\log M^*=10.80 (-0.02)$ $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.059$





Complete candidate SFH




rank 3: 2659854720684798410
 $\log M^*=10.93 (+0.11)$ $z=1.378$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.39$
 $D=0.062$





Complete candidate SFH




rank 4: 2741447642657085578
 $\log M^*=10.70 (-0.12)$ $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.063$





Complete candidate SFH



rank 5: 2652718793642424678
 $\log M^*=10.69 (-0.13)$ $z=1.370$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.072$



Complete candidate SFH



Earlier state $f=0.60$: lookback=3.62 Gyr, predicted $\log M^*=10.69$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)






rank 1: 2716117201644464606
 $\log M^*=10.58$ (-0.12) $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.122$

rank 2: 2678711556674304258
 $\log M^*=10.83$ (+0.14) $z=1.334$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.43$
 $D=0.238$


rank 3: 2741447642657085578
 $\log M^*=10.70$ (+0.00) $z=1.154$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.55$
 $D=0.267$

rank 4: 2629425863659052113
 $\log M^*=10.63$ (-0.06) $z=1.184$
 PHZ $\Delta MS=+1.69$; SFH-100Myr $\Delta MS=+0.47$
 $D=0.268$


rank 5: 2703488790670980759
 $\log M^*=10.80$ (+0.10) $z=1.170$
 PHZ $\Delta MS=+1.64$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.271$




Complete candidate SFH




Complete candidate SFH




Complete candidate SFH




Complete candidate SFH




Complete candidate SFH




Fractional lookback time




Fractional lookback time




Fractional lookback time



Fractional lookback time



Fractional lookback time



Time before compared epoch [Gyr]

Time before compared epoch [Gyr]


Time before compared epoch [Gyr]

Time before compared epoch [Gyr]



Time before compared epoch [Gyr]

Earlier state $f=0.40$: lookback=4.14 Gyr, predicted $\log M^*=10.52$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2716117201644464606
 $\log M^*=10.58 (+0.06)$ $z=1.350$
 PHZ $\Delta MS=+1.46$; SFH-100Myr $\Delta MS=+0.60$
 $D=0.258$





Complete candidate SFH




rank 2: 2735200012646842655
 $\log M^*=10.42 (-0.09)$ $z=1.124$
 PHZ $\Delta MS=+1.52$; SFH-100Myr $\Delta MS=+0.45$
 $D=0.350$





Complete candidate SFH




rank 3: 2700862331672375126
 $\log M^*=10.39 (-0.12)$ $z=1.268$
 PHZ $\Delta MS=+1.30$; SFH-100Myr $\Delta MS=+0.56$
 $D=0.352$





Complete candidate SFH




rank 4: 2754251518642661053
 $\log M^*=10.53 (+0.01)$ $z=1.250$
 PHZ $\Delta MS=+1.85$; SFH-100Myr $\Delta MS=+0.50$
 $D=0.353$





Complete candidate SFH



rank 5: 2748216818639415066
 $\log M^*=10.54 (+0.02)$ $z=1.266$
 PHZ $\Delta MS=+1.89$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.365$




Complete candidate SFH





Earlier state $f=0.20$: lookback=4.65 Gyr, predicted $\log M^*=10.22$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)


rank 1: 2741023943678283074
 $\log M^*=10.26 (+0.04)$ $z=1.194$
 PHZ $\Delta MS=+1.94$; SFH-100Myr $\Delta MS=+0.85$
 $D=0.368$





Complete candidate SFH




rank 2: 2656685702653947484
 $\log M^*=10.28 (+0.06)$ $z=1.122$
 PHZ $\Delta MS=+1.26$; SFH-100Myr $\Delta MS=+0.69$
 $D=0.405$





Complete candidate SFH




rank 3: 2684931694682266433
 $\log M^*=10.09 (-0.13)$ $z=0.984$
 PHZ $\Delta MS=+1.06$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.410$





Complete candidate SFH




rank 4: 2658189408677769790
 $\log M^*=10.07 (-0.14)$ $z=1.464$
 PHZ $\Delta MS=+1.59$; SFH-100Myr $\Delta MS=+0.54$
 $D=0.411$





Complete candidate SFH



rank 5: 2640109785664925808
 $\log M^*=10.35 (+0.13)$ $z=1.478$
 PHZ $\Delta MS=+1.75$; SFH-100Myr $\Delta MS=+0.0$
 $D=0.424$




Complete candidate SFH





Earlier state $f=0.10$: lookback=4.94 Gyr, predicted $\log M^*=9.92$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)

rank 1: 2647131718660160391
 $\log M^*=10.03 (+0.12)$ $z=1.170$
 PHZ $\Delta MS=+1.63$; SFH-100Myr $\Delta MS=+0.76$
 $D=0.397$





Complete candidate SFH




rank 2: 2766281064676170516
 $\log M^*=9.85 (-0.07)$ $z=1.138$
 PHZ $\Delta MS=+1.74$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.410$





Complete candidate SFH




rank 3: 2650234495658951302
 $\log M^*=9.93 (+0.01)$ $z=1.010$
 PHZ $\Delta MS=+1.36$; SFH-100Myr $\Delta MS=+0.74$
 $D=0.431$





Complete candidate SFH




rank 4: 2647176063640000279
 $\log M^*=9.95 (+0.03)$ $z=1.240$
 PHZ $\Delta MS=+1.62$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.435$





Complete candidate SFH



rank 5: 2708364677681344616
 $\log M^*=9.82 (-0.09)$ $z=0.920$
 PHZ $\Delta MS=+1.38$; SFH-100Myr $\Delta MS=+0.72$
 $D=0.443$



Complete candidate SFH





Earlier state $f=0.03$: lookback=5.30 Gyr, predicted $\log M^*=9.39$
 Candidates ranked by cumulative-SFH distance; redshift and morphology were not matched
 Green MS curves use each candidate's own observed z and mass ($R=0$; shifted MS)
CAUTION: only 0.44 Gyr of pre-state history exists; treat this checkpoint as weakly constrained


rank 1: 2648545772681764910
 $\log M^*=9.39$ (+0.00) $z=0.994$
 PHZ $\Delta MS=+1.79$; SFH-100Myr $\Delta MS=+0.90$
 $D=0.409$





Complete candidate SFH




rank 2: 2647975483685285807
 $\log M^*=9.44$ (+0.04) $z=0.510$
 PHZ $\Delta MS=+1.34$; SFH-100Myr $\Delta MS=+1.07$
 $D=0.417$





Complete candidate SFH




rank 3: 2740268308665100250
 $\log M^*=9.47$ (+0.07) $z=0.760$
 PHZ $\Delta MS=+1.77$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.457$





Complete candidate SFH




rank 4: 2753054265674679912
 $\log M^*=9.50$ (+0.11) $z=0.560$
 PHZ $\Delta MS=+1.19$; SFH-100Myr $\Delta MS=+1.04$
 $D=0.468$



Complete candidate SFH



rank 5: 2729264667640595011
 $\log M^*=9.49$ (+0.10) $z=0.760$
 PHZ $\Delta MS=+1.78$; SFH-100Myr $\Delta MS=+0.87$
 $D=0.470$



Complete candidate SFH

