

<u>MA (EU) Number</u>	<u>(Invented) name</u>	<u>Strength</u>	<u>Pharmaceutical Form</u>	<u>Route of Administration</u>	<u>Immediate Packaging</u>	<u>Content</u>	<u>Pack size</u>
EU/1/21/1591/001	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	1 pre-filled syringe without needle
EU/1/21/1591/002	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	10 pre-filled syringes without needle
EU/1/21/1591/003	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	1 pre-filled syringe + 1 separate needle
EU/1/21/1591/004	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	10 pre-filled syringes + 10 separate needles
EU/1/21/1591/005	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	1 pre-filled syringe + 2 separate needles
EU/1/21/1591/006	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	10 pre-filled syringes + 20 separate needles
EU/1/21/1591/007	Vaxneuvance	-- <sup>1</sup>	Suspension for injection	Intramuscular use	pre-filled syringe (glass)	0.5 mL	50 (5x10) pre-filled syringes without needle (multipack)

--<sup>1</sup>

One dose (0.5 mL) contains:

Pneumococcal polysaccharide serotype 1 <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 3 <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 4 <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 5 <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 6A <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 6B <sup>1,2</sup>	4.0 micrograms
Pneumococcal polysaccharide serotype 7F <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 9V <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 14 <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 18C <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 19A <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 19F <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 22F <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 23F <sup>1,2</sup>	2.0 micrograms
Pneumococcal polysaccharide serotype 33F <sup>1,2</sup>	2.0 micrograms

<sup>1</sup>Conjugated to CRM<sub>197</sub> carrier protein. CRM<sub>197</sub> is a nontoxic mutant of diphtheria toxin (originating from *Corynebacterium diphtheriae* C7) expressed recombinantly in *Pseudomonas fluorescens*.

<sup>2</sup>Adsorbed on aluminium phosphate adjuvant.