MA (EU) number	(Invented) name	Strength	Pharmaceutical Form	Route of Administration	Immediate Packaging	Content (concentration)	Pack size
EU/1/20/1528/028	COMIRNATY JN.1	--[15]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/029	COMIRNATY JN.1	--[15]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/030	COMIRNATY JN.1	--[15]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	10 pre-filled syringes (10 doses); fridge only
EU/1/20/1528/032	COMIRNATY JN.1	--[16]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/033	COMIRNATY JN.1	--[16]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/034	COMIRNATY JN.1	--[17]	Concentrate for dispersion for injection	Intramuscular use	vial (glass)	1.3 ml (10 doses)	10 multidose vials (100 doses)
EU/1/20/1528/037	COMIRNATY KP.2	--[20]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/038	COMIRNATY KP.2	--[20]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/039	COMIRNATY KP.2	--[20]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	10 pre-filled syringes (10 doses); fridge only
EU/1/20/1528/040	COMIRNATY KP.2	--[21]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/041	COMIRNATY KP.2	--[21]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)

EU/1/20/1528/043	COMIRNATY JN.1	--[15]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses); fridge only
EU/1/20/1528/044	COMIRNATY KP.2	--[20]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses); fridge only
EU/1/20/1528/045	COMIRNATY LP.8.1	--[23]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/046	COMIRNATY LP.8.1	--[23]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses); fridge only
EU/1/20/1528/047	COMIRNATY LP.8.1	--[23]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	10 pre-filled syringes (10 doses); fridge only
EU/1/20/1528/048	COMIRNATY LP.8.1	--[24]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/049	COMIRNATY LP.8.1	--[24]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/051	COMIRNATY LP.8.1	--[23]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	1 pre-filled syringe (1 dose); fridge only
EU/1/20/1528/052	COMIRNATY XFG	--[25]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)
EU/1/20/1528/053	COMIRNATY XFG	--[25]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses); fridge only
EU/1/20/1528/054	COMIRNATY XFG	--[25]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	1 pre-filled syringe

							(1 dose); fridge only
EU/1/20/1528/055	COMIRNATY XFG	--[25]	Dispersion for injection	Intramuscular use	pre-filled syringe (glass)	0.418 ml (1 dose)	10 pre-filled syringes (10 doses); fridge only
EU/1/20/1528/056	COMIRNATY XFG	--[26]	Dispersion for injection	Intramuscular use	vial (glass)	0.48 ml (1 dose)	10 single dose vials (10 doses)
EU/1/20/1528/057	COMIRNATY XFG	--[26]	Dispersion for injection	Intramuscular use	vial (glass)	2.25 ml (6 doses)	10 multidose vials (60 doses)

--[15]: COMIRNATY JN.1 30 micrograms/dose dispersion for injection (EU/1/20/1528/028-030, EU/1/20/1528/043):
1 dose (0.3 mL) contains 30 micrograms of bretovameran, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
Bretovameran is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron JN.1).

--[16]: COMIRNATY JN.1 10 micrograms/dose dispersion for injection (EU/1/20/1528/032-033):
1 dose (0.3 mL) contains 10 micrograms of bretovameran, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
Bretovameran is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron JN.1).

--[17]: COMIRNATY JN.1 10 micrograms/dose concentrate for dispersion for injection (EU/1/20/1528/034):
After dilution, 1 dose (0.2 mL) contains 10 micrograms of bretovameran, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
Bretovameran is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron JN.1).

--[20]: COMIRNATY KP.2 30 micrograms/dose dispersion for injection (EU/1/20/1528/037-039, EU/1/20/1528/044):
1 dose (0.3 mL) contains 30 micrograms of cemivameran, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
Cemivameran is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron KP.2).

--[21]: COMIRNATY KP.2 10 micrograms/dose dispersion for injection (EU/1/20/1528/040-041):

1 dose (0.3 mL) contains 10 micrograms of cemivameran, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
Cemivameran is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron KP.2).

--[23]: COMIRNATY LP.8.1 30 micrograms/dose dispersion for injection (EU/1/20/1528/045-047, EU/1/20/1528/051):
1 dose (0.3 mL) contains 30 micrograms mRNA encoding LP.8.1, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
The mRNA encoding LP.8.1 is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron LP.8.1).

--[24]: COMIRNATY LP.8.1 10 micrograms/dose dispersion for injection (EU/1/20/1528/048-049):
1 dose (0.3 mL) contains 10 micrograms mRNA encoding LP.8.1, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
The mRNA encoding LP.8.1 is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron LP.8.1).

--[25]: COMIRNATY XFG 30 micrograms/dose dispersion for injection (EU/1/20/1528/052-055):
1 dose (0.3 mL) contains 30 micrograms mRNA encoding XFG, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
The mRNA encoding XFG is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron XFG).

--[26]: COMIRNATY XFG 10 micrograms/dose dispersion for injection (EU/1/20/1528/056-057):
1 dose (0.3 mL) contains 10 micrograms mRNA encoding XFG, COVID-19 mRNA Vaccine (nucleoside modified, embedded in lipid nanoparticles).
The mRNA encoding XFG is a single-stranded, 5'-capped messenger RNA (mRNA) produced using a cell-free in vitro transcription from the corresponding DNA templates, encoding the viral spike (S) protein of SARS-CoV-2 (Omicron XFG).