






Open triangles: floor-limited status (app status threshold_near_floor) drawn at the lowest presented gap, not a threshold. E-F: Blankenship 1-up/1-down tracks 50 % (= 2AFC chance), stored as a paper-method value. Run order within panel; deleted, stopped, practice runs and example



GDT | cumulative staircase traces (not connected across runs)
A Wei / Zeng | 500-ms noise
9 runs · 328 valid trials
B Wei / Zeng | 2 -> 2 kHz tones
4 runs · 154 valid trials
C Wei / Zeng | 2 -> 1 kHz tones
5 runs · 177 valid trials
D Xie 2022 | 800-ms noise
3 runs · 154 valid trials
E Blankenship 2022 | 2 -> 2 kHz tones
2 runs · 30 valid trials
F Blankenship 2022 | 2 -> 1 kHz tones
2 runs · 23 valid trials
nominal gap (ms)
cumulative valid trial count


GDT | run-level response accuracy (descriptive; difficulty changes adaptively)
A Wei / Zeng | 500-ms noise
chance 33.3% (dotted) | target 70.7% (dashed)
B Wei / Zeng | 2 -> 2 kHz tones
chance 33.3% (dotted) | target 70.7% (dashed)
C Wei / Zeng | 2 -> 1 kHz tones
chance 33.3% (dotted) | target 70.7% (dashed)
D Xie 2022 | 800-ms noise
chance 50.0% (dotted) | target 70.7% (dashed)
E Blankenship 2022 | 2 -> 2 kHz tones
chance 50.0% (dotted) | target = chance: 50% (dashed)
F Blankenship 2022 | 2 -> 1 kHz tones
chance 50.0% (dotted) | target = chance: 50% (dashed)
correct responses (%)
0
20
40
60
80
100
28/40
23/32
28/37
30/43
25/34
25/33
27/36
30/40
25/33
A1
A2
A3
A4
A5
A6
A7
A8
A9
25/26
32/36
43/50
37/42
B1
B2
B3
B4
20/33
25/40
26/40
15/24
26/40
C1
C2
C3
C4
C5
42/49
42/49
48/56
D1
D2
D3
14/14
15/16
E1
E2
6/11
8/12
F1
F2


GDT | empirical response fractions by gap
A Wei / Zeng | 500-ms noise
B Wei / Zeng | 2 -> 2 kHz tones
C Wei / Zeng | 2 -> 1 kHz tones
D Xie 2022 | 800-ms noise
E Blankenship 2022 | 2 -> 2 kHz tones
F Blankenship 2022 | 2 -> 1 kHz tones
observed correct (%)
nominal gap duration (ms; log)
0.3
1
3
10
30
100
0
20
40
60
80
100
Each point pools responses at one ladder level within a panel; marker area proportional to the number of trials. No curve fitted.


GDT | individual adaptive staircases | 238 recorded reversals; 130 used by the 18 numeric results





GDT | individual adaptive staircases | 238 recorded reversals; 130 used by the 18 numeric results
B1 | Wei / Zeng | 2 -> 2 kHz tones | n=26
2 reversals | floor-limited | 2026-11-01 22:51 KST
B2 | Wei / Zeng | 2 -> 2 kHz tones | n=36
8 reversals | floor-limited | 2026-11-01 23:03 KST
B3 | Wei / Zeng | 2 -> 2 kHz tones | n=50
10 reversals | floor-limited | 2026-11-01 23:41 KST
B4 | Wei / Zeng | 2 -> 2 kHz tones | n=42
8 reversals | floor-limited | 2026-11-01 23:45 KST
C1 | Wei / Zeng | 2 -> 1 kHz tones | n=33
12 reversals | 45.55 ms | 2026-11-01 22:53 KST
C2 | Wei / Zeng | 2 -> 1 kHz tones | n=40
12 reversals | 27.09 ms | 2026-11-01 22:59 KST
C3 | Wei / Zeng | 2 -> 1 kHz tones | n=40
12 reversals | 32.21 ms | 2026-11-01 23:59 KST
C4 | Wei / Zeng | 2 -> 1 kHz tones | n=24
12 reversals | 29.54 ms | 2026-11-02 00:02 KST
C5 | Wei / Zeng | 2 -> 1 kHz tones | n=40
12 reversals | 29.54 ms | 2026-11-03 20:11 KST
nominal gap (ms)
trial number

GDT | individual adaptive staircases | 238 recorded reversals; 130 used by the 18 numeric results


D1 | Xie 2022 | 800-ms noise | n=49
10 reversals | 2.33 ms | 2026-11-03 19:46 KST




D2 | Xie 2022 | 800-ms noise | n=49
10 reversals | 2.50 ms | 2026-11-03 19:50 KST




D3 | Xie 2022 | 800-ms noise | n=56
10 reversals | floor-limited | 2026-11-03 19:55 KST




E1 | Blankenship 2022 | 2 -> 2 kHz tones | n=14
0 reversals | floor-limited | 2026-11-01 22:37 KST




E2 | Blankenship 2022 | 2 -> 2 kHz tones | n=16
2 reversals | floor-limited | 2026-11-01 22:38 KST



F1 | Blankenship 2022 | 2 -> 1 kHz tones | n=11
5 reversals | 17.33 ms (paper value) | 2026-11-01 22:36 KST



F2 | Blankenship 2022 | 2 -> 1 kHz tones | n=12
5 reversals | 11.33 ms (paper value) | 2026-11-01 22:40 KST



GDT | methods and counting (from the run CSV)

panel	protocol / stimulus	rule
A	Wei / Zeng | 500-ms noise	geometric mean of the last 8 of 12 reversals (ms)
B	Wei / Zeng | 2 -> 2 kHz tones	geometric mean of the last 8 of 12 reversals (ms)
C	Wei / Zeng | 2 -> 1 kHz tones	geometric mean of the last 8 of 12 reversals (ms)
D	Xie 2022 | 800-ms noise	arithmetic mean of the last 6 of 10 reversals (ms)
E	Blankenship 2022 | 2 -> 2 kHz tones	arithmetic mean of the last 3 of 5 reversals (ms); 1-up/1-down tra
F	Blankenship 2022 | 2 -> 1 kHz tones	arithmetic mean of the last 3 of 5 reversals (ms); 1-up/1-down tra

Excluded: 3 deleted runs (101 trials), 2 stopped runs (2 completed responses). Practice runs: 0. Example presentations before runs: 15 (not trials).