





Adaptive SMD | 12 runs · 653 trials | numeric 9 runs · 490 trials | right ear | 2026-11-02 KST
A Mean ± sample SD by density (numeric thresholds only)
modulation-depth threshold (dB)
spectral density (cycles/octave)
0.5
1
2
n=2 / T=111
n=5 / T=285
n=2 / T=94
B Individual thresholds in run order (open = interval/response-bias flag)
NA
NA
NA
49
44
60
64
55
51
50
69
49
44
42
76
01 1
02 1
03 1
04 2
05 0.5
06 1
07 2
08 0.5
09 1
10 2
11 0.5
12 1
run (R01-R12, c/o) | lower row: trial count | dotted line: session 1 | session 2


Adaptive SMD | staircases R01-R04 | 217 trials (shading: analysis window after reversal 4)
R01 | 1 c/o | 49 trials
00:43:30 KST · threshold 23.40 dB
R02 | 1 c/o | 44 trials
00:47:27 KST · no numeric threshold
R03 | 1 c/o | 60 trials
00:52:37 KST · threshold 20.25 dB
R04 | 2 c/o | 64 trials
19:44:45 KST · no numeric threshold
modulation depth (dB)
trial number


Adaptive SMD | staircases R05-R08 | 225 trials (shading: analysis window after reversal 4)
R05 | 0.5 c/o | 55 trials
19:53:44 KST · no numeric threshold
R06 | 1 c/o | 51 trials
19:59:05 KST · threshold 23.00 dB
R07 | 2 c/o | 50 trials
20:12:48 KST · threshold 25.70 dB
R08 | 0.5 c/o | 69 trials
20:18:32 KST · threshold 23.35 dB
modulation depth (dB)
trial number


Adaptive SMD | staircases R09-R12 | 211 trials (shading: analysis window after reversal 4)
R09 | 1 c/o | 49 trials
20:25:40 KST · threshold 18.60 dB
R10 | 2 c/o | 44 trials
20:29:32 KST · threshold 16.95 dB
R11 | 0.5 c/o | 42 trials
20:33:06 KST · threshold 19.35 dB
R12 | 1 c/o | 76 trials
20:37:54 KST · threshold 21.00 dB
modulation depth (dB)
trial number


Adaptive SMD | response and non-numeric-run diagnostics
A Accuracy in the analysis window (red: no numeric threshold)
accuracy (%)
0
20
40
60
80
100
24/39
16/32
32/42
26/51
19/36
31/37
17/30
44/57
26/38
17/30
23/30
47/57
R01
R02
R03
R04
R05
R06
R07
R08
R09
R10
R11
R12
B Correct / trials by target interval
target interval
1
2
3
3/12
2/17
14/21
7/20
9/20
9/15
8/17
12/23
5/11
4/14
8/16
14/23
15/22
14/14
13/21
18/27
11/21
14/19
6/16
15/20
14/21
12/17
14/16
17/23
12/15
9/13
17/18
10/17
14/14
16/17
15/17
24/26
15/17
12/13
10/10
29/30
R01
R02
R03
R04
R05
R06
R07
R08
R09
R10
R11
R12

Adaptive SMD | run ledger | 168 reversals over 653 trials

Run	Start (KST)	c/o	Trials	Correct	Threshold (dB)	Status	Source run ID
R01	00:43:30	1	49	30	23.40	complete_in_range	rmvy023otzzslbf
R02	00:47:27	1	44	25	NA	threshold_above_window	rmvy076pe2q9yp3
R03	00:52:37	1	60	44	20.25	complete_in_range	rmvy0du1frz0igj
R04	19:44:45	2	64	35	NA	threshold_above_window	rmvz4tr8mz87e8y
R05	19:53:44	0.5	55	34	NA	threshold_above_window	rmvz55at1w19ueu
R06	19:59:05	1	51	39	23.00	complete_in_range	rmvz5c6uf0yerb7
R07	20:12:48	2	50	29	25.70	complete_in_range	rmvz5ttkoomq1h0
R08	20:18:32	0.5	69	51	23.35	complete_in_range	rmvz617jpo2lxqf
R09	20:25:40	1	49	34	18.60	complete_in_range	rmvz6ad9pkbzlo3
R10	20:29:32	2	44	28	16.95	complete_in_range	rmvz6fcoe929uia
R11	20:33:06	0.5	42	32	19.35	complete_in_range	rmvz6jxt5k85o75
R12	20:37:54	1	76	60	21.00	complete_in_range	rmvz6q3lpntkqle