Lab 1 - Greedy heuristics

Author: Michał Żurawski 160252

Description of the problem

Each instance contains nodes with coordinates (x, y) and a cost. Select exactly half of the nodes (rounded up) and connect them into a closed cycle. Minimise **cycle length + sum of the costs of the selected nodes**. Distances are Euclidean, rounded to the nearest integer.

Algorithms

200 solutions per greedy method (one starting from each node) and 200 random solutions. "Nearest" always means the best increase of the objective (distance change + node cost), not distance alone.

```
Random:
  tour = first k nodes of a random permutation

Nearest neighbour, end only (start):
  tour = [start]
  while |tour| < k:
      u = unvisited node minimising dist(last, u) + cost(u)
      append u

Nearest neighbour, any position (start):
  tour = [start]
  while |tour| < k:
      for each unvisited u and each position p (front, between two nodes, end):
          delta = added path length + cost(u)
      insert the (u, p) with the smallest delta

Greedy cycle (start):
  v = unvisited node minimising dist(start, v) + cost(v);  tour = [start, v]
  while |tour| < k:
      for each unvisited u and each cycle edge (a, b):
          delta = d(a, u) + d(u, b) − d(a, b) + cost(u)
      insert the (u, edge) with the smallest delta
```

Results

Objective = cycle length + sum of node costs, over 200 runs per method. The best value in each column is in bold.
All best solutions were checked with the solution checker (the same computation as the lecturer's Solution checker.xlsx): **yes**.
Results are identical in all implemented languages: **yes**.

Instance TSPA

Method	Min	Max	Avg	Best solution checked
Random solution	237131	287973	263514	yes
Nearest neighbor (end only)	84362	90075	87477	yes
Nearest neighbor (any position)	**72328**	77022	74347	yes
Greedy cycle	72590	**75281**	**73797**	yes

Instance TSPB

Method	Min	Max	Avg	Best solution checked
Random solution	188214	231879	206802	yes
Nearest neighbor (end only)	56007	**63166**	**59397**	yes
Nearest neighbor (any position)	**52915**	66164	59475	yes
Greedy cycle	53016	63736	59709	yes

Running time

Average time of one run of the algorithm only, over the same runs as above. The fastest language in each row is in bold.

Instance TSPA

Method	Python	C	C++	Rust
Random solution	77.6 µs	380 ns	321 ns	**295 ns**
Nearest neighbor (end only)	374.0 µs	**14.0 µs**	20.4 µs	23.5 µs
Nearest neighbor (any position)	24.39 ms	534.2 µs	**481.1 µs**	567.2 µs
Greedy cycle	22.58 ms	687.4 µs	**462.6 µs**	648.7 µs


Instance TSPB

Method	Python	C	C++	Rust
Random solution	70.2 µs	**425 ns**	481 ns	500 ns
Nearest neighbor (end only)	360.0 µs	**15.6 µs**	24.0 µs	18.3 µs
Nearest neighbor (any position)	23.51 ms	529.4 µs	**515.9 µs**	561.6 µs
Greedy cycle	21.92 ms	541.8 µs	**464.2 µs**	639.2 µs


Visualisation of the best solutions

Node colour and size show the node cost (dark and large = expensive). Grey dots are nodes not selected.


Instance TSPA




Random solution
237131 (length 140636 + cost 96495)



Nearest neighbor (end only)
84362 (length 31319 + cost 53043)




Nearest neighbor (any position)
72328 (length 21816 + cost 50512)




Greedy cycle
72590 (length 21570 + cost 51020)


Instance TSPB




Random solution
188214 (length 138112 + cost 50102)



Nearest neighbor (end only)
56007 (length 24632 + cost 31375)



Nearest neighbor (any position)
52915 (length 20068 + cost 32847)



Greedy cycle
53016 (length 16704 + cost 36312)

Best solutions (0-based node indices)

Instance TSPA

Random solution
128, 34, 55, 103, 152, 57, 106, 85, 120, 112, 86, 43, 48, 96, 63, 38, 100, 61, 164, 195, 178, 194, 58, 117, 6, 158, 173, 40, 37, 121, 156, 192, 5, 101, 165, 1, 29, 131, 147, 60, 52, 170, 64, 54, 142, 93, 41, 88, 107, 159, 80, 68, 20, 36, 15, 22, 12, 146, 67, 116, 149, 189, 137, 133, 35, 99, 51, 30, 13, 154, 122, 75, 155, 33, 115, 162, 23, 87, 197, 56, 19, 78, 118, 82, 66, 182, 139, 190, 144, 161, 127, 65, 191, 50, 114, 45, 16, 26, 163, 129

Nearest neighbor (end only)
54, 9, 33, 36, 177, 67, 144, 53, 135, 58, 134, 176, 174, 106, 89, 107, 57, 182, 151, 93, 50, 3, 1, 164, 178, 29, 136, 186, 184, 47, 159, 130, 153, 78, 88, 193, 170, 146, 75, 64, 150, 42, 113, 43, 85, 142, 8, 131, 84, 158, 192, 181, 114, 141, 180, 132, 76, 80, 48, 31, 63, 149, 168, 97, 127, 187, 30, 123, 152, 108, 60, 116, 49, 11, 119, 160, 83, 90, 51, 16, 35, 87, 45, 140, 52, 179, 185, 28, 102, 156, 157, 71, 91, 38, 100, 4, 112, 139, 115, 5

Nearest neighbor (any position)
104, 129, 69, 127, 97, 168, 116, 149, 63, 11, 49, 160, 83, 123, 100, 152, 108, 60, 31, 48, 80, 91, 157, 71, 4, 76, 132, 180, 28, 102, 185, 35, 156, 51, 16, 67, 144, 140, 53, 179, 52, 177, 36, 33, 9, 54, 131, 174, 8, 164, 186, 136, 163, 29, 101, 178, 1, 169, 3, 50, 147, 47, 93, 106, 42, 89, 113, 130, 159, 146, 170, 153, 193, 78, 88, 107, 64, 57, 182, 151, 150, 176, 72, 134, 84, 58, 158, 192, 181, 114, 135, 73, 45, 87, 141, 187, 30, 189, 2, 171

Greedy cycle
31, 116, 149, 168, 63, 11, 49, 60, 108, 152, 100, 90, 123, 83, 160, 97, 127, 69, 171, 2, 189, 30, 187, 141, 87, 45, 73, 135, 114, 181, 192, 158, 58, 84, 134, 72, 176, 150, 151, 182, 57, 64, 107, 88, 78, 193, 153, 170, 146, 159, 130, 113, 89, 42, 106, 93, 47, 147, 50, 3, 169, 1, 178, 101, 29, 163, 136, 186, 164, 142, 8, 174, 131, 54, 9, 33, 36, 177, 52, 179, 53, 140, 144, 67, 16, 51, 156, 35, 185, 102, 28, 180, 132, 76, 4, 71, 157, 91, 80, 48

Instance TSPB

Random solution
80, 23, 16, 71, 163, 97, 140, 42, 136, 144, 107, 193, 172, 44, 12, 15, 105, 190, 160, 98, 151, 116, 103, 45, 147, 195, 177, 60, 110, 64, 153, 55, 73, 106, 188, 137, 17, 170, 50, 8, 13, 6, 88, 104, 0, 133, 38, 184, 61, 4, 113, 5, 68, 20, 111, 134, 129, 39, 191, 59, 148, 54, 63, 158, 96, 21, 198, 171, 95, 142, 1, 181, 27, 186, 34, 51, 161, 18, 75, 46, 130, 154, 56, 77, 176, 162, 139, 199, 57, 90, 2, 91, 185, 19, 168, 40, 132, 84, 66, 30

Nearest neighbor (end only)
32, 89, 57, 76, 54, 127, 129, 90, 153, 20, 14, 2, 110, 118, 56, 114, 196, 10, 148, 143, 78, 192, 162, 104, 185, 184, 3, 151, 69, 172, 133, 120, 96, 121, 198, 48, 72, 46, 86, 117, 160, 136, 8, 21, 154, 140, 47, 170, 125, 177, 6, 132, 29, 197, 175, 134, 45, 60, 40, 71, 155, 97, 115, 180, 65, 28, 149, 145, 158, 116, 147, 42, 50, 130, 30, 183, 38, 64, 85, 59, 167, 51, 87, 179, 82, 88, 171, 99, 67, 24, 34, 181, 152, 73, 98, 27, 135, 75, 79, 156

Nearest neighbor (any position)
110, 2, 14, 20, 74, 153, 182, 52, 90, 129, 127, 80, 54, 192, 162, 104, 76, 185, 57, 89, 86, 46, 72, 3, 184, 173, 151, 122, 117, 8, 160, 69, 172, 136, 133, 120, 156, 43, 48, 96, 198, 121, 130, 191, 50, 42, 147, 116, 37, 146, 13, 149, 28, 145, 65, 158, 177, 125, 26, 170, 197, 36, 132, 29, 6, 180, 115, 155, 71, 175, 134, 45, 157, 60, 40, 141, 97, 154, 140, 47, 38, 21, 176, 30, 183, 189, 168, 64, 59, 85, 51, 73, 167, 152, 34, 24, 181, 179, 87, 82

Greedy cycle
49, 64, 33, 40, 60, 71, 155, 141, 157, 45, 134, 175, 62, 36, 197, 29, 132, 178, 103, 6, 180, 115, 170, 177, 125, 26, 97, 140, 154, 47, 38, 21, 176, 30, 183, 191, 130, 63, 121, 198, 96, 48, 89, 156, 120, 133, 136, 172, 160, 69, 8, 117, 72, 46, 86, 184, 3, 173, 122, 151, 98, 111, 27, 135, 76, 185, 57, 104, 162, 54, 192, 127, 52, 182, 153, 20, 74, 2, 14, 90, 129, 80, 150, 84, 66, 67, 31, 24, 34, 152, 181, 88, 179, 87, 82, 73, 167, 51, 59, 85

Source code

Source code of the compared labs:

- Lab 1: labs/lab1 (Python, C, C++, Rust)

Conclusions

- Random solutions are about 3.5 times worse than any greedy method.
- On TSPA, inserting at any position (nearest neighbour any position, greedy cycle) is clearly better than appending at the end (average about 74000 vs 87500).
- Greedy methods are deterministic given the start node, so the spread comes only from the start choice; trying every start and keeping the best is cheap and worthwhile.