Apertus-Recht: which racial-discrimination law does Apertus apply?

People ask chat assistants whether something they said is punishable. We release 1,980 German, French and Italian scenarios under Art. 261bis StGB, built as minimal twins that change one legal fact at a time. Intent and the dignity threshold are stipulated, so the set tests how a model applies the elements, not whether it predicts a conviction. Each verdict is computed by code from pinned Fedlex texts and agrees with 57 of 57 Swiss court rulings we could code (mostly convictions: an engine that always convicts would score 55). Without the law, Apertus v1.5 70B convicts all but at most one of the 215 lawful German scenarios and, in free text, calls 73 of 75 lawful scenarios punishable. Rules spelled out in plain sentences make it apply the publicity rule, but not the closed list of protected groups or the date the article took effect. Pasting the verbatim law undoes even that. On a second statute (Art. 179ter), its answer without the law follows the wording of the question, not the facts. One command re-derives every label and number.

Track: Apertus Readiness · Track 1B (Swiss Voices, behavioural alignment) · **Event:** Online · **Team:** 444
Demo: https://apertus-recht.mi11ion.io (every scenario, its gold and Apertus's answers) · `make run` (Docker, CPU, no key)

Use of Apertus

- **Model:** Apertus v1.5 70B; Apertus v1.5 8B (public Q4_K_M GGUF; for exploration also the SFT, RLVR, DPO and final stages, bf16 blends, Q8_0 and MLX 4-bit builds).
- **How it is used:** evaluation only: forced choice, preference pairs, and free text read by three blind judges.
- **Where it runs:** the 70B on Public AI through a cost-capped gateway (see Runs for the endpoint name); the 8B as the public GGUF on CPU in CI.
- **Links:** code https://github.com/mi11ione/apertus-recht · dataset https://huggingface.co/datasets/mi11ion/apertus-recht

---

Use Case Description

Art. 261bis StGB [1] punishes racial discrimination; since 1 July 2020 it also covers sexual orientation. Whether a statement is punishable turns on three elements a layperson cannot check:

- **Publicity.** Under BGE 130 IV 111 [2] E. 5.2, statements among family, friends or in a setting of personal trust are not public.
- **The closed list.** Only race, ethnicity, religion and sexual orientation are protected.
- **The date.** The article entered into force on 1 January 1995; sexual orientation is covered from 1 July 2020.

A wrong answer misinforms people about their own speech, in either direction. The users are Swiss residents asking an assistant in German, French or Italian, with or without the law in context (Apertus-v1.5-8B: 698,641 downloads in the 30 days before 9 October 2026). The dataset asks not "how often is the model right" but **which law it applies**, element by element.

Dataset Summary

Per language: 660 scenarios in 220 twin groups (220 base, 215 true flips, 210 placebos, 15 contested); verdicts 430 convict, 215 acquit, 15 open. Each scenario has an acceptance criterion, an item-specific `chosen` answer, a `rejected` answer and a length-matched mirror, a settled or contested label, its normative source and its element-by-element derivation. The 660 German scenarios are also retold in the first person (`de_lay`).

Term	Meaning
Twin	a variant that changes exactly one fact of its base. A *true flip* changes the verdict; a *placebo* does not.
Rung	how much law the prompt carries. **R0** no law · **R3** rules spelled out (the elements, a one-sentence paraphrase of BGE 130 IV 111, the closed list, and that gender identity and sex are not covered) · **R4** R3 plus one sentence on the 2020 extension · **R5** verbatim law (Fedlex text of Art. 261bis and Art. 2 StGB, the Regeste) · **R6** R5 with an instruction to check each element
Framing	how the verdict is asked: Ja/Nein, or the verdict word ("Urteil: schuldig / nicht schuldig")
Misapplied (red)	the model convicts a variant the law acquits, while it convicts the unchanged base (95% intervals); for a placebo, a change that should not matter, it stops convicting
Read-back	the law the model applies, element by element, read off the twins

Family (groups per language)	One-fact change of the base	Tests
SET (55)	public → private setting; placebo: family wording of a public statement	BGE 130 IV 111 E. 5.2
CHAR (60), CHARX (20)	protected → unprotected characteristic; placebo: synonym ("Hautfarbe", "Glaube")	closed list
DATE_SO (35)	sexual orientation 2021–25 → before 1 Jul 2020; placebo: 1 Jul / Aug 2020	AS 2020 1609, Art. 2 StGB
DATE_CTRL (25)	race, ethnicity, religion → 2018–20 (placebo) and → 1993/94	over-application; entry into force
CONTESTED (15)	public → fact-dependent setting (gold open)	hedging
WORDING (10)	another wording family; another paragraph	wording invariance

Unprotected characteristics: gender identity, sex, canton, occupation, age, disability, political opinion. The wording is templated (18 act wordings, 29 settings, 33 group phrases; 44 words on average): that is the price of exact twins.

What is new. To our knowledge no dataset lets one test which version of a real statute a model applies, element by element, in the three official languages; the closest work asks when models apply the wrong law [5] (sources in `docs/prior-art.md`):

Dataset	Languages	Gold	One-fact twins	Real amendment dates	Checked against courts
LEXam [3] / SwissLegalEvals	DE, EN / DE, FR, IT	exam keys, LLM judges	no	no	no
LawShift [4]	ZH	expert metamorphic relations	yes	hypothetical revisions	no
TALD [5]	ZH	statute version cited in judgments	no	which version applies	from judgments
OpenExempt [6]	EN	solver over expert encodings	single-factor suites	one deadline rule	no
Multilingual HateCheck [7]	DE, FR, IT, …	by construction	templated contrasts	no (not legal)	no
Apertus-Recht	**DE, FR, IT**	**code from pinned Fedlex texts**	**yes, with placebos**	**1995, 2020, Art. 2 StGB**	**57/57 rulings**

Data Collection Method

No data was collected from people. A seeded generator renders the scenarios from YAML templates. A 97-line engine computes each verdict from a machine-readable element model of the statute (`statutes/stgb_261bis/statute.yaml`). Every element cites a pinned source: the Fedlex texts of Art. 261bis before and since 1 July 2020 and of Art. 2 StGB in three languages (sha256 of each text), the amendment footnotes, and the Regeste of BGE 130 IV 111. The engine, not the author, labels each variant a true flip, a placebo or contested; the generator refuses to build if that disagrees with the design. French and Italian were translated by Claude agents with the official terms, back-translated blind (0 critical findings) and localised by a lawyer-persona review (places in Romandie and Ticino, Swiss formulas). Every change after the pre-registration is a timestamped amendment in `prereg/AMENDMENTS.md`, cited below as A1–A15.

Verification without human labels. Because gold is computed, review looks for errors in the code, the element model or the wording. Every review step was done by Claude agents working blind on opaque ids, without code or gold.

- **Annotation:** six agents labelled 960 items; they agree with the code on 939/939 settled items and name the deciding element in 315/315 acquittals. A second pass that saw only the law agreed on 939/939. A model of another family (Qwen), given the same law-only task, agrees on 910/939; each of its 29 disagreements convicts a case the pinned text does not cover (pre-2020 sexual orientation, pre-1995, unlisted characteristics): Apertus's own errors, not gold errors (A15).
- **Adjudication:** two independent adjudicators reviewed every disagreement, every contested item and a blind 10% sample. Gold was wrong in 0 of 94 sampled items.
- **Court validation:** 326 decisions citing Art. 261bis were triaged and coded twice (Cohen's κ, agreement beyond chance, 0.83–0.98 per field). The engine agrees with 57/57 in-scope rulings, 52/52 distinct cases (repeat instances merged; the Perinçek conviction left out after the European Court of Human Rights found a violation of Art. 10 ECHR). This tests the conviction rules well and the acquittal rules thinly: an engine that always convicts would score 55/57. One of the two acquittals is clean; one agrees on another ground (A15).
- **Wording fixes:** two defects found before any result was analysed (A3), four after (A5); fixed, re-scored, archived.

Dataset Details

Quality gates (`statute-twins qc`, all passing): schema; gold recomputed for every item; twin invariants; no duplicates; language identity; canary; a PII scan of items, responses and metadata (0 hits). Tests check every closed-list term and both in-force dates against the official text in three languages. Mutation tests (drop religion from the list, move the 2020 date by a day, make private settings public) flip exactly the items each rule governs.

Contamination. None of our 35,241 distinct 13-grams occurs in the 1,069,365 decisions of `voilaj/swiss-caselaw`; the same scan finds 846 of the 1,525 13-grams of the statute and the Regeste (positive control).

Ethics and licensing. No data subjects; CDLA-Permissive-2.0 with per-item licence components; legal texts are public domain (Art. 5 URG); a consent form with an AI-use clause; a canary string in every item.

Evaluation

Figure 1 traces an item from the pinned law to the read-back, and shows what checks the gold.




Figure 1. From the pinned law to the read-back of the law a model applies; below, the checks on the gold.

Three measurements on one item set.

- *Forced choice* (all items, R0 to R5, two framings): the log-probability of the convicting answer minus the acquitting one, exact on vLLM (prefilled answer), from the logits in llama.cpp.
- *Preference* (settled items, R0): the same scoring between each item's `chosen` answer and its mirror, the same sentence with the verdict and the deciding legal claim negated (median length ratio 1.0).
- *Free text* (the same 240 items in each language, R0, R3, R5, greedy): each answer is judged against its acceptance criterion by three blind judges. Two are Claude judges; they agree on 718 of 720 pass decisions (κ 0.993), which measures self-consistency of one model. The independent judge is Qwen-SEA-LION-v4-32B: it agrees with their consensus on 694 of 718 (κ 0.73 on acquittal and open items together: 0.80 on acquittals, but -0.15 on the contested items, where it disagrees with the Claude judges). A deterministic parser of each answer's verdict agrees on 698 of 700 settled answers. A seeded 20% sample is laid out for a human check.

The read-back. Each true flip is paired with its base, which the statute convicts. With 95% item-bootstrap intervals of the mean log-odds of conviction, an element is *misapplied* when both lie above zero. A framing in which the base itself is not convicted cannot be read. The pre-registered test fits the read-back on two wording families and predicts the third; it passes if it beats the statute by at least 0.15 in every readable framing.

Runs. The 70B on Public AI (vLLM, temperature 0) in three languages at R0 to R5; the 8B public Q4_K_M GGUF (sha256 `a037df8d…`) on CPU CI runners, German R0 to R5; preference on 645 settled items per language; free text on 720 answers per language; Art. 179ter (120 items); the 162-item battery for training stages. Every row records the served model and a request hash; every hosted number is the 70B (Public AI's `apertus-v1.5-8b` name serves it: same output as `-70b` on 760 of 792 prompts, a 16-GPU deployment, MMLU 84% vs 71%; `docs/builds.md`).

Results

Without the law, the 70B convicts nearly everything. At R0 the recall of acquittals is at most 0.01 in every language and framing (Table 2; Figure 2 shows every model by rung). Table 1 shows what this means for one twin pair. The model is not blind to the facts: its scores still rank punishable above lawful cases (AUC 0.72–0.77). But the threshold sits so far on the convicting side that no case falls below it. Asking the other way round ("would a court acquit?") changes nothing: 0 of 215 acquittals in every language, so this is not a bias towards "yes". In free text the judges fail 73 of 75 answers to lawful scenarios as misleading; every one names Art. 261bis. The independent judge alone counts 72 of 75.

Scenario (the changed fact in bold)	Law	70B Ja/Nein R0 · R3 · R5	70B free text, R0 (first sentence)
Eine Frau lebt in Bern. Im September 2021 geschah Folgendes: **An einer bewilligten Kundgebung auf einem öffentlichen Platz vor rund 300 Personen** sprach sie Tamilen wegen ihrer Ethnie die Gleichwertigkeit als Menschen ab. Sie wusste, was sie tat, und wollte es so.	convict	Ja · Ja · Ja	Ja, das Verhalten der Frau ist nach Schweizer Recht strafbar.
… **In einer persönlichen Nachricht, die sie nur an ihre Schwester schickte,** …	acquit	Ja · Nein · Ja	Ja, das Verhalten der Frau ist nach Schweizer Recht strafbar. (misleading: 3 of 3 judges)

Table 1. One twin pair (German, Apertus 70B): a speech at an authorised rally before about 300 people, and the same words in a private message to her sister. Only the setting differs; the law convicts the first and acquits the second. Red: an answer the law does not support. Apertus convicts the private message without the law (R0) and again with the verbatim law (R5); only the rules spelled out (R3) fix it. Its free-text answer ("Yes, the woman's conduct is punishable under Swiss law") is misleading for all three judges.

model	lang	R0 bal. acc.	R3 bal. acc.	R4 bal. acc.	R5 bal. acc.	R3 acquit recall
70B	DE	0.50 / 0.50	0.74 / 0.70	0.73 / 0.75	0.50 / 0.50	0.50 / 0.40
70B, first person	DE	0.50 / –	0.74 / –	–	–	0.55 / –
70B	FR	0.50 / 0.50	0.76 / 0.83	0.81 / 0.77	0.53 / 0.50	0.56 / 0.71
70B	IT	0.50 / 0.50	0.71 / 0.70	0.84 / 0.75	0.60 / 0.58	0.45 / 0.40
8B Q4_K_M	DE	0.52 / 0.50	0.78 / 0.72	0.80 / 0.77	0.53 / 0.51	0.57 / 0.46
8B Q4_K_M	FR	0.51 / 0.50	0.81 / 0.60	0.68 / 0.71	0.53 / 0.52	0.65 / 0.20
8B Q4_K_M	IT	0.55 / 0.50	0.67 / 0.63	0.79 / 0.75	0.53 / 0.50	0.33 / 0.26

Table 2. Balanced accuracy (mean of the recall of convictions and of acquittals; 0.50 = no discrimination), Ja/Nein / verdict word, and the recall of acquittals at R3. The first-person retelling was run at R0 and R3 only.




Figure 2. Share of the 215 lawful scenarios acquitted (solid) and of the 430 punishable ones convicted (dashed), by rung, Ja/Nein: the rules spelled out move every model; the verbatim law undoes it. The first-person retelling was run at R0 and R3 only.

With the rules spelled out (R3), publicity is applied; the closed list and the date are not. Figure 3 is the read-back itself: the law each model applies, element by element (the pre-registered rule reports it per element because the pre-registered held-out test fails: at R3 and R4 the read-back beats the statute in every cell, but not by the 0.15 required; see the end of this section). It shows every model and language; for the German 70B:

- **Private settings** are acquitted. Every private variant names family or friends, the words of the paraphrase, so this shows uptake of a stated example more than application of BGE 130 IV 111.
- **Canton, disability and political opinion** stay red: convicted although the prompt lists the four protected characteristics. Gender identity is applied once the prompt names it as excluded.
- **The R3 gain is fragile.** Asked whether a court would acquit, the 70B also acquits half the punishable cases, and its scores rank the cases backwards (AUC 0.27). Averaged over both question directions, private settings still hold; most other acquittals do not (Table 3).
- **The date sentence (R4) backfires.** One sentence saying that sexual orientation is protected since 1 July 2020 makes the 70B acquit the earlier cases, but also stop convicting punishable cases from 2021–25: 0 of these 35 with the verdict word in German. The 8B convicts 14 of 35 with Ja/Nein (19 with the verdict word). The sentence does not teach the date; it takes the characteristic off the list.
- **Acts from 1993/94**, before the article entered into force, are convicted at every rung. No rung states the 1995 date, so this is a gap in what the model knows.

The verbatim law (R5) undoes the rules. Given the Fedlex text and the Regeste, as a retrieval pipeline would paste them, the German 70B convicts almost everything again: it acquits 0 of the 215 lawful scenarios with Ja/Nein, 1 with the verdict word. In French and Italian it acquits 12 and 43 of the 215 lawful scenarios, against 120 and 97 with the rules spelled out. In free text, 75 of 75 answers to lawful scenarios call them punishable. The scores do register the facts (a private setting lowers the conviction score by 6.6 nats, from 14.7), but never below the threshold. No single part of the law text explains it (Table 3).



Figure 3. The law in force (column "Law") next to the law Apertus applies. Each row changes one legal fact of a scenario the statute punishes (above the rule) or a detail that changes nothing (below); each column is a rung of one model. Filled square: the model applies a law that is not in force (both framings, 95% intervals); half-filled: in one framing; open: it applies the law in force; dash: the base itself is not convicted, so the row cannot be read.

Control	Result	What it shows
Question asked the other way ("would a court acquit?"), no law	Of 215 lawful scenarios, 0 are acquitted, in every language.	not a bias towards "yes"
The same, rules spelled out	German: the model now also "acquits" punishable cases (balanced accuracy 0.38). Averaged over both directions, 73 of 215 lawful scenarios are acquitted, among them 45 of 55 private settings.	part of the R3 gain is answer format
The same in Italian	Of 215 lawful scenarios, none acquitted: every case is convicted.	the answer follows the question
What in the verbatim law hurts (75 lawful German scenarios, a stable sample of 80 twin groups)	Acquitted with the rules alone: 37 of 75; with the rules after the verbatim law: 11 of 75; with the rules after unrelated legal text of the same length: 36 of 75.	not prompt length: the law's own text
Verbatim law plus an instruction to check each element (R6)	Of 215 lawful German scenarios, 23 are acquitted.	not a missing instruction
Free text in French and Italian	Of 75 lawful scenarios, misleading answers: French 75 without the law, 75 with it; Italian 75 and 66.	not a German-only effect
The same scenarios told in the first person, all three languages	Of 215 lawful scenarios, acquitted without the law: German 2, French 4, Italian 0. With the rules: 119, 136, 143 (charge sheet: 107, 120, 97).	not an artefact of legal register
The same scenarios rewritten as natural text, facts verified blind by two model families	Of 117 lawful scenarios (three languages, Ja/Nein): 3 acquitted without the law, 47 with the rules; the templated originals: 2 and 44.	not an artefact of templated wording
A second statute, Art. 179ter (120 German scenarios)	Without the law: "Nein" to all 120 when asked Ja/Nein, "schuldig" to 117 when asked for the verdict. With its elements and the complaint rule: balanced accuracy 0.76.	not specific to one article

Table 3. Controls (A13–A16; per-element detail in `reports/controls_a13.json`*). Art. 179ter: even with its rules stated, a public debate and an outsider (whose act falls under Art. 179bis) are still convicted.*

Recognising the law is not applying it. Shown an item's correct answer and its mirror, the 70B picks the correct one (German 0.98; Table 4), most cleanly in the closed-list and date columns, although its own verdicts convict those cases. In French it prefers the mirror for half the punishable cases (0.53); we have not isolated why.

measure	model	lang	all	convict	private	not listed	SO < 2020	< 1995
preference	70B	DE	0.98	0.98	1.00	1.00	0.97	1.00
preference	70B	FR	0.69	0.53	1.00	1.00	0.97	1.00
preference	70B	IT	0.94	0.92	1.00	0.98	1.00	1.00
preference	8B Q4_K_M	DE	0.82	0.82	1.00	1.00	0.00	1.00
free text R0	70B	DE	156/240	154/158	1/19	1/34	0/13	0/9
free text R3	70B	DE	187/240	150/158	19/19	17/34	0/13	0/9
free text R5	70B	DE	159/240	158/158	0/19	0/34	0/13	0/9

Table 4. Preference: share of settled items where the model scores the chosen *answer above its length-matched mirror. Free text: answers that meet the acceptance criterion (240 German items). Columns: the deciding element.*

Pre-registered held-out test. At R0 it passes trivially (a convict-everything model is predicted perfectly). At R3 and R4 the read-back fitted on two wording families beats the statute on the third in every cell, but not by the pre-registered 0.15 in every framing, so the test fails and the read-back is reported per element (Figure 3). Two cells could not pass at all: the model departs from the statute on fewer than 15% of their items (French R3 verdict word, Italian R4 Ja/Nein; largest possible gain 0.13 and 0.14). The split tests transfer to new wordings, not to new legal facts. Every cell: `results/results.json` (`heldout`).

Post-training and builds (8B, the 162-item exploration battery). *Training stages* (one checkpoint pair, so a lead): from RLVR to DPO, correct acquittals under stated rules fall from 185 to 146 of 220 decisions, while all 104 convictions are kept. *Builds:* of 648 decisions, the public Q8_0 GGUF matches bf16 on 638, the Q4_K_M on 622, an MLX 4-bit conversion on 548.

Dataset Limitations

- **Depth over breadth.** One statute modelled exactly, three of its five paragraphs. Intent, the characteristic and the dignity threshold are stated in the facts, where most court acquittals turn, so the set measures element application, not conviction prediction. A second statute (Art. 179ter) is released in the same five-file format.
- **Two contestable legal choices, stated.** An Abs. 2 act ("propagating an ideology") is also told as a one-off statement; an online post before 1 July 2020 counts as completed on publication (dropping those items moves no accuracy by more than 1.4 points).
- **Every review is re-runnable** (agent runs with their instructions in the repository), and each is checked from outside one model family: the gold by Qwen, the official text, mutation tests and courts; the free text by Qwen and a parser. Twins need templated wording; natural paraphrases give the same results (Table 3). Contested items are few (15 per language).

Lessons Learnt and Recommendations

- **Users:** do not ask about Art. 261bis without the law in context, nor count on pasting the statute. State the rule the case turns on in a plain sentence; check the characteristic and the date yourself; avoid 4-bit MLX conversions.
- **Developers:** in our one checkpoint pair, DPO costs acquittals under stated rules (8B: 185 → 146 of 220). The model obeys exclusions it is told but not "the list is closed", and reads plain rules but not the law as written: instruction-following and long-context legal reading are training targets. Keep the `chosen` / `rejected` pairs out of training if you evaluate on them.

Reproducibility

`make run` (Docker, CPU, no key, no model) regenerates the dataset from the YAML (sha256 per file), recomputes every result from the stored responses, checks every request hash against its prompt, re-aggregates the judges, checks the pre-registration (`prereg-verify`: locked files, amendments A1–A15, the frozen held-out code) and the `claims.tsv` numbers for both statutes, and exits non-zero on any mismatch. `LLM_*` variables or `make run-gguf` add a live slice. Seeds: generator 261, bootstrap 0 (2,000 resamples). **License:** code Apache-2.0; dataset CDLA-Permissive-2.0; this report CC-BY-4.0.

References

[1] Swiss Criminal Code (StGB, SR 311.0), Art. 1, 2, 30, 31, 179ter, 261bis; Fedlex consolidations of 1 Feb 2020 and 1 Oct 2026; amendments AS 1994 2887 and AS 2020 1609. [2] BGE 130 IV 111 (Federal Supreme Court, 2004). [3] Fan et al., LEXam, ICLR 2026. [4] Han et al., LawShift, NeurIPS 2025 D&B. [5] Huang et al., When Do LLMs Apply the Wrong Law? (TALD), arXiv 2608.14610, 2026. [6] Servantez et al., OpenExempt, ACL Findings 2026. [7] Röttger et al., Multilingual HateCheck, WOAH 2022.